

COMBINED AUTHOR AND TITLE INDEX

(Volumes 51 to 60, 2002–2004)

A

- Aarseth M, see Nylund A et al. (2003) 54:15–27
 Aarseth M, see Nylund A et al. (2003) 56:11–24
 Adams A, see Miles DJC et al. (2003) 55:77–84
 Adams A, see Vatsos IN et al. (2003) 56:115–126
 Adkison M, see Hedrick RP et al. (2003) 55:85–92
 Adkison MA, see Kelley GO et al. (2004) 59:235–248
 Adroher FJ, Malagón D, Valero A, Benítez R (2004) *In vitro* development of the fish parasite *Hysterothylacium aduncum* from the third larval stage recovered from a host to the third larval stage hatched from the egg. 58:41–45
 Aguirre AA, see Lu Y et al. (2003) 57:183–191
 Agustí C, see Fernández M et al. (2003) 55:73–76
 Ahn KJ, see Lee EH et al. (2003) 54:85–88
 Ahne W, Bjorklund HV, Essbauer S, Fijan N, Kurath G, Winton JR (2002) Spring viremia of carp (SVC). 52:261–272
 Ahne W, Blake S, Essbauer S, Nicholson BL (2003) Characterization of aquabirnaviruses from flounder *Pseudopleuronectes americanus* and mummichog *Fundulus heteroclitus* in the Chesapeake Bay, Virginia, USA. 56:201–206
 Ahne W, see Stone DM et al. (2003) 53:203–210
 Åkerman G, see Ekman E et al. (2003) 55:93–99
 Åkerman G, see Ekman E et al. (2004) 60:31–39
 Albright LJ, see Lio-Po GD et al. (2003) 57:213–220
 Aleström P, see Mikalsen AB et al. (2004) 60:11–20
 Alexis M, see Rigos G et al. (2003) 54:35–41
 Alford RA, see Woodhams DC et al. (2003) 55:65–67
 Allam B, see Paillard C et al. (2004) 59:249–262
 Altinok I, see Grizzle JM et al. (2003) 54:29–33
 Álvarez MF, see Leiro J et al. (2004) 59:171–174
 Álvarez-Pellitero P, see Pujalte MJ et al. (2003) 54:119–126
 Álvarez-Pellitero P, see Redondo MJ et al. (2003) 55:133–144
 Alvik T, see Levsen A et al. (2004) 59:135–140
 Amundsen M, see Johansen R et al. (2003) 57:35–41
 Amundsen Strand M, see Sommer AI et al. (2004) 59:101–108
 Andersen K, see Jensen S et al. (2003) 53:25–31
 Anderson JJ, see Hamel OS (2002) 51:85–92
 Andersson MG, Cerenius L (2002) Analysis of chitinase expression in the crayfish plague fungus *Aphanomyces astaci*. 51:139–147
 Anguiano-Beltrán C, Lizárraga-Partida ML, Searcy-Bernal R (2004) Effect of *Vibrio alginolyticus* on larval survival of the blue mussel *Mytilus galloprovincialis*. 59:119–123
 Anil TM, Shankar KM, Mohan CV (2002) Monoclonal antibodies developed for sensitive detection and comparison of white spot syndrome virus isolates in India. 51:67–75
 Apakupakul K, see Casas SM et al. (2004) 58:231–244
 Aragón L, see Granja CB et al. (2003) 54:73–78
 Arakelova KS, Chebotareva MA, Zabelinskii SA (2004) Physiology and lipid metabolism of *Littorina saxatilis* infected with trematodes. 60:223–231
 Aranguren F, see Briñez B et al. (2003) 55:69–72
 Aranguren LF, see Granja CB et al. (2003) 54:73–78
 Aranishi F, see Izumi S et al. (2003) 56:207–214
 Ardelli BF, Woo PTK (2003) *In vitro* nutritional requirements and metabolic products of pathogenic and nonpathogenic strains of *Cryptobia salmositica*: essential carbohydrates

- and amino acids. 56:49–57
 Arie B, see Stewart JE et al. (2004) 60:149–155
 Arimoto M, see Mori K et al. (2003) 57:19–26
 Arimoto M, see Muroga K et al. (2004) 58:111–115
 Arkush KD, Mendonca HL, McBride AM, Hedrick RP (2004) Susceptibility of captive adult winter-run Chinook salmon *Oncorhynchus tshawytscha* to waterborne exposures with infectious hematopoietic necrosis virus (IHNV). 59: 211–216
 Arnaud C, see Laffargue P et al. (2004) 58:179–184
 Arndt R, see Wagner EJ et al. (2003) 53:133–142
 Arranz JA, see Leiro J et al. (2004) 59:171–174
 Aspehaug V, see Nylund A et al. (2003) 54:15–27
 Assavalapsakul W, Smith DR, Panyim S (2003) Propagation of infectious yellow head virus particles prior to cytopathic effect in primary lymphoid cell cultures of *Penaeus monodon*. 55:253–258
 Athanassopoulou F, Billinis C, Prapas Th (2004) Important disease conditions of newly cultured species in intensive freshwater farms in Greece: first incidence of nodavirus infection in *Acipenser* sp. 60:247–252
 Athanassopoulou F, Ragias V, Roth M, Liberis N, Hatzinikolaou S (2002) Toxicity and pathological effects of orally and intraperitoneally administered ivermectin on sea bass *Dicentrarchus labrax*. 52:69–76
 Atkinson SD, see Hallett SL et al. (2003) 55:45–57
 Atkinson W, see Nehring RB et al. (2003) 57:77–83
 Audenaert V, Huyse T, Goemans G, Belpaire C, Volckaert FAM (2003) Spatio-temporal dynamics of the parasitic nematode *Anguillicola crassus* in Flanders, Belgium. 56: 223–233
 Avendaño-Herrera R, Magariños B, López-Romalde S, Romalde JL, Toranzo AE (2004) Phenotypic characterization and description of two major O-serotypes in *Tenacibaculum maritimum* strains from marine fishes. 58:1–8
 Avery S, see Dixon PF et al. (2003) 54:175–186
 Azevedo C, see Casal G et al. (2002) 51:107–112
 Azevedo C, see Casas SM et al. (2002) 52:217–231
 Azevedo C, see Casas SM et al. (2004) 58:231–244
 Azevedo C, see Matos E et al. (2003) 54:203–207
 Azevedo C, see Tuntiwaranuruk C et al. (2004) 58:47–53
 Azevedo C, see Vita P et al. (2003) 53:55–60
 Aznar FJ, see Fernández M et al. (2003) 55:73–76
 Aznar FJ, see Montero FE et al. (2003) 53:271–272
 Aznar FJ, see Van Bressem MF et al. (2003) 56:171–179

B

- Bachelet G, see Desclaux C et al. (2002) 52:137–149
 Baek MW, see Park JH et al. (2004) 60:253–257
 Baek MW, see Seok SH et al. (2004) 60:85–88
 Bakke TA, Harris PD, Hansen H, Cable J, Hansen LP (2004) Susceptibility of Baltic and East Atlantic salmon *Salmo salar* stocks to *Gyrodactylus salaris* (Monogenea). 58: 171–177
 Balasubramanian G, see Hameed ASS et al. (2003) 57: 157–161

- Balasundaram C, see Mariappan P et al. (2003) 55:259–260
- Balazs GH, see Work TM et al. (2003) 53:41–46
- Baldwin TJ, see Skirpstunas RT (2002) 51:161–167
- Balk L, see Ekman E et al. (2003) 55:93–99
- Balk L, see Ekman E et al. (2004) 60:31–39
- Bangyekhun E, Pykkö P, Vennerström P, Kuronen H, Cerenius L (2003) Prevalence of a single fish-pathogenic *Saprolegnia* sp. clone in Finland and Sweden. 53:47–53
- Barber BJ, see Carnegie RB et al. (2003) 55:247–252
- Bark SJ, see Way K et al. (2003) 57:43–50
- Barlić-Maganja D, see Hostnik P et al. (2002) 52:179–184
- Barnes AC, Young FM, Horne MT, Ellis AE (2003) *Streptococcus iniae*: serological differences, presence of capsule and resistance to immune serum killing. 53:241–247
- Barnes DP, see Jones SRM et al. (2003) 54:49–54
- Bartholomew J, see Larenas JJ et al. (2003) 56:25–30
- Bartholomew J, see Nichols KM et al. (2003) 56:145–154
- Bateman K, see Stentiford GD et al. (2003) 54:195–202
- Bateman K, see Stentiford GD et al. (2004) 58:89–97
- Bateman KS, see Stentiford GD et al. (2004) 59:57–68
- Batts WN, see Hedrick RP et al. (2003) 55:211–220
- Baudouin G, see Laffargue P et al. (2004) 58:179–184
- Baxa DV, see Kelley GO et al. (2004) 59:235–248
- Baxa DV, see Tops S et al. (2004) 60:109–121
- Baya A, see Reimschuessel R et al. (2003) 53:143–166
- Beauchamp KA, Gay M, Kelley GO, El-Matbouli M, Kathman RD, Nehring RB, Hedrick RP (2002) Prevalence and susceptibility of infection to *Myxobolus cerebralis*, and genetic differences among populations of *Tubifex tubifex*. 51:113–121
- Becker JA, Speare DJ (2004) Impact of a water temperature shift on xenoma clearance and recovery time during a *Loma salmonae* (Microsporidia) infection in rainbow trout *Oncorhynchus mykiss*. 58:185–191
- Begout Anras ML, see Laffargue P et al. (2004) 58:179–184
- Behringer DC Jr, see Shields JD (2004) 59:109–118
- Belpaire C, see Audenaert V et al. (2003) 56:223–233
- Benítez R, see Adroher FJ et al. (2004) 58:41–45
- Benmansour A, see Betts AM et al. (2003) 57:201–212
- Benmansour A, see Thiéry R et al. (2002) 52:29–37
- Bercovier H, see Gilad O et al. (2004) 60:179–187
- Bercsényi M, see Székely C et al. (2004) 58:157–164
- Berger L, see Boyle DG et al. (2003) 56:59–64
- Berger L, see Johnson ML et al. (2003) 57:255–260
- Bergh Ø, see Jensen S et al. (2003) 53:25–31
- Bergh Ø, see Samuelsen OB et al. (2003) 56:127–133
- Bergmann SM, Fichtner D, Skall HF, Schlotfeldt HJ, Olesen NJ (2003) Age- and weight-dependent susceptibility of rainbow trout *Oncorhynchus mykiss* to isolates of infectious haematopoietic necrosis virus (IHNV) of varying virulence. 55:205–210
- Bernier NJ, see Chin A et al. (2004) 58:17–26
- Berthe F, see Le Roux F et al. (2004) 58:143–150
- Berthe FCJ, Hine PM (2003) *Bonamia exitiosa* Hine et al., 2001 is proposed instead of *B. exitiosus* as the valid name of *Bonamia* sp. infecting flat oysters *Ostrea chilensis* in New Zealand. 57:181
- Berthe FCJ, see Carnegie RB et al. (2003) 54:219–227
- Berthe FCJ, see Cochenneec-Laureau N et al. (2003) 54: 209–217
- Berthe FCJ, see Gay M et al. (2004) 59:49–56
- Berthe FCJ, see Ngo TTT et al. (2003) 56:259–267
- Betts AM, Stone DM, Way K, Torhy C, Chilmonczyk S, Benmansour A, de Kinkelin P (2003) Emerging vesiculato-type virus infections of freshwater fishes in Europe. 57:201–212
- Billinis C, see Athanassopoulou F et al. (2004) 60:247–252
- Birkbeck TH, Rennie S, Hunter D, Laidler LA, Wadsworth S (2004) Infectivity of a Scottish isolate of *Piscirickettsia salmonis* for Atlantic salmon *Salmo salar* and immune response of salmon to this agent. 60:97–103
- Birkbeck TH, see Reid HI et al. (2003) 56:249–258
- Birkbeck TH, see Verner-Jeffreys DW et al. (2003) 56: 105–113
- Bjerkås E, Holst JC, Bjerkås I, Ringvold A (2003) Osmotic cataract causes reduced vision in wild Atlantic salmon postsmolts. 55:151–159
- Bjerkås I, see Bjerkås E et al. (2003) 55:151–159
- Bjorklund HV, see Ahne W et al. (2002) 52:261–272
- Blackbourn J, see Carnegie RB et al. (2003) 54:219–227
- Blake S, see Ahne W et al. (2003) 56:201–206
- Blazer V, see Whipp CM et al. (2004) 60:105–108
- Blazer VS, Densmore CL, Schill WB, Cartwright DD, Page SJ (2004) Comparative susceptibility of Atlantic salmon, lake trout and rainbow trout to *Myxobolus cerebralis* in controlled laboratory exposures. 58:27–34
- Blazer VS, see Kiryu Y et al. (2003) 54:135–146
- Blazer VS, see Reimschuessel R et al. (2003) 53:143–166
- Bonami JR, see Sri Widada J et al. (2004) 58:83–87
- Boonsaeng V, see Phromjai J et al. (2002) 51:227–232
- Boonsaeng V, see Withyachumnarnkul B et al. (2003) 53: 167–171
- Boonsaeng V, see Wongteerasupaya C et al. (2003) 54: 253–257
- Bornø G, see Sterud E et al. (2003) 56:155–161
- Bosi G, see Dezfuli BS et al. (2002) 51:27–35
- Bosi G, see Dezfuli BS et al. (2004) 58:193–202
- Bottari T, see Marino F et al. (2004) 59:43–47
- Botterblom MHA, see van de Braak CBT et al. (2002) 51: 149–155
- Bouchereau JL, see Toubiana M et al. (2004) 58:79–82
- Bovo G, see Hedrick RP et al. (2003) 55:85–92
- Bower SM, see Carnegie RB et al. (2003) 54:219–227
- Bowser P, see Dove ADM et al. (2004) 58:215–221
- Boyle DB, see Boyle DG et al. (2004) 60:141–148
- Boyle DG, Boyle DB, Olsen V, Morgan JAT, Hyatt AD (2004) Rapid quantitative detection of chytridiomycosis (*Batrachochytrium dendrobatidis*) in amphibian samples using real-time Taqman PCR assay. 60:141–148
- Boyle DG, Hyatt AD, Daszak P, Berger L, Longcore JE, Porter D, Hengstberger SG, Olsen V (2003) Cryo-archiving of *Batrachochytrium dendrobatidis* and other chytridiomycetes. 56:59–64
- Bradley-Dunlop DJ, Pantoja C, Lightner DV (2004) Development of monoclonal antibodies for detection of necrotizing hepatopancreatitis in penaeid shrimp. 60:233–240
- Branson EJ, see Ritchie G et al. (2002) 51:101–106
- Briñez B, Aranguren F, Salazar M (2003) Fecal samples as DNA source for the diagnosis of Necrotizing Hepatopancreatitis (NHP) in *Penaeus vannamei* broodstock. 55: 69–72
- Brock J, see Mauel MJ et al. (2003) 53:249–255
- Bromage E, see Munro J et al. (2003) 54:187–194
- Bromage ES, Owens L (2002) Infection of barramundi *Lates calcarifer* with *Streptococcus iniae*: effects of different routes of exposure. 52:199–205
- Browdy CL, see Chapman RW et al. (2004) 59:179–185
- Browdy CL, see Prior S et al. (2003) 54:89–96
- Brown D, see Valderrama K et al. (2004) 59:151–158
- Brown GD, Reece KS (2003) Isolation and characterization of serine protease gene(s) from *Perkinsus marinus*. 57: 117–126
- Brudeseth BE, Evensen Ø (2002) Occurrence of viral haemorrhagic septicaemia virus (VHSV) in wild marine fish species in the coastal regions of Norway. 52:21–28

- Brun E, Poppe T, Skrudland A, Jarp J (2003) Cardiomyopathy syndrome in farmed Atlantic salmon *Salmo salar*: occurrence and direct financial losses for Norwegian aquaculture. 56:241–247
- Brun E, see Høgåsen HR (2003) 57:247–254
- Bruno DW (2004) Prevalence and diagnosis of bacterial kidney disease (BKD) in Scotland between 1990 and 2002. 59: 125–130
- Bucci S, see Pascolini R et al. (2003) 56:65–74
- Buchmann K, see Dalgaard MB et al. (2003) 53:173–176
- Buchmann K, see Rubio-Godoy M et al. (2003) 55:23–30
- Buchmann K, see Rubio-Godoy M et al. (2003) 56:181–184
- Burka JF, see Fast MD et al. (2002) 52:57–68
- Burnley VV, see Wooley RE et al. (2004) 59:263–267
- Burr SE, Wahli T, Segner H, Pugovkin D, Frey J (2003) Association of Type III secretion genes with virulence of *Aeromonas salmonicida* subsp. *salmonicida*. 57:167–171
- Burreson EM, see Ragone Calvo LM et al. (2003) 56:75–86
- Burreson EM, see Stokes NA et al. (2002) 52:233–247
- Bushek D, Ford SE, Chintala MM (2002) Comparison of *in vitro*-cultured and wild-type *Perkinsus marinus*. III. Fecal elimination and its role in transmission. 51:217–225
- Bushek D, see Chintala MM et al. (2002) 51:203–216
- Bushek D, see Ford SE et al. (2002) 51:187–201

C

- Cable J, see Bakke TA et al. (2004) 58:171–177
- Cain KD, see Cavender WP et al. (2004) 60:205–213
- Cain KD, see LaFrentz BR et al. (2004) 59:17–26
- Cakic P, Lenhardt M, Kolarevic J (2004) *Sinergasilus polycolpus*, a new copepod species in the ichthyoparasitofauna of Serbia and Montenegro. 58:265–266
- Callinan RB, Jiang L (2003) Fatal, virus-associated peripheral neuropathy and retinopathy in farmed *Penaeus monodon* in eastern Australia. II. Outbreak descriptions. 53:195–202
- Callinan RB, Jiang L, Smith PT, Soowannayan C (2003) Fatal, virus-associated peripheral neuropathy and retinopathy in farmed *Penaeus monodon* in eastern Australia. I. Pathology. 53:181–193
- Campos B, see Valderrama K et al. (2004) 59:151–158
- Carnegie RB, Barber BJ, Distel DL (2003) Detection of the oyster parasite *Bonamia ostreae* by fluorescent *in situ* hybridization. 55:247–252
- Carnege RB, Meyer GR, Blackbourn J, Cochenneec-Laureau N, Berthe FCJ, Bower SM (2003) Molecular detection of the oyster parasite *Mikrocytos mackini*, and a preliminary phylogenetic analysis. 54:219–227
- Carson J, see Wilson T (2003) 54:127–134
- Carson J, see Wong FYK et al. (2004) 60:65–76
- Cartwright DD, see Blazer VS et al. (2004) 58:27–34
- Casado A, see Martínez JL et al. (2004) 59:79–84
- Casal G, Matos E, Azevedo C (2002) Ultrastructural data on the spore of *Myxobolus maculatus* n. sp. (phylum Myxozoa), parasite from the Amazonian fish *Metynnis maculatus* (Teleostei). 51:107–112
- Casas SM, Grau A, Reece KS, Apakupakul K, Azevedo C, Villalba A (2004) *Perkinsus mediterraneus* n. sp., a protistan parasite of the European flat oyster *Ostrea edulis* from the Balearic Islands, Mediterranean Sea. 58:231–244
- Casas SM, La Peyre JF, Reece KS, Azevedo C, Villalba A (2002) Continuous *in vitro* culture of the carpet shell clam *Tapes decussatus* protozoan parasite *Perkinsus atlanticus*. 52:217–231
- Castric J, see Thiéry R et al. (2002) 52:29–37
- Catap ES, Lavilla-Pitogo CR, Maeno Y, Traviña RD (2003)

- Occurrence, histopathology and experimental transmission of hepatopancreatic parvovirus infection in *Penaeus monodon* postlarvae. 57:11–17
- Cavender WP, Wood JS, Powell MS, Overturf K, Cain KD (2004) Real-time quantitative polymerase chain reaction (QPCR) to identify *Myxobolus cerebralis* in rainbow trout *Oncorhynchus mykiss*. 60:205–213
- Cerenius L, see Andersson MG (2002) 51:139–147
- Cerenius L, see Bangyeehun E et al. (2003) 53:47–53
- Cha SJ, see Moon CH et al. (2003) 53:11–13
- Chalermwat K, see Leethochavalit S et al. (2004) 60:165–171
- Chalermwat K, see Tuntiwaranuruk C et al. (2004) 58:47–53
- Chambers E, see Dixon PF et al. (2003) 54:175–186
- Chan SM, see Yin ZX et al. (2003) 55:117–123
- Chang SF, see Qin QW et al. (2003) 53:1–9
- Chang SO, see Park JH et al. (2004) 60:253–257
- Chao CB, Chen CY, Lai YY, Lin CS, Huang HT (2004) Histological, ultrastructural, and *in situ* hybridization study on enlarged cells in grouper *Epinephelus* hybrids infected by grouper iridovirus in Taiwan (TGIV). 58:127–142
- Chapman RW, Browdy CL, Savin S, Prior S, Wenner E (2004) Sampling and evaluation of white spot syndrome virus in commercially important Atlantic penaeid shrimp stocks. 59:179–185
- Chuang HC, see Chen SC et al. (2003) 55:161–167
- Chayaburakul K, Nash G, Pratanpipat P, Sriurairatana S, Withyachumarnkul B (2004) Multiple pathogens found in growth-retarded black tiger shrimp *Penaeus monodon* cultivated in Thailand. 60:89–96
- Chebotareva MA, see Arakelova KS et al. (2004) 60:223–231
- Chen CY, see Chao CB et al. (2004) 58:127–142
- Chen J, see Zhan WB et al. (2003) 53:263–265
- Chen JC, see Cheng W et al. (2003) 53:223–229
- Chen JC, see Cheng W et al. (2003) 57:151–155
- Chen JC, see Cheng W et al. (2004) 60:157–164
- Chen SC, Chen TH, Wang PC, Chen YC, Huang JP, Lin YD, Chuang HC, Liaw LL (2003) *Metschnikowia bicuspidata* and *Enterococcus faecium* co-infection in the giant freshwater prawn *Macrobrachium rosenbergii*. 55:161–167
- Chen SL, Ren GC, Sha ZX, Shi CY (2004) Establishment of a continuous embryonic cell line from Japanese flounder *Paralichthys olivaceus* for virus isolation. 60:241–246
- Chen TH, see Chen SC et al. (2003) 55:161–167
- Chen Y, see Li Q et al. (2003) 57:261–264
- Chen YC, see Chen SC et al. (2003) 55:161–167
- Cheng W, Hsiao IS, Chen JC (2004) Effect of nitrite on immune response of Taiwan abalone *Haliotis diversicolor supertexta* and its susceptibility to *Vibrio parahaemolyticus*. 60:157–164
- Cheng W, Wang CH, Chen JC (2003) Effect of benzalkonium chloride stress on immune resistance and susceptibility to *Lactococcus garvieae* in the giant freshwater prawn *Macrobrachium rosenbergii*. 53:223–229
- Cheng W, Wang CH, Chen JC (2003) Effect of potassium permanganate stress on immune resistance and susceptibility to *Lactococcus garvieae* in the giant freshwater prawn *Macrobrachium rosenbergii*. 57:151–155
- Chi SC, Shieh JR, Lin SJ (2003) Genetic and antigenic analysis of betanodaviruses isolated from aquatic organisms in Taiwan. 55:221–228
- Chilmonczyk S, see Betts AM et al. (2003) 57:201–212
- Chin A, Guo FC, Bernier NJ, Woo PTK (2004) Effect of *Cryptobia salmositica*-induced anorexia on feeding behavior and immune response in juvenile rainbow trout *Oncorhynchus mykiss*. 58:17–26
- Chintala MM, Bushek D, Ford SE (2002) Comparison of *in vitro*-cultured and wild-type *Perkinsus marinus*. II. Dosing

- methods and host response. 51:203–216
- Chintala MM, see Bushek D et al. (2002) 51:217–225
- Chintala MM, see Ford SE et al. (2002) 51:187–201
- Chintiroglou CC (2004) Impact of *Steinhausia mytilovum* on its host: reply to Comtet (2004). 59:177–178
- Chintiroglou CC, see Rayyan A (2003) 57:271–273
- Chintiroglou CC, see Rayyan A et al. (2004) 58:55–62
- Cho JB, Kim KH (2003) Light- and electron-microscope description of *Kudoa paralichthys* n. sp. (Myxozoa, Myxosporea) from the brain of cultured olive flounder *Paralichthys olivaceus* in Korea. 55:59–63
- Cho JB, see Lee EH et al. (2003) 54:85–88
- Cho S, see Park JH et al. (2004) 60:253–257
- Cho SA, see Seok SH et al. (2004) 60:85–88
- Choi DL, Lee NS, Choi HJ, Park MA, McGladdery SE, Park MS (2004) Viral gametocytic hypertrophy caused by a papova-like virus infection in the Pacific oyster *Crassostrea gigas* in Korea. 59:205–209
- Choi HJ, see Choi DL et al. (2004) 59:205–209
- Choi KS, see Leethochavalit S et al. (2004) 60:165–171
- Choi KS, see Ngo TTT et al. (2003) 56:259–267
- Chomsoong R, see Withyachumnarnkul B et al. (2003) 53: 167–171
- Choquet G, Soudant P, Lambert C, Nicolas JL, Paillard C (2003) Reduction of adhesion properties of *Ruditapes philippinarum* hemocytes exposed to *Vibrio tapetis*. 57: 109–116
- Choquet G, see Jensen S et al. (2003) 53:25–31
- Chung JK, see Kwon SR et al. (2002) 52:119–122
- Chung JK, see Lee CH et al. (2003) 56:43–48
- Claydon K, Cullen B, Owens L (2004) Methods to enhance the intensity of intranuclear bacilliform virus infection in *Cherax quadricarinatus*. 60:173–178
- Cochennec-Laureau N, Reece KS, Berthe FCJ, Hine PM (2003) *Mikrocystos roughleyi* taxonomic affiliation leads to the genus *Bonamia* (Haplosporidia). 54:209–217
- Cochennec-Laureau N, see Carnegie RB et al. (2003) 54: 219–227
- Collins CM, Mulcahy MF (2003) Cell-free transmission of a haemic neoplasm in the cockle *Cerastoderma edule*. 54: 61–67
- Collins CM, see Cunningham CO et al. (2003) 57:237–246
- Colorni A, Ravelo C, Romalde JL, Toranzo AE, Diamant A (2003) *Lactococcus garvieae* in wild Red Sea wrasse *Coris aygula* (Labridae). 56:275–278
- Comtet T (2004) Impact of *Steinhausia mytilovum* on its host: a comment on Rayyan & Chintiroglou (2003). 59:175–176
- Comtet T, Garcia C, Le Coguic Y, Joly JP (2003) Infection of the cockle *Cerastoderma edule* in the Baie des Veys (France) by the microsporidian parasite *Steinhausia* sp. 57: 135–139
- Comtet T, Garcia C, Le Coguic Y, Joly JP (2004) First record of the microsporidian parasite *Steinhausia mytilovum* in *Mytilus* sp. (Bivalvia: Mytilidae) from France. 58:261–264
- Conboy GA, see Fast MD et al. (2002) 52:57–68
- Contreras J, see Larenas JJ et al. (2003) 56:25–30
- Coombs GH, see Small HJ et al. (2002) 52:175–177
- Cornick JW, see Stewart JE et al. (2004) 60:149–155
- Corral L, see Matos E et al. (2003) 54:203–207
- Corral L, see Vita P et al. (2003) 53:55–60
- Corsin F, Thakur PC, Padiyar PA, Madhusudhan M, Turnbull JF, Mohan CV, Hao NV, Morgan KL (2003) Relationship between white spot syndrome virus and indicators of quality in *Penaeus monodon* postlarvae in Karnataka, India. 54:97–104
- Côté I, see Shinn AP et al. (2003) 55:17–22
- Courtney LA, see Winstead JT (2003) 53:89–90
- Cowley JA, see de la Vega E et al. (2004) 59:195–203
- Cowley JA, see Soowannayan C et al. (2003) 57:193–200
- Cowley JA, see Spann KM et al. (2003) 56:1–10
- Cramerri S, see Soowannayan C et al. (2003) 57:193–200
- Crane M, see Morley NJ et al. (2003) 54:55–60
- Crane M, see Morley NJ et al. (2003) 56:89–92
- Crane MSJ, see Soowannayan C et al. (2003) 57:193–200
- Cullen B, see Claydon K et al. (2004) 60:173–178
- Cunningham AA, see Pascolini R et al. (2003) 56:65–74
- Cunningham CO, Collins CM, Malmberg G, Mo TA (2003) Analysis of ribosomal RNA intergenic spacer (IGS) sequences in species and populations of *Gyrodactylus* (Platyhelminthes: Monogenea) from salmonid fish in northern Europe. 57:237–246
- Currás M, Magariños B, Toranzo AE, Romalde JL (2002) Dormancy as a survival strategy of the fish pathogen *Streptococcus parauberis* in the marine environment. 52:129–136

D

- Dailey MD, see Mayer KA et al. (2003) 53:77–88
- Dalgaard MB, Nielsen CV, Buchmann K (2003) Comparative susceptibility of two races of *Salmo salar* (Baltic Lule river and Atlantic Conon river strains) to infection with *Gyrodactylus salaris*. 53:173–176
- Dalsgaard I, see Madetoja J et al. (2002) 52:109–118
- Dannevig BH, see Grove S et al. (2003) 53:211–221
- Dannevig BH, see Johansen R et al. (2003) 57:35–41
- Daszak P, see Boyle DG et al. (2003) 56:59–64
- Daszak P, see Pascolini R et al. (2003) 56:65–74
- Dawe SC, see Jones SRM et al. (2003) 54:49–54
- de Boisséson C, see Thiéry R et al. (2002) 52:29–37
- Decostere A, see Nematollahi A et al. (2003) 55:101–107
- Degnan BM, see de la Vega E et al. (2004) 59:195–203
- de Kinkelin P, see Betts AM et al. (2003) 57:201–212
- de Kinkelin P, see Thiéry R et al. (2002) 52:29–37
- de la Cadena MP, see Gestal C et al. (2002) 51:61–65
- de la Vega E, Degnan BM, Hall MR, Cowley JA, Wilson KJ (2004) Quantitative real-time RT-PCR demonstrates that handling stress can lead to rapid increases of gill-associated virus (GAV) infection levels in *Penaeus monodon*. 59: 195–203
- de Montaudouin X, see Desclaux C et al. (2002) 52:137–149
- Deng WX, see Yin ZX et al. (2003) 55:117–123
- Denham KL, see Stone DM et al. (2003) 53:203–210
- Denham KL, see Way K et al. (2003) 57:43–50
- Densmore CL, see Blazer VS et al. (2004) 58:27–34
- Derner R, see Scharsack JP et al. (2004) 59:141–150
- Desclaux C, de Montaudouin X, Bachelet G (2002) Cockle emergence at the sediment surface: 'favourization' mechanism by digenetic parasites? 52:137–149
- Deudero S, Pinnegar JK, Polunin NVC (2002) Insights into fish host-parasite trophic relationships revealed by stable isotope analysis. 52:77–86
- De Vico G, see Marino F et al. (2004) 59:43–47
- Devold M, see Fridell F et al. (2004) 59:11–15
- Devold M, see Nylund A et al. (2003) 54:15–27
- Devold M, see Nylund A et al. (2003) 56:11–24
- Dewhurst FE, see Harper CG et al. (2003) 57:1–9
- Dezfuli BS, Giari L, Konecny R, Jaeger P, Manera M (2003) Immunohistochemistry, ultrastructure and pathology of gills of *Abramis brama* from Lake Mondsee, Austria, infected with *Ergasilus sieboldi* (Copepoda). 53:257–262
- Dezfuli BS, Giari L, Simoni E, Shinn AP, Bosi G (2004) Immunohistochemistry, histopathology and ultrastructure of *Gasterosteus aculeatus* tissues infected with *Glugea*

- anomala*. 58:193–202
- Dezfuli BS, Pironi F, Giari L, Domeneghini C, Bosi G (2002) Effect of *Pomphorhynchus laevis* (Acanthocephala) on putative neuromodulators in the intestine of naturally infected *Salmo trutta*. 51:27–35
- Dezfuli BS, see Manera M (2003) 57:177–180
- Diamant A, see Colorni A et al. (2003) 56:275–278
- Diamant A, see Dzikowski R et al. (2003) 55:145–150
- Di Cave D, see Moravec F et al. (2003) 53:267–269
- Diébakaté C, see Kostoingué B et al. (2003) 54:79–83
- Dillane E, see Negredo C et al. (2003) 54:229–241
- Di Rosa I, see Pascolini R et al. (2003) 56:65–74
- Distel DL, see Carnegie RB et al. (2003) 55:247–252
- Dixon PF, Avery S, Chambers E, Feist S, Mandhar H, Parry L, Stone DM, Strømme HK, Thurlow JK, Tsin-yee Lui C, Way K (2003) Four years of monitoring for viral haemorrhagic septicaemia virus in marine waters around the United Kingdom. 54:175–186
- Dixon PF, see Stone DM et al. (2003) 53:203–210
- Dixon PF, see Way K et al. (2003) 57:43–50
- Do JW, see Moon CH et al. (2003) 53:11–13
- Domeneghini C, see Dezfuli BS et al. (2002) 51:27–35
- Dong SL, see Yan DC et al. (2004) 59:69–73
- dos Santos NMS, do Vale A, Sousa MJ, Silva MT (2002) Mycobacterial infection in farmed turbot *Scophthalmus maximus*. 52:87–91
- Doupé RG, see Lymperry AJ et al. (2002) 51:157–159
- do Vale A, see dos Santos NMS et al. (2002) 52:87–91
- Dove ADM, LoBue C, Bowser P, Powell M (2004) Excretory calcinosis: a new fatal disease of wild American lobsters *Homarus americanus*. 58:215–221
- Dramane KL, see Gbankoto A et al. (2003) 55:125–131
- Driscoll C, see Reimschuessel R et al. (2003) 53:143–166
- Droessler K, see Lachmann I (2002) 51:81–83
- Ducatelle R, see Nematollahi A et al. (2003) 55:101–107
- Dungan CF, see Ragone Calvo LM et al. (2003) 56:75–86
- Dykova I, see Fiala I (2003) 55:11–16
- Dykova I, see Gurney RH et al. (2004) 58:63–69
- Dzikowski R, Diamant A, Paperna I (2003) Trematode metacercariae of fishes as sentinels for a changing limnological environment. 55:145–150
- Dzikowski R, Levy MG, Poore MF, Flowers JR, Paperna I (2003) Genetic and morphologic differentiation of *Bolbophorus confusus* and *B. levantinus* (Digenea: Diplostomatidae), based on rDNA SSU polymorphism and SEM. 57:231–235
- Dzikowski R, Levy MG, Poore MF, Flowers JR, Paperna I (2004) Use of rDNA polymorphism for identification of Heterophyidae infecting freshwater fishes. 59:35–41
- E**
- East IJ, see Spann KM et al. (2003) 56:1–10
- Edgerton BF (2004) Susceptibility of the Australian freshwater crayfish *Cherax destructor albipennis* to white spot syndrome virus (WSSV). 59:187–193
- Ekman E, Åkerman G, Balk L, Norrgren L (2003) Nanoinjection as a tool to mimic vertical transmission of *Flavobacterium psychrophilum* in rainbow trout *Oncorhynchus mykiss*. 55:93–99
- Ekman E, Åkerman G, Balk L, Norrgren L (2004) Impact of PCB on resistance to *Flavobacterium psychrophilum* after experimental infection of rainbow trout *Oncorhynchus mykiss* eggs by nanoinjection. 60:31–39
- Elliott DG, see Yasutake WT (2003) 56:215–221
- Elliott NG, see Wong FYK et al. (2004) 60:65–76
- Ellis AE, see Barnes AC et al. (2003) 53:241–247
- Ellis AE, see Peddie S et al. (2003) 56:195–200
- El-Mansy A (2002) Immature stages and re-description of *Henneguya suprabranchiae* (Myxosporea: Myxobolidae), an intestinal parasite of the catfish *Clarias gariepinus* in the River Nile, Egypt. 51:179–186
- El-Matbouli M, see Beauchamp KA et al. (2002) 51:113–121
- El-Matbouli M, see Hallett SL et al. (2003) 55:45–57
- El-Matbouli M, see Hedrick RP et al. (2003) 55:37–44
- El-Matbouli M, see Whipp CM et al. (2004) 60:105–108
- Elston RA, see Estes RM et al. (2004) 58:223–230
- Endo M, see Ooyama T et al. (2002) 51:169–177
- Enríquez R, see Martínez JL et al. (2004) 59:79–84
- Erickson HS, Zarain-Herzberg M, Lightner DV (2002) Detection of Taura syndrome virus (TSV) strain differences using selected diagnostic methods: diagnostic implications in penaeid shrimp. 52:1–10
- Ervik A, see Samuelsen OB et al. (2003) 56:127–133
- Espelid S, see Lund V et al. (2003) 56:31–42
- Essbauer S, see Ahne W et al. (2002) 52:261–272
- Essbauer S, see Ahne W et al. (2003) 56:201–206
- Estes RM, Friedman CS, Elston RA, Herwig RP (2004) Pathogenicity testing of shellfish hatchery bacterial isolates on Pacific oyster *Crassostrea gigas* larvae. 58:223–230
- Eszterbauer E (2004) Genetic relationship among gill-infecting *Myxobolus* species (Myxosporea) of cyprinids: molecular evidence of importance of tissue-specificity. 58:35–40
- Evans JJ, see Reimschuessel R et al. (2003) 53:143–166
- Evans M, see Stentiford GD et al. (2003) 54:195–202
- Evenesen Ø, see Brudeseth BE (2002) 52:21–28
- F**
- Fagotti A, see Pascolini R et al. (2003) 56:65–74
- Faizal ACM, see Thilakaratne IDSIP et al. (2003) 54:157–162
- Fall M, see Kostoingué B et al. (2003) 54:79–83
- Fan Z, see Noga EJ et al. (2002) 52:207–215
- Fard MRS, see Poynton SL et al. (2004) 60:49–64
- Fast AW, see Rengpipat S et al. (2003) 55:169–173
- Fast MD, Ross NW, Mustafa A, Sims DE, Johnson SC, Conboy GA, Speare DJ, Johnson G, Burka JF (2002) Susceptibility of rainbow trout *Oncorhynchus mykiss*, Atlantic salmon *Salmo salar* and coho salmon *Oncorhynchus kisutch* to experimental infection with sea lice *Lepeophtheirus salmonis*. 52:57–68
- Faye N, see Kostoingué B et al. (2003) 54:79–83
- Feist S, see Dixon PF et al. (2003) 54:175–186
- Feist SW, see Stentiford GD et al. (2003) 54:195–202
- Feist SW, see Stentiford GD et al. (2004) 58:89–97
- Feist SW, see Stentiford GD et al. (2004) 59:57–68
- Feist SW, see Way K et al. (2003) 57:43–50
- Feng MY, see Yan DC et al. (2004) 59:69–73
- Feng Y, see Harper CG et al. (2003) 57:1–9
- Ferguson HW, see Poynton SL et al. (2004) 60:49–64
- Fernandez DH, see Thune R et al. (2003) 57:51–58
- Fernandez DL, see Moore MM et al. (2002) 52:93–107
- Fernández L, see Orós J et al. (2004) 58:245–250
- Fernández M, Agustí C, Aznar FJ, Raga JA (2003) Gastrointestinal helminths of Risso's dolphin *Grampus griseus* from the Western Mediterranean. 55:73–76
- Fernández M, see Montero FE et al. (2003) 53:271–272
- Fernández S, see Larenas JJ et al. (2003) 56:25–30
- Ferrando MD, see Peña-Llopis S et al. (2003) 55:237–245
- Fiala I, Dykova I (2003) Molecular characterisation of *Neoparamoeba* strains isolated from gills of *Scophthalmus maximus*. 55:11–16

- Fichtner D, see Bergmann SM et al. (2003) 55:205–210
- Fijan N, see Ahne W et al. (2002) 52:261–272
- Flegel TW, see Phromjai J et al. (2002) 51:227–232
- Flegel TW, see Soowannayan C et al. (2003) 57:193–200
- Flegel TW, see Withyachumnarnkul B et al. (2003) 53:167–171
- Flegel TW, see Wongteerasupaya C et al. (2003) 54:253–257
- Flowers JR, see Dzikowski R et al. (2003) 57:231–235
- Flowers JR, see Dzikowski R et al. (2004) 59:35–41
- Ford SE, Chintala MM, Bushek D (2002) Comparison of *in vitro*-cultured and wild-type *Perkinsus marinus*. I. Pathogen virulence. 51:187–201
- Ford SE, see Bushek D et al. (2002) 51:217–225
- Ford SE, see Chintala MM et al. (2002) 51:203–216
- Fosgate GT, see Hedrick RP et al. (2003) 55:37–44
- Fournie JW, Hawkins WE (2002) Exocrine pancreatic carcinogenesis in the guppy *Poecilia reticulata*. 52:191–198
- Fox JG, see Harper CG et al. (2003) 57:1–9
- Frasca S Jr., see Russell S et al. (2004) 59:85–91
- Frazier K, see Mauel MJ et al. (2003) 53:249–255
- French RA, see Russell S et al. (2004) 59:85–91
- Frey J, see Burr SE et al. (2003) 57:167–171
- Fridell F, Devold M, Nylund A (2004) Phylogenetic position of a paramyxovirus from Atlantic salmon *Salmo salar*. 59: 11–15
- Friedman CS, see Estes RM et al. (2004) 58:223–230
- Fukuda H, see Zhan WB et al. (2003) 53:263–265
- G**
- Garay E, see Pujalte MJ et al. (2003) 54:119–126
- Garcia C, see Comtet T et al. (2003) 57:135–139
- Garcia C, see Comtet T et al. (2004) 58:261–264
- Gardiner R, see Way K et al. (2003) 57:43–50
- Garibaldi F, see Moravec F (2003) 57:173–175
- Garver KA, Troyer RM, Kurath G (2003) Two distinct phylogenetic clades of infectious hematopoietic necrosis virus overlap within the Columbia River basin. 55:187–203
- Gaspar R, see Van Bressem MF et al. (2003) 56:171–179
- Gattuso A, Mazza R, Imbrogno S, Sverdrup A, Tota B, Nylund A (2002) Cardiac performance in *Salmo salar* with infectious salmon anaemia (ISA): putative role of nitric oxide. 52:11–20
- Gauger EJ, Gómez-Chiarri M (2002) 16S ribosomal DNA sequencing confirms the synonymy of *Vibrio harveyi* and *V. carchariae*. 52:39–46
- Gauthier DT, Rhodes MW, Vogelbein WK, Kator H, Ottinger CA (2003) Experimental mycobacteriosis in striped bass *Morone saxatilis*. 54:105–117
- Gay M, Berthe FCJ, Le Roux F (2004) Screening of *Vibrio* isolates to develop an experimental infection model in the Pacific oyster *Crassostrea gigas*. 59:49–56
- Gay M, see Beauchamp KA et al. (2002) 51:113–121
- Gay M, see Le Roux F et al. (2004) 58:143–150
- Gbankoto A, Pampoulie C, Marques A, Sakiti GN, Dramane KL (2003) Infection patterns of *Myxobolus heteropora* in two tilapia species (Teleostei: Cichlidae) and its potential effects. 55:125–131
- Gestal C, de la Cadena MP, Pascual S (2002) Malabsorption syndrome observed in the common octopus *Octopus vulgaris* infected with *Aggregata octopiana* (Protista: Apicomplexa). 51:61–65
- Gettinby G, see Revie CW et al. (2003) 57:85–95
- Giambérini L, see Ledy K et al. (2003) 56:235–240
- Giannetto S, see Marino F et al. (2004) 59:43–47
- Giari L, see Dezfuli BS et al. (2002) 51:27–35
- Giari L, see Dezfuli BS et al. (2003) 53:257–262
- Giari L, see Dezfuli BS et al. (2004) 58:193–202
- Gibson-Kueh S, see Qin QW et al. (2003) 53:1–9
- Giesecker CM, see Reimschuessel R et al. (2003) 53:143–166
- Gilad O, Yun S, Zagmutt-Veraga J, Leutenegger CM, Bercovier H, Hedrick RP (2004) Concentrations of a Koi herpesvirus (KHV) in tissues of experimentally infected *Cyprinus carpio* koi as assessed by real-time TaqMan PCR. 60: 179–187
- Gilad O, see Hedrick RP et al. (2003) 55:85–92
- Glamuzina B, see Moravec F et al. (2003) 53:267–269
- Glunukarn SS, see Wongprasert K et al. (2003) 55:3–10
- Goemans G, see Audenaert V et al. (2003) 56:223–233
- Gómez-Chiarri M, see Gauger EJ (2002) 52:39–46
- Gomez-Gil B, see Labrie L et al. (2003) 57:265–270
- Gomez-Gil B, see Soto-Rodriguez SA et al. (2003) 53:231–240
- Gonzalez SF, Osorio CR, Santos Y (2003) Development of a PCR-based method for the detection of *Listonella anguilolarum* in fish tissues and blood samples. 55:109–115
- Gouy M, see Le Roux F et al. (2004) 58:143–150
- Granja CB, Aranguren LF, Vidal OM, Aragón L, Salazar M (2003) Does hyperthermia increase apoptosis in white spot syndrome virus (WSSV)-infected *Litopenaeus vannamei*? 54:73–78
- Grau A, see Casas SM et al. (2004) 58:231–244
- Grave K, Horsberg TE, Lunestad BT, Liteskare I (2004) Consumption of drugs for sea lice infestations in Norwegian fish farms: methods for assessment of treatment patterns and treatment rate. 60:123–131
- Grave K, see Lillehaug A et al. (2003) 53:115–125
- Grizzle JM, Altinok I, Noyes AD (2003) PCR method for detection of largemouth bass virus. 54:29–33
- Groeneveld A, see Saeij JPJ et al. (2003) 57:67–75
- Grom J, see Hostnik P et al. (2002) 52:179–184
- Groman DB, see Rodriguez-Tovar LE et al. (2003) 57:227–230
- Grotmol S, see Levsen A et al. (2004) 59:135–140
- Grove S, Johansen R, Dannevig BH, Reitan LJ, Ranheim T (2003) Experimental infection of Atlantic halibut *Hippoglossus hippoglossus* with nodavirus: tissue distribution and immune response. 53:211–221
- Gubbins MJ, see Way K et al. (2003) 57:43–50
- Guelorget O, see Toubiana M et al. (2004) 58:79–82
- Guerra-Flores AL, see Soto-Rodriguez SA et al. (2003) 53: 231–240
- Gui JF, see Zhang QJ et al. (2003) 57:27–34
- Gui JF, see Zhang YB (2004) 60:1–9
- Gunnes G, see Poppe TT et al. (2003) 57:103–108
- Guo FC, see Chin A et al. (2004) 58:17–26
- Gurney RH, Nowak BF, Dykova I, Kuris AM (2004) Histopathological effects of trypanorhynch metacestodes in the digestive gland of a novel host, *Carcinus maenas* (Decapoda). 58:63–69
- H**
- Haenen OLM, see Saeij JPJ et al. (2003) 57:67–75
- Haesebrouck F, see Nematollahi A et al. (2003) 55:101–107
- Hagan P, see Small HJ et al. (2002) 52:175–177
- Hakalahti T, Lankinen Y, Valtonen ET (2004) Efficacy of emamectin benzoate in the control of *Argulus coregoni* (Crustacea: Branchiura) on rainbow trout *Oncorhynchus mykiss*. 60:197–204
- Hall MR, see de la Vega E et al. (2004) 59:195–203
- Hallett SL, Atkinson SD, Schöl H, El-Matbouli M (2003) Characterisation of two novel types of hexactinomyxon spores (Myxozoa) with subsidiary protrusions on their caudal processes. 55:45–57

- Hameed ASS, Balasubramanian G, Musthaq SS, Yoganandhan K (2003) Experimental infection of twenty species of Indian marine crabs with white spot syndrome virus (WSSV). 57:157–161
- Hamel OS, Anderson JJ (2002) Relationship between antigen concentration and bacterial load in Pacific salmon with bacterial kidney disease. 51:85–92
- Hancz C, see Székely C et al. (2004) 58:157–164
- Hansen H, see Bakke TA et al. (2004) 58:171–177
- Hansen LP, see Bakke TA et al. (2004) 58:171–177
- Hao NV, see Corsin F et al. (2003) 54:97–104
- Harper CG, Xu S, Rogers AB, Feng Y, Shen Z, Taylor NS, Dewhurst FE, Paster BJ, Miller M, Hurley J, Fox JG (2003) Isolation and characterization of novel *Helicobacter* spp. from the gastric mucosa of harp seals *Phoca groenlandica*. 57:1–9
- Harris L, see Owens L et al. (2003) 53:101–106
- Harris PD, see Bakke TA et al. (2004) 58:171–177
- Harvell CD, see Raymundo LJH et al. (2003) 56:95–104
- Hatzinikolaou S, see Athanassopoulou F et al. (2002) 52: 69–76
- Hawke JP, see Thune R et al. (2003) 57:51–58
- Hawkins WE, see Fournie JW (2002) 52:191–198
- Hayashi N, see Morii H et al. (2003) 53:107–113
- Hayward CJ, see Kim JH et al. (2002) 52:169–173
- He JG, see Yin ZX et al. (2003) 55:117–123
- Hedrick RP, Batts WN, Yun S, Traxler GS, Kaufman J, Winton JR (2003) Host and geographic range extensions of the North American strain of viral hemorrhagic septicemia virus. 55:211–220
- Hedrick RP, McDowell TS, Gilad O, Adkison M, Bovo G (2003) Systemic herpes-like virus in catfish *Ictalurus melas* (Italy) differs from Ictalurid herpesvirus 1 (North America). 55:85–92
- Hedrick RP, McDowell TS, Marty GD, Fosgate GT, Mukkatira K, Myklebust K, El-Matbouli M (2003) Susceptibility of two strains of rainbow trout (one with suspected resistance to whirling disease) to *Myxobolus cerebralis* infection. 55: 37–44
- Hedrick RP, see Arkush KD et al. (2004) 59:211–216
- Hedrick RP, see Beauchamp KA et al. (2002) 51:113–121
- Hedrick RP, see Gilad O et al. (2004) 60:179–187
- Hedrick RP, see Kelley GO et al. (2004) 59:235–248
- Hedrick RP, see Tops S et al. (2004) 60:109–121
- Hedrick RP, see Whippes CM et al. (2004) 60:105–108
- Heitz E, see Oidtmann B et al. (2002) 52:159–167
- Hellemann AL, see Mikalsen AB et al. (2004) 60:11–20
- Hengstberger SG, see Boyle DG et al. (2003) 56:59–64
- Heo GJ, see Kim JH et al. (2002) 52:169–173
- Herrmann J, see Meyer W et al. (2003) 53:177–179
- Herwig RP, see Estes RM et al. (2004) 58:223–230
- Hewakopara A, see Thilakaratne IDSIP et al. (2003) 54: 157–162
- Hine PM (2002) Severe apicomplexan infection in the oyster *Ostrea chilensis*: a possible predisposing factor in benthomiosis. 51:49–60
- Hine PM, Thorne T (2002) *Haplosporidium* sp. (Alveolata: Haplosporidia) associated with mortalities among rock oysters *Saccostrea cucullata* in north Western Australia. 51:123–133
- Hine PM, see Berthe FCJ (2003) 57:181
- Hine PM, see Cochenec-Laureau N et al. (2003) 54:209–217
- Hine PM, see Stentiford GD et al. (2004) 59:57–68
- Hirayama J, see Miyazaki T et al. (2002) 51:135–138
- Hirokawa Y, see Ooyama T et al. (2002) 51:169–177
- Hirvelä-Koski V (2004) *Renibacterium salmoninarum*: effect of hypochlorite treatment, and survival in water. 59:27–33
- Hodneland K, see Nylund A et al. (2003) 54:15–27
- Hoel E, see Todal JA et al. (2004) 58:9–16
- Hoenig JM, see Pestal GP et al. (2003) 53:67–75
- Hoff KA, see Ritchie G et al. (2002) 51:101–106
- Hoffmann RW, see Oidtmann B et al. (2002) 52:159–167
- Høgåsen HR, Brun E (2003) Risk of inter-river transmission of *Gyrodactylus salaris* by migrating Atlantic salmon smolts, estimated by Monte Carlo simulation. 57:247–254
- Holst JC, see Bjerkaas E et al. (2003) 55:151–159
- Horne MT, see Barnes AC et al. (2003) 53:241–247
- Horsberg TE, see Grave K et al. (2004) 60:123–131
- Hostnik P, Barlič-Maganja D, Štrancar M, Jenčič V, Toplak I, Grom J (2002) Influence of storage temperature on infectious hematopoietic necrosis virus detection by cell culture isolation and RT-PCR methods. 52:179–184
- Hsiao IS, see Cheng W et al. (2004) 60:157–164
- Huang HT, see Chao CB et al. (2004) 58:127–142
- Huang J, see Yan DC et al. (2004) 59:69–73
- Huang JP, see Chen SC et al. (2003) 55:161–167
- Huisman EA, see van de Braak CBT et al. (2002) 51:149–155
- Hůlová J, see Koutná M et al. (2003) 55:229–235
- Hunter D, see Birkbeck TH et al. (2004) 60:97–103
- Hurley J, see Harper CG et al. (2003) 57:1–9
- Huyse T, see Audenaert V et al. (2003) 56:223–233
- Hyatt A, see Soowannayan C et al. (2003) 57:193–200
- Hyatt AD, see Boyle DG et al. (2003) 56:59–64
- Hyatt AD, see Boyle DG et al. (2004) 60:141–148

I

- Iida H, see Muroga K et al. (2004) 58:111–115
- Imbrogno S, see Gattuso A et al. (2002) 52:11–20
- Ireland JH, see Starkey WG et al. (2004) 59:93–100
- Isaksen TE, see Todal JA et al. (2004) 58:9–16
- Isdal E, see Nylund A et al. (2003) 56:11–24
- Itoh N, Oda T, Yoshinaga T, Ogawa K (2003) Isolation and 18S ribosomal DNA gene sequences of *Marteilioides chungmuensis* (Paramyxoviridae), an ovarian parasite of the Pacific oyster *Crassostrea gigas*. 54:163–169
- Iwamoto T, see Mori K et al. (2003) 57:19–26
- Izumi S, Aranishi F, Wakabayashi H (2003) Genotyping of *Flavobacterium psychrophilum* using PCR-RFLP analysis. 56:207–214

J

- Jacobson ER, see Orós J et al. (2004) 58:245–250
- Jaeger P, see Dezfuli BS et al. (2003) 53:257–262
- Jarp J, see Brun E et al. (2003) 56:241–247
- Jeffroy J, see Thiéry R et al. (2002) 52:29–37
- Jenčič V, see Hostnik P et al. (2002) 52:179–184
- Jenkins J, see Poynton SL et al. (2004) 60:49–64
- Jenkins ME, see Starkey WG et al. (2004) 59:93–100
- Jensen S, Samuelsen OB, Andersen K, Torkildsen L, Lambert C, Choquet G, Paillard C, Bergh Ø (2003) Characterization of strains of *Vibrio splendidus* and *V. tapetis* isolated from cownose wrasse *Symphodus melops* suffering vibriosis. 53:25–31
- Jeong HD, see Lee CH et al. (2003) 56:43–48
- Jiang L, see Callinan RB et al. (2003) 53:181–193
- Jiang L, see Callinan RB (2003) 53:195–202
- Joh SJ, see Kim JH et al. (2002) 52:169–173
- Johansen R, Amundsen M, Dannevig BH, Sommer AI (2003) Acute and persistent experimental nodavirus infection in spotted wolffish *Anarhichas minor*. 57:35–41

- Johansen R, see Grove S et al. (2003) 53:211–221
 Johansen R, see Poppe TT et al. (2003) 57:103–108
 Johnson G, see Fast MD et al. (2002) 52:57–68
 Johnson ML, Berger L, Philips L, Speare R (2003) Fungicidal effects of chemical disinfectants, UV light, desiccation and heat on the amphibian chytrid *Batrachochytrium dendrobatidis*. 57:255–260
 Johnson SC, see Fast MD et al. (2002) 52:57–68
 Joly JP, see Comtet T et al. (2003) 57:135–139
 Joly JP, see Comtet T et al. (2004) 58:261–264
 Jones B, see Murray AG et al. (2003) 54:1–14
 Jones GR, see LaFrentz BR et al. (2004) 59:17–26
 Jones SRM, Prosperi-Porta G, Dawe SC, Barnes DP (2003) Distribution, prevalence and severity of *Parvicapsula minibicornis* infections among anadromous salmonids in the Fraser River, British Columbia, Canada. 54:49–54

- Juiz-Rio S, Osorio CR, Lemos ML (2004) Identification and characterisation of the fur genes in *Photobacterium damsela* ssp. *piscicida* and ssp. *damsela*. 58:151–156

K

- Kalbe M, see Scharsack JP et al. (2004) 59:141–150
 Kamaishi T, see Miwa S et al. (2004) 58:165–170
 Kamata SI, see Kitamura SI et al. (2003) 54:69–72
 Kamata SI, see Kitamura SI et al. (2004) 58:251–254
 Kane AS, see Reimschuessel R et al. (2003) 53:143–166
 Karlsbakk E, see Todal JA et al. (2004) 58:9–16
 Karunasagar I, see Umesha RK et al. (2003) 57:141–146
 Karunasagar I, see Umesha RK et al. (2003) 57:141–146
 Kathman RD, see Beauchamp KA et al. (2002) 51:113–121
 Kator H, see Gauthier DT et al. (2003) 54:105–117
 Kator H, see Kiryu Y et al. (2003) 54:135–146
 Kaufman J, see Hedrick RP et al. (2003) 55:211–220
 Kawai K, see Kondo M et al. (2003) 55:261–264
 Kelley GO, Zagmutt-Vergara FJ, Leutenegger CM, Adkison MA, Baxa DV, Hedrick RP (2004) Identification of a serine protease gene expressed by *Myxobolus cerebralis* during development in rainbow trout *Oncorhynchus mykiss*. 59: 235–248
 Kelley GO, see Beauchamp KA et al. (2002) 51:113–121
 Kent ML, see Reimschuessel R et al. (2003) 53:143–166
 Kent ML, see Whipps CM et al. (2004) 60:105–108
 Kent ML, see Work TM et al. (2003) 57:59–66
 Keogh JA, see Nollens HH et al. (2003) 57:127–133
 Khanobdee K, see Wongprasert K et al. (2003) 55:3–10
 Kibenge FSB, see Kibenge MT et al. (2002) 51:1–11
 Kibenge MT, Opazo B, Rojas AH, Kibenge FSB (2002) Serological evidence of infectious salmon anaemia virus (ISAV) infection in farmed fishes, using an indirect enzyme-linked immunosorbent assay (ELISA). 51:1–11
 Kim CS, see Kwon SR et al. (2002) 52:119–122
 Kim CS, see Lee EH et al. (2003) 54:85–88
 Kim DJ, see Park JH et al. (2004) 60:253–257
 Kim DJ, see Seok SH et al. (2004) 60:85–88
 Kim HY, see Park JH et al. (2004) 60:253–257
 Kim JH, Hayward CJ, Joh SJ, Heo GJ (2002) Parasitic infections in live freshwater tropical fishes imported to Korea. 52:169–173
 Kim JW, see Moon CH et al. (2003) 53:11–13
 Kim KH, see Cho JB (2003) 55:59–63
 Kim KH, see Kwon SR et al. (2002) 52:119–122
 Kim KH, see Lee CH et al. (2003) 56:43–48
 Kim KH, see Lee EH et al. (2003) 54:85–88
 Kim KH, see Lee EH et al. (2004) 58:255–260
 Kim SB, see Moon CH et al. (2003) 53:11–13

- Kim SK, see Lee EH et al. (2004) 58:255–260
 Kim SM, see Lee EH et al. (2004) 58:255–260
 King JA, see Skall HF et al. (2004) 58:99–110
 Kingsford MJ, see Nowak BF (2003) 56:135–143
 Kinne O (2003) The scientific process: new forces attempt to enter the scene. 55:1
 Kiryu Y, Shields JD, Vogelbein WK, Kator H, Blazer VS (2003) Infectivity and pathogenicity of the oomycete *Aphanomyces invadans* in Atlantic menhaden *Brevoortia tyrannus*. 54:135–146
 Kitamura SI, Kamata SI, Nakano SI, Suzuki S (2003) Detection of marine birnavirus genome in zooplankton collected from the Uwa Sea, Japan. 54:69–72
 Kitamura SI, Kamata SI, Nakano SI, Suzuki S (2004) Solar UV radiation does not inactivate marine birnavirus in coastal seawater. 58:251–254
 Klesius PH, see Xu DH (2004) 59:131–134
 Ko MS, see Moon CH et al. (2003) 53:11–13
 Kolarevic J, see Cakic P et al. (2004) 58:265–266
 Kondo M, Kawai K, Okabe M, Nakano N, Oshima S (2003) Efficacy of oral vaccine against bacterial coldwater disease in ayu *Plecoglossus altivelis*. 55:261–264
 Konecny R, see Dezfouli BS et al. (2003) 53:257–262
 Kongtorp RT, Taksdal T, Lyngø A (2004) Pathology of heart and skeletal muscle inflammation (HSMI) in farmed Atlantic salmon *Salmo salar*. 59:217–224
 Koppang EO, see Mikalsen AB et al. (2004) 60:11–20
 Koren C, see Nylund A et al. (2003) 54:15–27
 Koren CWR, see Todal JA et al. (2004) 58:9–16
 Kortet R, Vainikka A, Taskinen J (2002) Epizootic cutaneous papillomatosis in roach *Rutilus rutilus*: sex and size dependence, seasonal occurrence and between-population differences. 52:185–190
 Kortet R, Vainikka A, Taskinen J (2003) Effect of epidermal papillomatosis on survival of the freshwater fish *Rutilus rutilus*. 57:163–165
 Kortet R, see Vainikka A et al. (2004) 60:189–195
 Körting W, see Scharsack JP et al. (2004) 60:41–48
 Korzh V, see Wang YT et al. (2002) 52:249–259
 Kostoingué B, Fall M, Diébakaté C, Faye N, Toguebaye BS (2003) Light and electronic observations on *Henneguya ghaffari* (Myxosporea, Bivalvulida) infecting the gills and intestine of Nile perch *Lates niloticus* (Pisces: Teleostei) from Chad and Senegal. 54:79–83
 Koutná M, Veselý T, Pšikal I, Hůlová J (2003) Identification of spring viraemia of carp virus (SVCV) by combined RT-PCR and nested PCR. 55:229–235
 Koutsodimou M, see Rigos G et al. (2003) 54:35–41
 Kruatrachue M, see Leethochavalit S et al. (2004) 60:165–171
 Kruatrachue M, see Tuntiwaranuruk C et al. (2004) 58:47–53
 Kulomaa MS, see Tiirola M et al. (2002) 51:93–100
 Kumar AR, Rao GV, Rao KRSS (2004) Appendage deformity syndrome—a nutritional disease of *Macrobrachium rosenbergii*. 59:75–78
 Kurath G, see Ahne W et al. (2002) 52:261–272
 Kurath G, see Garver KA et al. (2003) 55:187–203
 Kurath G, see Troyer RM (2003) 55:175–185
 Kuris AM, see Gurney RH et al. (2004) 58:63–69
 Kuronen H, see Bangyekhun E et al. (2003) 53:47–53
 Kurtz J, see Scharsack JP et al. (2004) 59:141–150
 Kvellestad A, see Sterud E et al. (2003) 54:259–263
 Kwang J, see Wang YT et al. (2002) 52:249–259
 Kwon SR, Kim CS, Chung JK, Lee HH, Kim KH (2002) Inhibition of chemiluminescent response of olive flounder *Paralichthys olivaceus* phagocytes by the scuticociliate parasite *Uronema marinum*. 52:119–122
 Kwon SR, see Lee EH et al. (2004) 58:255–260

L

- LaBanca J, see Sunila I (2003) 56:163–170
- Labrie L, Roque A, Gomez-Gil B, Turnbull JF (2003) Effect of methyl parathion on the susceptibility of shrimp *Litopenaeus vannamei* to experimental vibriosis. 57:265–270
- Lachmann I, Droeßler K (2002) Inhibition of hemolytic activity of *Aeromonas salmonicida* GCAT in rainbow trout red blood cells by a monoclonal antibody. 51:81–83
- Laffargue P, Baudouin G, Sasal P, Arnaud C, Begout Anras ML, Lagardère F (2004) Parasitic infection of sole *Solea solea* by *Prosoorhynchus* spp. metacercariae (Digenea, Bucephalidae) in Atlantic nurseries under mussel cultivation influence. 58:179–184
- LaFrentz BR, LaPatra SE, Jones GR, Cain KD (2004) Protective immunity in rainbow trout *Oncorhynchus mykiss* following immunization with distinct molecular mass fractions isolated from *Flavobacterium psychrophilum*. 59: 17–26
- Lagardère F, see Laffargue P et al. (2004) 58:179–184
- Lai YY, see Chao CB et al. (2004) 58:127–142
- Laidler LA, see Birkbeck TH et al. (2004) 60:97–103
- Lam CS, see Wang YT et al. (2002) 52:249–259
- Lam TJ, see Qin QW et al. (2003) 53:1–9
- Lambert C, see Choquet G et al. (2003) 57:109–116
- Lambert C, see Jensen S et al. (2003) 53:25–31
- Lambert C, see Le Roux F et al. (2004) 58:143–150
- Lambert C, see Reid HI et al. (2003) 56:249–258
- Lankinen Y, see Hakalahti T et al. (2004) 60:197–204
- LaPatra SE, see LaFrentz BR et al. (2004) 59:17–26
- LaPatra SE, see Masada CL et al. (2002) 51:13–25
- La Peyre JF, see Casas SM et al. (2002) 52:217–231
- Laramore R, see Prior S et al. (2003) 54:89–96
- Larenas JJ, Bartholomew J, Troncoso O, Fernández S, Ledezma H, Sandoval N, Vera P, Contreras J, Smith P (2003) Experimental vertical transmission of *Piscirickettsia salmonis* and *in vitro* study of attachment and mode of entrance into the fish ovum. 56:25–30
- Lavilla-Pitogo CR, see Catap ES et al. (2003) 57:11–17
- Leaño EM, see Lio-Po GD et al. (2003) 57:213–220
- Le Coguic Y, see Comtet T et al. (2004) 58:261–264
- Le Coguic Y, see Comtet T et al. (2003) 57:135–139
- Le Deuff RM, see Way K et al. (2003) 57:43–50
- Ledezma H, see Larenas JJ et al. (2003) 56:25–30
- Ledy K, Giambérini L, Pihan JC (2003) Mucous cell responses in gill and skin of brown trout *Salmo trutta fario* in acidic, aluminium-containing stream water. 56:235–240
- Lee CH, Jeong HD, Chung JK, Lee HH, Kim KH (2003) CpG motif in synthetic ODN primes respiratory burst of olive flounder *Paralichthys olivaceus* phagocytes and enhances protection against *Edwardsiella tarda*. 56:43–48
- Lee EH, Kim CS, Cho JB, Ahn KJ, Kim KH (2003) Measurement of protease activity of live *Uronema marinum* (Ciliata: Scuticociliatida) by fluorescence polarization. 54: 85–88
- Lee EH, Kim SM, Kwon SR, Kim SK, Nam YK, Kim KH (2004) Comparison of toxic effects of nitric oxide and peroxy-nitrite on *Uronema marinum* (Ciliata: Scuticociliatida). 58: 255–260
- Lee HH, see Kwon SR et al. (2002) 52:119–122
- Lee HH, see Lee CH et al. (2003) 56:43–48
- Lee HY, see Park JH et al. (2004) 60:253–257
- Lee HY, see Seok SH et al. (2004) 60:85–88
- Lee JH, see Moon CH et al. (2003) 53:11–13
- Lee NS, see Choi DL et al. (2004) 59:205–209
- Leethochavalit S, Chalermwat K, Upatham ES, Choi KS, Sawangwong P, Kruatrachue M (2004) Occurrence of *Perkinsus* sp. in undulated surf clams *Paphia undulata* from the Gulf of Thailand. 60:165–171
- Le Groumellec M, see Nunan LM et al. (2003) 53:15–23
- Le Groumellec M, see Nunan LM et al. (2003) 54:43–48
- Leibold W, see Scharsack JP et al. (2004) 60:41–48
- Leiro J, Arranz JA, Paramá A, Álvarez MF, Sanmartín ML (2004) *In vitro* effects of the polyphenols resveratrol, mangiferin and (–)-epigallocatechin-3-gallate on the scuticociliate fish pathogen *Philasterides dicentrarchi*. 59:171–174
- Leknes IL (2002) Uptake of foreign ferritin in platy *Xiphophorus maculatus* (Poeciliidae: Teleostei). 51:233–237
- Lemos ML, see Juíz-Río S et al. (2004) 58:151–156
- Lenhardt M, see Cakic P et al. (2004) 58:265–266
- Leonardos I, Trilles JP (2003) Host-parasite relationships: occurrence and effect of the parasitic isopod *Mothocyia epimérica* on sand smelt *Atherina boyeri* in the Mesolongi and Etolikon Lagoons (W. Greece). 54:243–251
- Le Roux F, Gay M, Lambert C, Nicolas JL, Gouy M, Berthe F (2004) Phylogenetic study and identification of *Vibrio splendidus*-related strains based on *gyrB* gene sequences. 58:143–150
- Le Roux F, see Gay M et al. (2004) 59:49–56
- Leung KMY, see Morley NJ et al. (2003) 54:55–60
- Leutenegger CM, see Gilad O et al. (2004) 60:179–187
- Leutenegger CM, see Kelley GO et al. (2004) 59:235–248
- Levsen A, Alvik T, Grotmol S (2004) Neurological symptoms in tricolor sharkminnow *Balantiocheilos melanopterus* associated with *Myxobolus balantiocheili* n. sp. infecting the central nervous system. 59:135–140
- Levy MG, see Dzikowski R et al. (2003) 57:231–235
- Levy MG, see Dzikowski R et al. (2004) 59:35–41
- Lewis JW, see Morley NJ et al. (2003) 56:89–92
- Li Q, Zhang J, Chen Y, Yang F (2003) White spot syndrome virus (WSSV) infectivity for *Artemia* at different developmental stages. 57:261–264
- Li ZQ, see Zhang QJ et al. (2003) 57:27–34
- Liaw LL, see Chen SC et al. (2003) 55:161–167
- Liberis N, see Athanassopoulou F et al. (2002) 52:69–76
- Liggett AD, see Maeli MJ et al. (2003) 53:249–255
- Lightner DV, see Bradbury-Dunlop DJ et al. (2004) 60:233–240
- Lightner DV, see Erickson HS et al. (2002) 52:1–10
- Lightner DV, see Nunan LM et al. (2003) 53:15–23
- Lightner DV, see Nunan LM et al. (2003) 54:43–48
- Lightner DV, see Tang KFJ et al. (2003) 53:91–99
- Lillehaug A, Lunestad BT, Grave K (2003) Epidemiology of bacterial diseases in Norwegian aquaculture—a description based on antibiotic prescription data for the ten-year period 1991 to 2000. 53:115–125
- Lilley JH, see Miles DJC et al. (2003) 55:77–84
- Lin CS, see Chao CB et al. (2004) 58:127–142
- Lin SJ, see Chi SC et al. (2003) 55:221–228
- Lin YD, see Chen SC et al. (2003) 55:161–167
- Lio-Po GD, Albright LJ, Traxler GS, Leaño EM (2003) Horizontal transmission of epizootic ulcerative syndrome (EUS)-associated virus in the snakehead *Ophicephalus striatus* under simulated natural conditions. 57:213–220
- Lipton AP, see Selvin J (2003) 57:147–150
- Litleskare I, see Grave K et al. (2004) 60:123–131
- Liu CTY, see Stone DM et al. (2003) 53:203–210
- Liu W, see Wang YT et al. (2002) 52:249–259
- Liu XY, see Yan DC et al. (2004) 59:69–73
- Liyanage YS, Yokoyama H, Wakabayashi H (2003) Evaluation of a vector-control strategy of haemorrhagic thelohanellosis in carp, caused by *Thelohanellus hovorkai* (Myxozoa). 55:31–35
- Lizárraga-Partida ML, see Anguiano-Beltrán C et al. (2004) 59:119–123

- Lizarraga-Partida ML, see Soto-Rodriguez SA et al. (2003) 53: 231–240
- LoBue C, see Dove ADM et al. (2004) 58:215–221
- Loh PC, see Lu Y et al. (2003) 57:183–191
- Loh PC, see You Z et al. (2002) 51:77–80
- Longcore JE, see Boyle DG et al. (2003) 56:59–64
- Longshaw CB, see Way K et al. (2003) 57:43–50
- López-Romalde S, see Avendaño-Herrera R et al. (2004) 58: 1–8
- Lovrich GA, Roccatagliata D, Peresani L (2004) Hyperparasitism of the cryptoniscid isopod *Liriopsis pygmaea* on the lithodid *Paralomis granulosa* from the Beagle Channel, Argentina. 58:71–77
- Lu Y, Aguirre AA, Wang Y, Zeng L, Loh PC, Yanagihara R (2003) Viral susceptibility of newly established cell lines from the Hawaiian monk seal *Monachus schauinslandi*. 57: 183–191
- Lu YS, Nie P, Sun BJ (2003) Detection of *Myxobolus rotundus* (Myxozoa: Myxosporea) in skin mucus of crucian carp *Carassius auratus auratus* using a monoclonal antibody. 54:171–173
- Lucien-Brun HL, see Toubiana M et al. (2004) 58:79–82
- Lund V, Espelid S, Mikkelsen H (2003) Vaccine efficacy in spotted wolffish *Anarhichas minor*: relationship to molecular variation in A-layer protein of atypical *Aeromonas salmonicida*. 56:31–42
- Lunestad BT, see Gravé K et al. (2004) 60:123–131
- Lunestad BT, see Lillehaug A et al. (2003) 53:115–125
- Lymbery AJ, Doupé RG, Munshi MA, Wong T (2002) Larvae of *Contracaecum* sp. among inshore fish species of south-western Australia. 51:157–159
- Lyngø A, see Kongtorp RT et al. (2004) 59:217–224
- Lyttikäinen T, see Pylkkö P et al. (2002) 52:47–55

M

- MacConnell E, see Ryce EKN et al. (2004) 59:225–233
- Macrì B, see Marino F et al. (2004) 59:43–47
- Madetoja J, Dalsgaard I, Wiklund T (2002) Occurrence of *Flavobacterium psychrophilum* in fish-farming environments. 52:109–118
- Madhusudhan M, see Corsin F et al. (2003) 54:97–104
- Maeno Y, see Catap ES et al. (2003) 57:11–17
- Magariños B, see Avendaño-Herrera R et al. (2004) 58:1–8
- Magariños B, see Currás M et al. (2002) 52:129–136
- Mahardika K, Zafran, Yamamoto A, Miyazaki T (2004) Susceptibility of juvenile humpback grouper *Cromileptes altivelis* to grouper sleepy disease iridovirus (GSDIV). 59:1–9
- Malagón D, see Adroher FJ et al. (2004) 58:41–45
- Malmberg G, see Cunningham CO et al. (2003) 57:237–246
- Mandhar H, see Dixon PF et al. (2003) 54:175–186
- Manera M, Dezfuli BS (2003) *Lernanthropus kroyeri* infections in farmed sea bass *Dicentrarchus labrax*: pathological features. 57:177–180
- Manera M, see Dezfuli BS et al. (2003) 53:257–262
- Mangyoku T, see Mori K et al. (2003) 57:19–26
- Marantelli G, see Woodhams DC et al. (2003) 55:65–67
- Mariappan P, Balasundaram C, Trilles JP (2003) Infection of the isopod *Tachaea spongillicola* on freshwater prawns *Macrobrachium* spp. in southern India. 55:259–260
- Marino F, Giannetto S, Paradiso ML, Bottari T, De Vico G, Macrì B (2004) Tissue damage and haematophagia due to pranaria larvae (Isopoda: Gnathiidae) in some aquarium seawater teleosts. 59:43–47
- Marino G, see Moravec F et al. (2003) 53:267–269
- Marques A, see Gbankoto A et al. (2003) 55:125–131

- Marques A, see Toubiana M et al. (2004) 58:79–82
- Martin GG, Rubin N, Swanson E (2004) *Vibrio parahaemolyticus* and *V. harveyi* cause detachment of the epithelium from the midgut trunk of the penaeid shrimp *Sicyonia ingentis*. 60:21–29
- Martin PD, see Way K et al. (2003) 57:43–50
- Martínez JL, Casado A, Enríquez R (2004) Experimental infection of *Flavobacterium psychrophilum* in fins of Atlantic salmon *Salmo salar* revealed by scanning electron microscopy. 59:79–84
- Marty GD, see Hedrick RP et al. (2003) 55:37–44
- Masada CL, LaPatra SE, Morton AW, Strom MS (2002) An *Aeromonas salmonicida* type IV pilin is required for virulence in rainbow trout *Oncorhynchus mykiss*. 51:13–25
- Matos E, Corral L, Azevedo C (2003) Ultrastructural details of the xenoma of *Loma myrophis* (phylum Microsporidia) and extrusion of the polar tube during autoinfection. 54: 203–207
- Matos E, see Casal G et al. (2002) 51:107–112
- Matos E, see Vita P et al. (2003) 53:55–60
- Mauel MJ, Miller DL, Frazier K, Liggett AD, Styler L, Montgomery-Brock D, Brock J (2003) Characterization of a piscirickettsiosis-like disease in Hawaiian tilapia. 53:249–255
- Mayer KA, Dailey MD, Miller MA (2003) Helminth parasites of the southern sea otter *Enhydra lutris nereis* in central California: abundance, distribution and pathology. 53: 77–88
- Mazza R, see Gattuso A et al. (2002) 52:11–20
- McBride AM, see Arkush KD et al. (2004) 59:211–216
- McCulloch RJ, see Soowannayan C et al. (2003) 57:193–200
- McCulloch RJ, see Spann KM et al. (2003) 56:1–10
- McDowell TS, see Hedrick RP et al. (2003) 55:37–44
- McDowell TS, see Hedrick RP et al. (2003) 55:85–92
- McDowell TS, see Tops S et al. (2004) 60:109–121
- McElnea C, see Owens L et al. (2003) 53:101–106
- McGladdery SE, see Choi DL et al. (2004) 59:205–209
- McLauchlan PE, see Peddie S et al. (2003) 56:195–200
- Meeratana P, see Wongprasert K et al. (2003) 55:3–10
- Menasveta P, see Rengpipat S et al. (2003) 55:169–173
- Mendonça HL, see Arkush KD et al. (2004) 59:211–216
- Mennen S, see Sommer AI et al. (2004) 59:101–108
- Merella P, see Moravec F et al. (2003) 53:267–269
- Messick GA, Overstreet RM, Nalepa TF, Tyler S (2004) Prevalence of parasites in amphipods *Diporeia* spp. from Lakes Michigan and Huron, USA. 59:159–170
- Meyer GR, see Carnegie RB et al. (2003) 54:219–227
- Meyer W, Seegers U, Herrmann J, Schnapper A (2003) Further aspects of the general antimicrobial properties of pimiped skin secretions. 53:177–179
- Mikalsen AB, Torgersen J, Aleström P, Hellermann AL, Koppan EO, Rimstad E (2004) Protection of Atlantic salmon *Salmo salar* against infectious pancreatic necrosis after DNA vaccination. 60:11–20
- Mikheev V, see Pasternak A et al. (2004) 58:203–207
- Mikkelsen H, see Lund V et al. (2003) 56:31–42
- Miles DJC, Thompson KD, Lilley JH, Adams A (2003) Immunofluorescence of the epizootic ulcerative syndrome pathogen, *Aphanomyces invadans*, using a monoclonal antibody. 55:77–84
- Milinski M, see Scharsack JP et al. (2004) 59:141–150
- Millar RM, see Starkey WG et al. (2004) 59:93–100
- Miller DL, see Mauel MJ et al. (2003) 53:249–255
- Miller M, see Harper CG et al. (2003) 57:1–9
- Miller MA, see Mayer KA et al. (2003) 53:77–88
- Miller R, see Thune R et al. (2003) 57:51–58
- Minami T, see Ooyama T et al. (2002) 51:169–177
- Miwa S, Nakayasu C, Kamaishi T, Yoshiura Y (2004) X-cells

- in fish pseudotumors are parasitic protozoans. 58:165–170
- Miyazaki T, Taniguchi T, Hirayama J, Nozawa N (2002) Receptors for recombinant feline interferon- ω in hemocytes of the Japanese pearl oyster *Pinctada fucata martensi*. 51:135–138
- Miyazaki T, see Mahardika K et al. (2004) 59:1–9
- Mladineo I (2003) Life cycle of *Ceratothoa oestroides*, a cymothoid isopod parasite from sea bass *Dicentrarchus labrax* and sea bream *Sparus aurata*. 57:97–101
- Mo TA, see Cunningham CO et al. (2003) 57:237–246
- Mohan CV, see Anil TM et al. (2002) 51:67–75
- Mohan CV, see Corsin F et al. (2003) 54:97–104
- Moiseeva E, Rabinowitz C, Yankelevich I, Rinkevich B (2004) 'Cup cell disease' in the colonial tunicate *Botryllus schlosseri*. 60:77–84
- Molnár K (2002) Site preference of myxosporean spp. on the fins of some Hungarian fish species. 52:123–128
- Molnár K, see Székely C et al. (2004) 58:157–164
- Montero FE, Aznar FJ, Fernández M, Raga JA (2003) Girdles as the main infection site for *Paradeontacylix kampachi* (Sanguinicolidae) in the greater amberjack *Seriola dumerili*. 53:271–272
- Montgomery-Brock D, see Mauel MJ et al. (2003) 53:249–255
- Moon CH, Do JW, Cha SJ, Yoon WJ, Kim SB, Ko MS, Park MA, Kim JW, Sohn SK, Lee JH, Park JW (2003) Highly conserved sequences of three major virion proteins of a Korean isolate of white spot syndrome virus (WSSV). 53:11–13
- Moore MM, Fernandez DL, Thune RL (2002) Cloning and characterization of *Edwardsiella ictaluri* proteins expressed and recognized by the channel catfish *Ictalurus punctatus* immune response during infection. 52:93–107
- Moran JDW, see Reimschuessel R et al. (2003) 53:143–166
- Moravec F, Garibaldi F (2003) First record of *Huffmanela schouteni* (Nematoda: Trichosomoididae), a histozoic parasite of flyingfishes, in Europe. 57:173–175
- Moravec F, Glamuzina B, Marino G, Merella P, Di Cave D (2003) Occurrence of *Philometra lateolabracis* (Nematoda: Philometridae) in the gonads of marine perciform fishes in the Mediterranean region. 53:267–269
- Morgan JAT, see Boyle DG et al. (2004) 60:141–148
- Morgan KL, see Corsin F et al. (2003) 54:97–104
- Mori K, Mangyoku T, Iwamoto T, Arimoto M, Tanaka S, Nakai T (2003) Serological relationships among genotypic variants of betanodavirus. 57:19–26
- Mori K, see Muroga K et al. (2004) 58:111–115
- Morii H, Hayashi N, Uramoto K (2003) Cloning and nucleotide sequence analysis of the chloramphenicol resistance gene on conjugative R plasmids from the fish pathogen *Photobacterium damsela* subsp. *piscicida*. 53:107–113
- Morley NJ, Crane M, Lewis JW (2003) Effects of cadmium and zinc toxicity on orientation behaviour of *Echinoparyphium recurvatum* (Digenea: Echinostomatidae) cercariae. 56:89–92
- Morley NJ, Leung KMY, Morritt D, Crane M (2003) Toxicity of anti-fouling biocides to *Parorchis acanthus* (Digenea: Philophthalmidae) cercarial encystment. 54:55–60
- Morris R, see Work TM et al. (2003) 53:41–46
- Morritt D, see Morley NJ et al. (2003) 54:55–60
- Morton AW, see Masada CL et al. (2002) 51:13–25
- Mouton A, see Todol JA et al. (2004) 58:9–16
- Muangsin S, see Withyachumnarnkul B et al. (2003) 53:167–171
- Muir KF, see Starkey WG et al. (2004) 59:93–100
- Mukkaitira K, see Hedrick RP et al. (2003) 55:37–44
- Mulcahy MF, see Collins CM (2003) 54:61–67
- Mulcahy MF, see Negredo C et al. (2003) 54:229–241
- Müller T, see Székely C et al. (2004) 58:157–164
- Münsterle M, Sures B, Taraschewski H (2004) Influence of *Anguillicola crassus* (Nematoda) and *Ichthyophthirius multifiliis* (Ciliophora) on swimming activity of European eel *Anguilla anguilla*. 60:133–139
- Munro J, Oakey J, Bromage E, Owens L (2003) Experimental bacteriophage-mediated virulence in strains of *Vibrio harveyi*. 54:187–194
- Munshi MA, see Lymbery AJ et al. (2002) 51:157–159
- Muroga K, Iida H, Mori K, Nishizawa T, Arimoto M (2004) Experimental horizontal transmission of viral hemorrhagic septicemia virus (VHSV) in Japanese flounder *Paralichthys olivaceus*. 58:111–115
- Murray AG, O'Callaghan M, Jones B (2003) A model of spatially evolving herpesvirus epidemics causing mass mortality in Australian pilchard *Sardinops sagax*. 54:1–14
- Mustafa A, see Fast MD et al. (2002) 52:57–68
- Musthaq SS, see Hameed ASS et al. (2003) 57:157–161
- Mutschmann F (2004) Pathological changes in African hyperoliid frogs due to a myxosporidian infection with a new species of *Hoferellus* (Myxozoa). 60:215–222
- Myklebust K, see Hedrick RP et al. (2003) 55:37–44

N

- Nadala ECB Jr, see You Z et al. (2002) 51:77–80
- Nakai T, see Mori K et al. (2003) 57:19–26
- Nakai T, see Ooyama T et al. (2002) 51:169–177
- Nakai T, see Park SC (2003) 53:33–39
- Nakano N, see Kondo M et al. (2003) 55:261–264
- Nakano SI, see Kitamura SI et al. (2003) 54:69–72
- Nakano SI, see Kitamura SI et al. (2004) 58:251–254
- Nakayasu C, see Miwa S et al. (2004) 58:165–170
- Nalepa TF, see Messick GA et al. (2004) 59:159–170
- Nam YK, see Lee EH et al. (2004) 58:255–260
- Nash G, see Chayaburakul K et al. (2004) 60:89–96
- Nash GL, see Withyachumnarnkul B et al. (2003) 53:167–171
- Negredo C, Dillane E, Mulcahy MF (2003) Small subunit ribosomal DNA characterization of an unidentified aurantriaactinomyxon form and its oligochaete host *Tubifex ignotus*. 54:229–241
- Nehring RB, Thompson KG, Taurman K, Atkinson W (2003) Efficacy of passive sand filtration in reducing exposure of salmonids to the actinospore of *Myxobolus cerebralis*. 57:77–83
- Nehring RB, see Beauchamp KA et al. (2002) 51:113–121
- Neil DM, see Small HJ et al. (2002) 52:175–177
- Nematollahi A, Decostere A, Pasmans F, Ducatelle R, Haesebrouck F (2003) Adhesion of high and low virulence *Flavobacterium psychrophilum* strains to isolated gill arches of rainbow trout *Oncorhynchus mykiss*. 55:101–107
- Nengas I, see Rigos G et al. (2003) 54:35–41
- Nerland AH, see Sommerset I (2004) 58:117–125
- Nery LEM, see Neves CA et al. (2004) 58:209–213
- Neves CA, Sampedro Pastor MP, Nery LEM, Santos EA (2004) Effects of the parasite *Probopyrus ringueleti* (Isopoda) on glucose, glycogen and lipid concentration in starved *Palaemonetes argentinus* (Decapoda). 58:209–213
- Ngo TTT, Berthe FCJ, Choi KS (2003) Prevalence and infection intensity of the ovarian parasite *Marteililoides chungmuensis* during an annual reproductive cycle of the oyster *Crassostrea gigas*. 56:259–267
- Ngoh-Lim GH, see Qin QW et al. (2003) 53:1–9
- Nichols KM, Bartholomew J, Thorgaard GH (2003) Mapping

- multiple genetic loci associated with *Ceratomyxa shasta* resistance in *Oncorhynchus mykiss*. 56:145–154
- Nicholson BL, see Ahne W et al. (2003) 56:201–206
- Nicolas JL, see Choquet G et al. (2003) 57:109–116
- Nicolas JL, see Le Roux F et al. (2004) 58:143–150
- Nie P, see Lu YS et al. (2003) 54:171–173
- Nielsen CV, see Dalgaard MB et al. (2003) 53:173–176
- Nishizawa T, see Muroga K et al. (2004) 58:111–115
- Noble B, see Nunan LM et al. (2003) 54:43–48
- Noga EJ, Fan Z, Silphaduang U (2002) Host site of activity and cytological effects of histone-like proteins on the parasitic dinoflagellate *Amyloodinium ocellatum*. 52:207–215
- Nollens HH, Keogh JA, Probert PK (2003) Effects of shell lesions on survival, growth, condition and reproduction in the New Zealand blackfoot abalone *Haliotis iris*. 57: 127–133
- Norrgren L, see Ekman E et al. (2003) 55:93–99
- Norrgren L, see Ekman E et al. (2004) 60:31–39
- Nowak BF, Kingsford MJ (2003) Exposure to Thiodan® results in lipofuscin accumulation in hepatocytes of the freshwater catfish *Tandanus tandanus*. 56:135–143
- Nowak BF, see Gurney RH et al. (2004) 58:63–69
- Noyes AD, see Grizzle JM et al. (2003) 54:29–33
- Nozawa N, see Miyazaki T et al. (2002) 51:135–138
- Nunan LM, Noble B, Le Groumellec M, Lightner DV (2003) Experimental infection of *Penaeus vannamei* by a rickettsia-like bacterium (RLB) originating from *P. monodon*. 54:43–48
- Nunan LM, Poulos B, Redman R, Le Groumellec M, Lightner DV (2003) Molecular detection methods developed for a systemic rickettsia-like bacterium (RLB) in *Penaeus monodon* (Decapoda: Crustacea). 53:15–23
- Nylund A, Devold M, Plarre H, Isdal E, Aarseth M (2003) Emergence and maintenance of infectious salmon anaemia virus (ISAV) in Europe: a new hypothesis. 56: 11–24
- Nylund A, Plarre H, Hodneland K, Devold M, Aspehaug V, Aarseth M, Koren C, Watanabe K (2003) Haemorrhagic smolt syndrome (HSS) in Norway: pathology and associated virus-like particles. 54:15–27
- Nylund A, see Fridell F et al. (2004) 59:11–15
- Nylund A, see Gattuso A et al. (2002) 52:11–20
- Nylund A, see Todal JA et al. (2004) 58:9–16

O

- Oakey J, see Munro J et al. (2003) 54:187–194
- O'Callaghan M, see Murray AG et al. (2003) 54:1–14
- Oda T, see Itoh N et al. (2003) 54:163–169
- Ogawa K, see Itoh N et al. (2003) 54:163–169
- Ogawa K, see Székely C et al. (2003) 53:127–132
- Oidtmann B, Heitz E, Rogers D, Hoffmann RW (2002) Transmission of crayfish plague. 52:159–167
- Okabe M, see Kondo M et al. (2003) 55:261–264
- Okamura B, see Tops S (2003) 57:221–226
- Okamura B, see Tops S et al. (2004) 60:109–121
- Olesen NJ, see Bergmann SM et al. (2003) 55:205–210
- Olesen NJ, see Skall HF et al. (2004) 58:99–110
- Oliva M, see Valderrama K et al. (2004) 59:151–158
- Olsen V, see Boyle DG et al. (2003) 56:59–64
- Olsen V, see Boyle DG et al. (2004) 60:141–148
- Ooyama T, Hirokawa Y, Minami T, Yasuda H, Nakai T, Endo M, Ruangpan L, Yoshida T (2002) Cell-surface properties of *Lactococcus garvieae* strains and their immunogenicity in the yellowtail *Seriola quinqueradiata*. 51:169–177
- Opazo B, see Kibenge MT et al. (2002) 51:1–11

- Orós J, Tucker S, Fernández L, Jacobson ER (2004) Metastatic squamous cell carcinoma in two loggerhead sea turtles *Caretta caretta*. 58:245–250
- Oshima S, see Kondo M et al. (2003) 55:261–264
- Osorio CR, see Gonzalez SF et al. (2003) 55:109–115
- Osorio CR, see Juíz-Río S et al. (2004) 58:151–156
- Otta SK, see Umehara RK et al. (2003) 57:141–146
- Ottinger CA, see Gauthier DT et al. (2003) 54:105–117
- Oubella R, see Paillard C et al. (2004) 59:249–262
- Overstreet RM, see Messick GA et al. (2004) 59:159–170
- Overturf K, see Cavender WP et al. (2004) 60:205–213
- Owens L, McElnea C, Snape N, Harris L, Smith M (2003) Prevalence and effect of spawner-isolated mortality virus on the hatchery phases of *Penaeus monodon* and *P. merguiensis* in Australia. 53:101–106
- Owens L, see Bromage ES (2002) 52:199–205
- Owens L, see Claydon K et al. (2004) 60:173–178
- Owens L, see Munro J et al. (2003) 54:187–194

P

- Padiyar PA, see Corsin F et al. (2003) 54:97–104
- Page SJ, see Blazer VS et al. (2004) 58:27–34
- Paillard C, Allam B, Oubella R (2004) Effect of temperature on defense parameters in Manila clam *Ruditapes philippinarum* challenged with *Vibrio tapetis*. 59:249–262
- Paillard C, see Choquet G et al. (2003) 57:109–116
- Paillard C, see Jensen S et al. (2003) 53:25–31
- Paillard C, see Reid HI et al. (2003) 56:249–258
- Palenzuela O, see Redondo MJ et al. (2003) 55:133–144
- Pampoulie C, see Gbankoto A et al. (2003) 55:125–131
- Pantoja C, see Bradley-Dunlop DJ et al. (2004) 60:233–240
- Panyim S, see Assavalapsakul W et al. (2003) 55:253–258
- Panyim S, see Wongteerasupaya C et al. (2003) 54:253–257
- Paperna I, see Dzikowski R et al. (2003) 55:145–150
- Paperna I, see Dzikowski R et al. (2003) 57:231–235
- Paperna I, see Dzikowski R et al. (2004) 59:35–41
- Paradiso ML, see Marino F et al. (2004) 59:43–47
- Paramá A, see Leiro J et al. (2004) 59:171–174
- Park JH, Seok SH, Cho S, Baek MW, Lee HY, Kim DJ, Kim HY, Chang SO, Park JH (2004) Safety and protective effect of a disinfectant (STEL water) for white spot syndrome viral infection in shrimp. 60:253–257
- Park JH, see Park JH et al. (2004) 60:253–257
- Park JH, see Seok SH et al. (2004) 60:85–88
- Park JH, see Seok SH et al. (2004) 60:85–88
- Park JW, see Moon CH et al. (2003) 53:11–13
- Park MA, see Choi DL et al. (2004) 59:205–209
- Park MA, see Moon CH et al. (2003) 53:11–13
- Park MS, see Choi DL et al. (2004) 59:205–209
- Park SC, Nakai T (2003) Bacteriophage control of *Pseudomonas plecoglossicida* infection in ayu *Plecoglossus altivelis*. 53:33–39
- Parnell PG, see Prior S et al. (2003) 54:89–96
- Parry L, see Dixon PF et al. (2003) 54:175–186
- Pascolini R, Daszak P, Cunningham AA, Tei S, Vagnetti D, Bucci S, Fagotti A, Di Rosa I (2003) Parasitism by *Dermocystidium raniae* in a population of *Rana esculenta* complex in Central Italy and description of *Amphibiocystidium* n. gen. 56:65–74
- Pascual S, see Gestal C et al. (2002) 51:61–65
- Pasmans F, see Nematollahi A et al. (2003) 55:101–107
- Paster BJ, see Harper CG et al. (2003) 57:1–9
- Pasternak A, Mikheev V, Valtonen ET (2004) Growth and development of *Argulus coregoni* (Crustacea: Branchiura) on salmonid and cyprinid hosts. 58:203–207

- Peddie S, McLauchlan PE, Ellis AE, Secombes CJ (2003) Effect of intraperitoneally administered IL-1 β -derived peptides on resistance to viral haemorrhagic septicaemia in rainbow trout *Oncorhynchus mykiss*. 56:195–200
- Pelkonen S, see Pykkö P et al. (2002) 52:47–55
- Peña JB, see Peña-Llopis S et al. (2003) 55:237–245
- Peña-Llopis S, Ferrando MD, Peña JB (2003) Increased recovery of brain acetylcholinesterase activity in dichlorvos-intoxicated European eels *Anguilla anguilla* by bath treatment with N-acetylcysteine. 55:237–245
- Peresán L, see Lovrich GA et al. (2004) 58:71–77
- Pestal GP, Taylor DM, Hoenig JM, Shields JD, Pickavance R (2003) Monitoring the prevalence of the parasitic dinoflagellate *Hematodinium* sp. in snow crabs *Chionoecetes opilio* from Conception Bay, Newfoundland. 53:67–75
- Philips L, see Johnson ML et al. (2003) 57:255–260
- Photis G, see Rayyan A et al. (2004) 58:55–62
- Phromjai J, Boonsaeng V, Withyachumarnkul B, Flegel TW (2002) Detection of hepatopancreatic parvovirus in Thai shrimp *Penaeus monodon* by *in situ* hybridization, dot blot hybridization and PCR amplification. 51:227–232
- Pickavance R, see Pestal GP et al. (2003) 53:67–75
- Pihan JC, see Ledy K et al. (2003) 56:235–240
- Pinnegar JK, see Deudero S et al. (2002) 52:77–86
- Pironi F, see Dezfuli BS et al. (2002) 51:27–35
- Piyatiratitivorakul S, see Rengpipat S et al. (2003) 55:169–173
- Plarre H, see Nylund A et al. (2003) 54:15–27
- Plarre H, see Nylund A et al. (2003) 56:11–24
- Plarre H, see Todal JA et al. (2004) 58:9–16
- Polunin NVC, see Deudero S et al. (2002) 52:77–86
- Poore MF, see Dzikowski R et al. (2003) 57:231–235
- Poore MF, see Dzikowski R et al. (2004) 59:35–41
- Poppe T, see Brun E et al. (2003) 56:241–247
- Poppe T, see Sterud E et al. (2003) 56:155–161
- Poppe TT, Seierstad SL (2003) First description of cardiomyopathy syndrome (CMS)-related lesions in wild Atlantic salmon *Salmo salar* in Norway. 56:87–88
- Poppe TT, Johansen R, Gunnar G, Tørud B (2003) Heart morphology in wild and farmed Atlantic salmon *Salmo salar* and rainbow trout *Oncorhynchus mykiss*. 57:103–108
- Porter D, see Boyle DG et al. (2003) 56:59–64
- Poulos B, see Nunan LM et al. (2003) 53:15–23
- Poulos BT, see Tang KFJ et al. (2003) 53:91–99
- Powell M, see Dove ADM et al. (2004) 58:215–221
- Powell MS, see Cavender WP et al. (2004) 60:205–213
- Poynton SL, Fard MRS, Jenkins J, Ferguson HW (2004) Ultrastructure of *Spironucleus salmonis* n. comb. (formerly *Octomitus salmonis* sensu Moore 1922, Davis 1926, and *Hexamita salmonis* sensu Ferguson 1979), with a guide to *Spironucleus* species. 60:49–64
- Poynton SL, see Reimschuessel R et al. (2003) 53:143–166
- Prapas Th, see Athanassopoulou F et al. (2004) 60:247–252
- Pratanpipat P, see Chayaburakul K et al. (2004) 60:89–96
- Prior S, Browdy CL, Shepard EF, Laramore R, Parnell PG (2003) Controlled bioassay systems for determination of lethal infective doses of tissue homogenates containing Taura syndrome or white spot syndrome virus. 54:89–96
- Prior S, see Chapman RW et al. (2004) 59:179–185
- Probert PK, see Nollens HH et al. (2003) 57:127–133
- Prosperi-Porta G, see Jones SRM et al. (2003) 54:49–54
- Pšíkal I, see Koutná M et al. (2003) 55:229–235
- Pugovkin D, see Burr SE et al. (2003) 57:167–171
- Pujalte MJ, Sitjà-Bobadilla A, Álvarez-Pellitero P, Garay E (2003) Carriage of potentially fish-pathogenic bacteria in *Sparus aurata* cultured in Mediterranean fish farms. 54: 119–126
- Pungchai P, see Wongteerasupaya C et al. (2003) 54:253–257
- Pykkö P, Lyytikäinen T, Ritola O, Pelkonen S, Valtonen ET (2002) Temperature effect on the immune defense functions of Arctic charr *Salvelinus alpinus*. 52:47–55
- Pykkö P, see Bangyeekhun E et al. (2003) 53:47–53
- Q**
- Qian D, see Sri Widada J et al. (2004) 58:83–87
- Qin QW, Chang SF, Ngoh-Lim GH, Gibson-Kueh S, Shi C, Lam TJ (2003) Characterization of a novel ranavirus isolated from grouper *Epinephelus tauvina*. 53:1–9
- R**
- Rabinowitz C, see Moiseeva E et al. (2004) 60:77–84
- Raga JA, see Fernández M et al. (2003) 55:73–76
- Raga JA, see Montero FE et al. (2003) 53:271–272
- Ragias V, see Athanassopoulou F et al. (2002) 52:69–76
- Ragone Calvo LM, Dungan CF, Roberson BS, Burreson EM (2003) Systematic evaluation of factors controlling *Perkinsus marinus* transmission dynamics in lower Chesapeake Bay. 56:75–86
- Ragone Calvo LM, see Stokes NA et al. (2002) 52:233–247
- Rajapakse RPVJ, see Thilakaratne IDSIP et al. (2003) 54: 157–162
- Rajapaksha G, see Thilakaratne IDSIP et al. (2003) 54: 157–162
- Rameyer RA, see Work TM et al. (2003) 57:59–66
- Ranheim T, see Grove S et al. (2003) 53:211–221
- Rao GV, see Kumar AR et al. (2004) 59:75–78
- Rao KRSS, see Kumar AR et al. (2004) 59:75–78
- Rasmussen E, see Sommer AI et al. (2004) 59:101–108
- Ravelo C, see Colorni A et al. (2003) 56:275–278
- Raymundo LJH, Harvell CD, Reynolds TL (2003) *Porites* ulcerative white spot disease: description, prevalence, and host range of a new coral disease affecting Indo-Pacific reefs. 56:95–104
- Rayyan A, Chintiroglou CC (2003) *Steinhausia mytilorum* in cultured mussel *Mytilus galloprovincialis* in the Thermaikos Gulf (north Aegean Sea, Greece). 57:271–273
- Rayyan A, Photis G, Chintiroglou CC (2004) Metazoan parasite species in cultured mussel *Mytilus galloprovincialis* in the Thermaikos Gulf (North Aegean Sea, Greece). 58: 55–62
- Redman R, see Nunan LM et al. (2003) 53:15–23
- Redman RM, see Tang KFJ et al. (2003) 53:91–99
- Redondo MJ, Palenzuela O, Alvarez-Pellitero P (2003) *In vitro* studies on viability and proliferation of *Enteromyxum scophthalmi* (Myxozoa), an enteric parasite of cultured turbot *Scophthalmus maximus*. 55:133–144
- Reece KS, Stokes NA (2003) Molecular analysis of a haplosporidian parasite from cultured New Zealand abalone *Haliotis iris*. 53:61–66
- Reece KS, see Brown GD (2003) 57:117–126
- Reece KS, see Casas SM et al. (2002) 52:217–231
- Reece KS, see Casas SM et al. (2004) 58:231–244
- Reece KS, see Cochenne-Laureau N et al. (2003) 54:209–217
- Reece KS, see Stokes NA et al. (2002) 52:233–247
- Řehulka J (2003) Haematological analyses in rainbow trout *Oncorhynchus mykiss* affected by viral haemorrhagic septicaemia (VHS). 56:185–193
- Reid HI, Soudant P, Lambert C, Paillard C, Birkbeck TH (2003) Salinity effects on immune parameters of *Ruditapes philippinarum* challenged with *Vibrio tapetis*. 56: 249–258

- Reimschuessel R, Giesecker CM, Driscoll C, Baya A, Kane AS, Blazer VS, Evans JJ, Kent ML, Moran JDW, Poynton SL (2003) Myxosporean plasmodial infection associated with ulcerative lesions in young-of-the-year Atlantic menhaden in a tributary of the Chesapeake Bay, and possible links to *Kudoa clupeidae*. 53:143–166
- Reitan LJ, see Grove S et al. (2003) 53:211–221
- Ren GC, see Chen SL et al. (2004) 60:241–246
- Rengpipat S, Tunyanun A, Fast AW, Piyatiratitivorakul S, Menasveta P (2003) Enhanced growth and resistance to *Vibrio* challenge in pond-reared black tiger shrimp *Penaeus monodon* fed a *Bacillus* probiotic. 55:169–173
- Rennie S, see Birkbeck TH et al. (2004) 60:97–103
- Revie CW, Gettinby G, Treasurer JW, Wallace C (2003) Identifying epidemiological factors affecting sea lice *Lepeophtheirus salmonis* abundance on Scottish salmon farms using general linear models. 57:85–95
- Reynolds TL, see Raymundo L淮南 et al. (2003) 56:95–104
- Rhodes MW, see Gauthier DT et al. (2003) 54:105–117
- Richard V, see Sri Widada J et al. (2004) 58:83–87
- Richards RH, see Starkey WG et al. (2004) 59:93–100
- Rigos G, Tyrpenou AE, Nengas I, Yiagnisis M, Koutsodimou M, Alexis M, Troisi GM (2003) Pharmacokinetics of flumequine and *in vitro* activity against bacterial pathogens of gilthead sea bream *Sparus aurata*. 54:35–41
- Rimstad E, see Mikalsen AB et al. (2004) 60:11–20
- Ringvold A, see Bjerkås E et al. (2003) 55:151–159
- Rinkevich B, see Moiseeva E et al. (2004) 60:77–84
- Rintamäki-Kinnunen P, see Tirola M et al. (2002) 51:93–100
- Ritchie BW, see Wooley RE et al. (2004) 59:263–267
- Ritchie G, Rønsberg SS, Hoff KA, Branson EJ (2002) Clinical efficacy of teflubenzuron (Calicide®) for the treatment of *Lepeophtheirus salmonis* infestations of farmed Atlantic salmon *Salmo salar* at low water temperatures. 51: 101–106
- Ritola O, see Pylkkö P et al. (2002) 52:47–55
- Roberson BS, see Ragone Calvo LM et al. (2003) 56:75–86
- Roberts DW, see Wagner EJ et al. (2003) 53:133–142
- Roccatagliata D, see Lovrich GA et al. (2004) 58:71–77
- Rodríguez-Tovar LE, Wadowska DW, Wright GM, Groman DB, Speare DJ, Whelan DS (2003) Ultrastructural evidence of autoinfection in the gills of Atlantic cod *Gadus morhua* infected with *Loma* sp. (phylum Microsporidia). 57:227–230
- Rogers AB, see Harper CG et al. (2003) 57:1–9
- Rogers D, see Oidtmann B et al. (2002) 52:159–167
- Rojas AH, see Kibenge MT et al. (2002) 51:1–11
- Romalde JL, see Avendaño-Herrera R et al. (2004) 58:1–8
- Romalde JL, see Colorni A et al. (2003) 56:275–278
- Romalde JL, see Currás M et al. (2002) 52:129–136
- Rombout JHWM, see van de Braak CBT et al. (2002) 51: 149–155
- Romvári R, see Székely C et al. (2004) 58:157–164
- Rønsberg SS, see Ritchie G et al. (2002) 51:101–106
- Roque A, see Labrie L et al. (2003) 57:265–270
- Roque A, see Soto-Rodriguez SA et al. (2003) 53:231–240
- Ross NW, see Fast MD et al. (2002) 52:57–68
- Roth M, see Athanassopoulou F et al. (2002) 52:69–76
- Rowley AF, see Vogan CL (2002) 52:151–157
- Ruan HM, see Zhang QJ et al. (2003) 57:27–34
- Ruangpan L, see Ooyama T et al. (2002) 51:169–177
- Rubin N, see Martin GG et al. (2004) 60:21–29
- Rubio-Godoy M, Sigh J, Buchmann K, Tinsley RC (2003) Immunization of rainbow trout *Oncorhynchus mykiss* against *Discocotyle sagittata* (Monogenea). 55:23–30
- Rubio-Godoy M, Sigh J, Buchmann K, Tinsley RC (2003) Antibodies against *Discocotyle sagittata* (Monogenea) in farmed trout. 56:181–184
- Russell S, Frasca S Jr., Sunila I, French RA (2004) Application of a multiplex PCR for the detection of protozoan pathogens of the eastern oyster *Crassostrea virginica* in field samples. 59:85–91
- Ryce EKN, Zale AV, MacConnell E (2004) Effects of fish age and parasite dose on the development of whirling disease in rainbow trout. 59:225–233

S

- Saeij JPJ, Groeneveld A, Van Rooijen N, Haenen OLM, Wiegertjes GF (2003) Minor effect of depletion of resident macrophages from peritoneal cavity on resistance of common carp *Cyprinus carpio* to blood flagellates. 57:67–75
- Sakati GN, see Gbakkoto A et al. (2003) 55:125–131
- Salazar M, see Briñez B et al. (2003) 55:69–72
- Salazar M, see Granja CB et al. (2003) 54:73–78
- Sampedro Pastor MP, see Neves CA et al. (2004) 58:209–213
- Samuels OB, Bergh Ø, Ervik A (2003) Pharmacokinetics of florfenicol in cod *Gadus morhua* and *in vitro* antibacterial activity against *Vibrio anguillarum*. 56:127–133
- Samuels OB, see Jensen S et al. (2003) 53:25–31
- Sandoval N, see Larenas JJ et al. (2003) 56:25–30
- Sanmartín ML, see Leiro J et al. (2004) 59:171–174
- Santos EA, see Neves CA et al. (2004) 58:209–213
- Santos Y, see Gonzalez SF et al. (2003) 55:109–115
- Sasal P, see Laffargue P et al. (2004) 58:179–184
- Savin S, see Chapman RW et al. (2004) 59:179–185
- Sawangwong P, see Leethochavalit S et al. (2004) 60:165–171
- Scharsack JP, Kalbe M, Derner R, Kurtz J, Milinski M (2004) Modulation of granulocyte responses in three-spined sticklebacks *Gasterosteus aculeatus* infected with the tapeworm *Schistocephalus solidus*. 59:141–150
- Scharsack JP, Steinhagen D, Körting W, Wagner B, Leibold W, Schuberth HJ (2004) Some immune parameters in carp *Cyprinus carpio* susceptible and resistant to the haemoflagellate *Trypanoplasma borreli*. 60:41–48
- Schill WB, see Blazer VS et al. (2004) 58:27–34
- Schlotfeldt HJ, see Bergmann SM et al. (2003) 55:205–210
- Schnapper A, see Meyer W et al. (2003) 53:177–179
- Schöl H, see Hallett SL et al. (2003) 55:45–57
- Schuberth HJ, see Scharsack JP et al. (2004) 60:41–48
- Seah JN, see Wang YT et al. (2002) 52:249–259
- Searcy-Bernal R, see Anguiano-Beltrán C et al. (2004) 59: 119–123
- Secombes CJ, see Peddie S et al. (2003) 56:195–200
- Seegers U, see Meyer W et al. (2003) 53:177–179
- Segner H, see Burr SE et al. (2003) 57:167–171
- Seierstad SL, see Poppe TT (2003) 56:87–88
- Selvin J, Lipton AP (2003) *Vibrio alginolyticus* associated with white spot disease of *Penaeus monodon*. 57:147–150
- Seok SH, Park JH, Cho SA, Baek MW, Lee HY, Kim DJ, Park JH (2004) Cloning and sequencing of envelope proteins (VP19, VP28) and nucleocapsid proteins (VP15, VP35) of a white spot syndrome virus isolate from Korean shrimp. 60: 85–88
- Seok SH, see Park JH et al. (2004) 60:253–257
- Sha ZX, see Chen SL et al. (2004) 60:241–246
- Shankar KM, see Anil TM et al. (2002) 51:67–75
- Shen Z, see Harper CG et al. (2003) 57:1–9
- Shepard EF, see Prior S et al. (2003) 54:89–96
- Sheppard AM, see Stone DM et al. (2003) 53:203–210
- Shi C, see Qin QW et al. (2003) 53:1–9
- Shi CY, see Chen SL et al. (2004) 60:241–246
- Shi Z, see Sri Widada J et al. (2004) 58:83–87

- Shieh JR, see Chi SC et al. (2003) 55:221–228
- Shields JD, Behringer DC Jr (2004) A new pathogenic virus in the Caribbean spiny lobster *Panulirus argus* from the Florida Keys. 59:109–118
- Shields JD, see Kirby Y et al. (2003) 54:135–146
- Shields JD, see Pestal GP et al. (2003) 53:67–75
- Shields RJ, see Verner-Jeffreys DW et al. (2003) 56:105–113
- Shih HH, see Tang KFJ et al. (2003) 53:91–99
- Shinn AP, Wootten R, Côté I, Sommerville C (2003) Efficacy of selected oral chemotherapeuticants against *Ichthyocephalus multifiliis* (Ciliophora: Ophyroglenidae) infecting rainbow trout *Oncorhynchus mykiss*. 55:17–22
- Shinn AP, see Dezfuli BS et al. (2004) 58:193–202
- Sigh J, see Rubio-Godoy M et al. (2003) 55:23–30
- Sigh J, see Rubio-Godoy M et al. (2003) 56:181–184
- Silphaduang U, see Noga EJ et al. (2002) 52:207–215
- Silva MT, see dos Santos NMS et al. (2002) 52:87–91
- Simolin P, see Sterud E et al. (2003) 54:259–263
- Simoni E, see Dezfuli BS et al. (2004) 58:193–202
- Sims DE, see Fast MD et al. (2002) 52:57–68
- Sithigorngul P, see Soowannayan C et al. (2003) 57:193–200
- Sitja-Bobadilla A, see Pujalte MJ et al. (2003) 54:119–126
- Skall HF, Slierendrecht WJ, King JA, Olesen NJ (2004) Experimental infection of rainbow trout *Oncorhynchus mykiss* with viral haemorrhagic septicaemia virus isolates from European marine and farmed fishes. 58:99–110
- Skall HF, see Bergmann SM et al. (2003) 55:205–210
- Skirpstunas RT, Baldwin TJ (2002) *Edwardsiella ictaluri* invasion of IEC-6, Henle 407, fathead minnow and channel catfish enteric epithelial cells. 51:161–167
- Skrudland A, see Brun E et al. (2003) 56:241–247
- Slater J, see Soowannayan C et al. (2003) 57:193–200
- Slierendrecht WJ, see Skall HF et al. (2004) 58:99–110
- Small HJ, Wilson S, Neil DM, Hagan P, Coombs GH (2002) Detection of the parasitic dinoflagellate *Hematodinium* in the Norway lobster *Nephrops norvegicus* by ELISA. 52: 175–177
- Smith DR, see Assavalapsakul W et al. (2003) 55:253–258
- Smith M, see Owens L et al. (2003) 53:101–106
- Smith M, see Wagner EJ et al. (2003) 53:133–142
- Smith P, see Larenas JJ et al. (2003) 56:25–30
- Smith PT, see Callinan RB et al. (2003) 53:181–193
- Smolarz K, Wolowicz M, Thiriot-Quiévreux C (2003) Argophilic nucleolar organizer regions (AgNORs) in interphases and metaphases of normal and neoplastic gill cells of *Macoma balthica* (Bivalvia: Tellinidae) from the Gulf of Gdańsk, Baltic Sea. 56:269–274
- Snape N, see Owens L et al. (2003) 53:101–106
- Sohn SK, see Moon CH et al. (2003) 53:11–13
- Sommer AI, Amundsen Strand M, Rasmussen E, Mennen S (2004) Susceptibility of spotted wolffish *Anarhichas minor* to experimental infection with nodavirus and infectious pancreatic necrosis virus. 59:101–108
- Sommer AI, see Johansen R et al. (2003) 57:35–41
- Sommerset I, Nerland AH (2004) Complete sequence of RNA1 and subgenomic RNA3 of Atlantic halibut nodavirus (AHNV). 58:117–125
- Sommerville C, see Shinn AP et al. (2003) 55:17–22
- Song YL, see Yambot AV et al. (2003) 54:147–156
- Soowannayan C, Flegel TW, Sithigorngul P, Slater J, Hyatt A, Cramerri S, Wise T, Crane MSJ, Cowley JA, McCulloch RJ, Walker PJ (2003) Detection and differentiation of yellow head complex viruses using monoclonal antibodies. 57:193–200
- Soowannayan C, see Callinan RB et al. (2003) 53:181–193
- Soto-Rodriguez SA, Roque A, Lizarraga-Partida ML, Guerra-Flores AL, Gomez-Gil B (2003) Virulence of luminous vibrios to *Artemia franciscana* nauplii. 53:231–240
- Soudant P, see Choquet G et al. (2003) 57:109–116
- Soudant P, see Reid HI et al. (2003) 56:249–258
- Sousa MJ, see dos Santos NMS et al. (2002) 52:87–91
- Spann KM, McCulloch RJ, Cowley JA, East IJ, Walker PJ (2003) Detection of gill-associated virus (GAV) by *in situ* hybridization during acute and chronic infections of *Penaeus monodon* and *P. esculentus*. 56:1–10
- Speare DJ, see Becker JA (2004) 58:185–191
- Speare DJ, see Fast MD et al. (2002) 52:57–68
- Speare DJ, see Rodriguez-Tovar LE et al. (2003) 57:227–230
- Speare R, see Johnson ML et al. (2003) 57:255–260
- Sriurairatana S, see Chayaburakul K et al. (2004) 60:89–96
- Sri Widada J, Richard V, Shi Z, Qian D, Bonami JR (2004) Dot blot hybridization and RT-PCR detection of extra small virus (XSV) associated with white tail disease of prawn *Macrobrachium rosenbergii*. 58:83–87
- Stagni A, see Zeni C (2002) 51:37–47
- Starkey WG, Millar RM, Jenkins ME, Ireland JH, Muir KF, Richards RH (2004) Detection of piscine nodaviruses by real-time nucleic acid sequence based amplification (NASBA). 59:93–100
- Steinhagen D, see Scharsack JP et al. (2004) 60:41–48
- Stentiford GD, Bateman K, Feist SW (2004) Pathology and ultrastructure of an intranuclear bacilliform virus (IBV) infecting brown shrimp *Crangon crangon* (Decapoda: Crangonidae). 58:89–97
- Stentiford GD, Evans M, Bateman K, Feist SW (2003) Co-infection by a yeast-like organism in *Hematodinium*-infected European edible crabs *Cancer pagurus* and velvet swimming crabs *Necora puber* from the English Channel. 54:195–202
- Stentiford GD, Feist SW, Bateman KS, Hine PM (2004) Haemolymph parasite of the shore crab *Carcinus maenas*: pathology, ultrastructure and observations on crustacean haplosporidians. 59:57–68
- Sterud E, Poppe T, Bornø G (2003) Intracellular infection with *Spironucleus barkhanus* (Diplomonadida: Hexamitidae) in farmed Arctic char *Salvelinus alpinus*. 56:155–161
- Sterud E, Simolin P, Kvællestad A (2003) Infection by *Parv capsula* sp. (Myxozoa) is associated with mortality in sea-caged Atlantic salmon *Salmo salar* in northern Norway. 54:259–263
- Stewart JE, Cornick JW, Zwicker BM, Arie B (2004) Studies on the virulence of *Aerococcus viridis* (var.) *homari*, the causative agent of gaffkemia, a fatal disease of homarid lobsters. 60:149–155
- Stokes NA, Ragone Calvo LM, Reece KS, Burreson EM (2002) Molecular diagnostics, field validation, and phylogenetic analysis of Quahog Parasite Unknown (QPX), a pathogen of the hard clam *Mercenaria mercenaria*. 52:233–247
- Stokes NA, see Reece KS (2003) 53:61–66
- Stone DM, Ahne W, Denham KL, Dixon PF, Liu CTY, Shepard AM, Taylor GR, Way K (2003) Nucleotide sequence analysis of the glycoprotein gene of putative spring viraemia of carp virus and pike fry rhabdovirus isolates reveals four genogroups. 53:203–210
- Stone DM, see Betts AM et al. (2003) 57:201–212
- Stone DM, see Dixon PF et al. (2003) 54:175–186
- Stone DM, see Way K et al. (2003) 57:43–50
- Štrancar M, see Hostnik P et al. (2002) 52:179–184
- Strom MS, see Masada CL et al. (2002) 51:13–25
- Strømmen HK, see Dixon PF et al. (2003) 54:175–186
- Styer L, see Mauel MJ et al. (2003) 53:249–255
- Sun BJ, see Lu YS et al. (2003) 54:171–173
- Sung HH, see Yambot AV et al. (2003) 54:147–156
- Sunila I, LaBanca J (2003) Apoptosis in the pathogenesis of

- infectious diseases of the eastern oyster *Crassostrea virginica*. 56:163–170
- Sunila I, see Russell S et al. (2004) 59:85–91
- Sures B, see Münderle M et al. (2004) 60:133–139
- Suzuki S, see Kitamura SI et al. (2003) 54:69–72
- Suzuki S, see Kitamura SI et al. (2004) 58:251–254
- Sverdrup A, see Gattuso A et al. (2002) 52:11–20
- Swanson E, see Martin GG et al. (2004) 60:21–29
- Szabó A, see Székely C et al. (2004) 58:157–164
- Székely C, Molnár K, Müller T, Szabó A, Romvári R, Hancz C, Bercsényi M (2004) Comparative study of X-ray computerised tomography and conventional X-ray methods in diagnosis of swimbladder infection in eels caused by *Anguillicola crassus*. 58:157–164
- Székely C, Yokoyama H, Urawa S, Timm T, Ogawa K (2003) Description of two new actinosporean types from a brook of Fuji Mountain, Honshu, and from Chitose River, Hokkaido, Japan. 53:127–132
- T**
- Takata G, see Work TM et al. (2003) 57:59–66
- Taksdal T, see Kongtorp RT et al. (2004) 59:217–224
- Tanaka S, see Mori K et al. (2003) 57:19–26
- Tang KFJ, Poulos BT, Wang J, Redman RM, Shih HH, Lightner DV (2003) Geographic variations among infectious hypodermal and hematopoietic necrosis virus (IHNV) isolates and characteristics of their infection. 53:91–99
- Taniguchi T, see Miyazaki T et al. (2002) 51:135–138
- Taraschewski H, see Münderle M et al. (2004) 60:133–139
- Taskinen J, see Kortet R et al. (2002) 52:185–190
- Taskinen J, see Kortet R et al. (2003) 57:163–165
- Taskinen J, see Vainikka A et al. (2004) 60:189–195
- Taurman K, see Nehring RB et al. (2003) 57:77–83
- Taylor DM, see Pestal GP et al. (2003) 53:67–75
- Taylor GR, see Stone DM et al. (2003) 53:203–210
- Taylor GR, see Way K et al. (2003) 57:43–50
- Taylor NS, see Harper CG et al. (2003) 57:1–9
- Tei S, Vagnetti D, see Pascolini R et al. (2003) 56:65–74
- Thakur PC, see Corsin F et al. (2003) 54:97–104
- Thiéry R, de Boisséson C, Jeffroy J, Castric J, de Kinkelin P, Benmansour A (2002) Phylogenetic analysis of viral haemorrhagic septicaemia virus (VHSV) isolates from France (1971–1999). 52:29–37
- Thilakaratne IDSIP, Rajapaksha G, Hewakopara A, Rajapakse RPVJ, Faizal ACM (2003) Parasitic infections in freshwater ornamental fish in Sri Lanka. 54:157–162
- Thiriot-Quiévreux C, see Smoliarz K et al. (2003) 56:269–274
- Thompson KD, see Miles DJC et al. (2003) 55:77–84
- Thompson KD, see Vatsos IN et al. (2003) 56:115–126
- Thompson KG, see Nehring RB et al. (2003) 57:77–83
- Thorgaard GH, see Nichols KM et al. (2003) 56:145–154
- Thorne T, see Hine PM (2002) 51:123–133
- Thune RL, Fernandez DH, Hawke JP, Miller R (2003) Construction of a safe, stable, efficacious vaccine against *Photobacterium damsela* ssp. *piscicida*. 57:51–58
- Thune RL, see Moore MM et al. (2002) 52:93–107
- Thurlow JK, see Dixon PF et al. (2003) 54:175–186
- Tirola M, Valtonen ET, Rintamäki-Kinnunen P, Kulomaa MS (2002) Diagnosis of flavobacteriosis by direct amplification of rRNA genes. 51:93–100
- Timm T, see Székely C et al. (2003) 53:127–132
- Tinsley RC, see Rubio-Godoy M et al. (2003) 55:23–30
- Tinsley RC, see Rubio-Godoy M et al. (2003) 56:181–184
- Todal JA, Karlsbakk E, Isaksen TE, Plarre H, Urawa S, Mouton A, Hoel E, Koren CWR, Nylund A (2004) *Ichthyobodo necator* (Kinetoplastida)—a complex of sibling species. 58:9–16
- Toguebae BS, see Kostoingué B et al. (2003) 54:79–83
- Toplak I, see Hostnik P et al. (2002) 52:179–184
- Tops S, Baxa DV, McDowell TS, Hedrick RP, Okamura B (2004) Evaluation of malacosporean life cycles through transmission studies. 60:109–121
- Tops S, Okamura B (2003) Infection of bryozoans by *Tetra capsuloides bryosalmonae* at sites endemic for salmonid proliferative kidney disease. 57:221–226
- Toranzo AE, see Avendaño-Herrera R et al. (2004) 58:1–8
- Toranzo AE, see Colorni A et al. (2003) 56:275–278
- Toranzo AE, see Currás M et al. (2002) 52:129–136
- Torgersen J, see Mikalsen AB et al. (2004) 60:11–20
- Torhy C, see Betts AM et al. (2003) 57:201–212
- Torkildsen L, see Jensen S et al. (2003) 53:25–31
- Tørud B, see Poppe TT et al. (2003) 57:103–108
- Tota B, see Gattuso A et al. (2002) 52:11–20
- Toubiana M, Guelorget O, Bouchereau JL, Lucien-Brun HL, Marques A (2004) Microsporidians in penaeid shrimp along the west coast of Madagascar. 58:79–82
- Traviña RD, see Catap ES et al. (2003) 57:11–17
- Traxler GS, see Hedrick RP et al. (2003) 55:211–220
- Traxler GS, see Lio-Po GD et al. (2003) 57:213–220
- Treasurer JW, see Revie CW et al. (2003) 57:85–95
- Trilles JP, see Leonards I (2003) 54:243–251
- Trilles JP, see Mariappan P et al. (2003) 55:259–260
- Troisi GM, see Rigos G et al. (2003) 54:35–41
- Troncoso O, see Larenas JJ et al. (2003) 56:25–30
- Troyer RM, Kurath G (2003) Molecular epidemiology of infectious hematopoietic necrosis virus reveals complex virus traffic and evolution within southern Idaho aquaculture. 55:175–185
- Troyer RM, see Garver KA et al. (2003) 55:187–203
- Tsin-yeo Lui C, see Dixon PF et al. (2003) 54:175–186
- Tucker S, see Orós J et al. (2004) 58:245–250
- Tuntiwaranuruk C, Chalermwat K, Upatham ES, Kruatrachue M, Azevedo C (2004) Investigation of *Nematopsis* spp. oocysts in 7 species of bivalves from Chonburi Province, Gulf of Thailand. 58:47–53
- Tunyanun A, see Rengpipat S et al. (2003) 55:169–173
- Turnbull JF, see Corsin F et al. (2003) 54:97–104
- Turnbull JF, see Labrie L et al. (2003) 57:265–270
- Tyler S, see Messick GA et al. (2004) 59:159–170
- Tyrpenou AE, see Rigos G et al. (2003) 54:35–41
- U**
- Uma A, see Umesha RK et al. (2003) 57:141–146
- Umesha RK, Uma A, Otta SK, Karunasagar I, Karunasagar I (2003) Detection by PCR of hepatopancreatic parvovirus (HPV) and other viruses in hatchery-reared *Penaeus monodon* postlarvae. 57:141–146
- Upatham ES, see Leethochavalit S et al. (2004) 60:165–171
- Upatham ES, see Tuntiwaranuruk C et al. (2004) 58:47–53
- Uramoto K, see Morii H et al. (2003) 53:107–113
- Urawa S, see Székely C et al. (2003) 53:127–132
- Urawa S, see Todal JA et al. (2004) 58:9–16
- V**
- Vainikka A, Kortet R, Taskinen J (2004) Epizootic cutaneous papillomatosis, cortisol and male ornamentation during and after breeding in the roach *Rutilus rutilus*. 60:189–195
- Vainikka A, see Kortet R et al. (2002) 52:185–190

- Vainikka A, see Kortet R et al. (2003) 57:163–165
- Valderrama K, Oliva M, Campos B, Brown D (2004) Parasitic castration of *Eurhomalea lenticularis* (Bivalvia: Veneridae) by a digenetic trematode: quantitative histological analysis. 59:151–158
- Valero A, see Adroher FJ et al. (2004) 58:41–45
- Valtonen ET, see Hakalahti T et al. (2004) 60:197–204
- Valtonen ET, see Pasternak A et al. (2004) 58:203–207
- Valtonen ET, see Pylkkö P et al. (2002) 52:47–55
- Valtonen ET, see Tirola M et al. (2002) 51:93–100
- Van Bressem MF, Gaspar R, Aznar FJ (2003) Epidemiology of tattoo skin disease in bottlenose dolphins *Tursiops truncatus* from the Sado estuary, Portugal. 56:171–179
- van de Braak CBT, Botterblom MHA, Huisman EA, Rombout JHWM, van der Knaap WPW (2002) Preliminary study on haemocyte response to white spot syndrome virus infection in black tiger shrimp *Penaeus monodon*. 51:149–155
- van der Knaap WPW, see van de Braak CBT et al. (2002) 51:149–155
- van Hulten MCW, see You Z et al. (2002) 51:77–80
- Van Rooijen N, see Saeij JPJ et al. (2003) 57:67–75
- Vatsos IN, Thompson KD, Adams A (2003) Starvation of *Flavobacterium psychrophilum* in broth, stream water and distilled water. 56:115–126
- Vennerström P, see Bangyekhun E et al. (2003) 53:47–53
- Vera P, see Larenas JJ et al. (2003) 56:25–30
- Verner-Jeffreys DW, Shields RJ, Birkbeck TH (2003) Bacterial influences on Atlantic halibut *Hippoglossus hippoglossus* yolk-sac larval survival and start-feed response. 56:105–113
- Veselý T, see Koutná M et al. (2003) 55:229–235
- Vidal OM, see Granja CB et al. (2003) 54:73–78
- Villalba A, see Casas SM et al. (2002) 52:217–231
- Villalba A, see Casas SM et al. (2004) 58:231–244
- Vita P, Corral L, Matos E, Azevedo C (2003) Ultrastructural aspects of the myxosporean *Henneguya astyanax* n. sp. (Myxozoa: Myxobolidae), a parasite of the Amazonian teleost *Astyanax keithi* (Characidae). 53:55–60
- Vogan CL, Rowley AF (2002) Dynamics of shell disease in the edible crab *Cancer pagurus*: a comparative study between two sites on the Gower Peninsula, South Wales, UK. 52:151–157
- Vogelbein WK, see Gauthier DT et al. (2003) 54:105–117
- Vogelbein WK, see Kiryu Y et al. (2003) 54:135–146
- Volckaert FAM, see Audenaert V et al. (2003) 56:223–233
- W**
- Wadowska DW, see Rodriguez-Tovar LE et al. (2003) 57:227–230
- Wadsworth S, see Birkbeck TH et al. (2004) 60:97–103
- Wagner B, see Scharsack JP et al. (2004) 60:41–48
- Wagner EJ, Smith M, Arndt R, Roberts DW (2003) Physical and chemical effects on viability of the *Myxobolus cerebralis* triactinomyxon. 53:133–142
- Wahli T, see Burr SE et al. (2003) 57:167–171
- Wakabayashi H, see Izumi S et al. (2003) 56:207–214
- Wakabayashi H, see Liyanage YS et al. (2003) 55:31–35
- Walker PJ, see Soowannayan C et al. (2003) 57:193–200
- Walker PJ, see Spann KM et al. (2003) 56:1–10
- Walker PJ, see Wongteerasupaya C et al. (2003) 54:253–257
- Wallace C, see Revie CW et al. (2003) 57:85–95
- Wang CH, see Cheng W et al. (2003) 53:223–229
- Wang CH, see Cheng W et al. (2003) 57:151–155
- Wang J, see Tang KFJ et al. (2003) 53:91–99
- Wang PC, see Chen SC et al. (2003) 55:161–167
- Wang Y, see Lu Y et al. (2003) 57:183–191
- Wang YT, Liu W, Seah JN, Lam CS, Xiang JH, Korzh V, Kwang J (2002) White spot syndrome virus (WSSV) infects specific hemocytes of the shrimp *Penaeus merguiensis*. 52:249–259
- Watanabe K, see Nylund A et al. (2003) 54:15–27
- Way K, Bark SJ, Longshaw CB, Denham KL, Dixon PF, Feist SW, Gardiner R, Gubbins MJ, Le Deuff RM, Martin PD, Stone DM, Taylor GR (2003) Isolation of a rhabdovirus during outbreaks of disease in cyprinid fish species at fishery sites in England. 57:43–50
- Way K, see Betts AM et al. (2003) 57:201–212
- Way K, see Dixon PF et al. (2003) 54:175–186
- Way K, see Stone DM et al. (2003) 53:203–210
- Wenner E, see Chapman RW et al. (2004) 59:179–185
- Whelan DS, see Rodriguez-Tovar LE et al. (2003) 57:227–230
- Whipps CM, El-Matbouli M, Hedrick RP, Blazer V, Kent ML (2004) *Myxobolus cerebralis* internal transcribed spacer 1 (ITS-1) sequences support recent spread of the parasite to North America and within Europe. 60:105–108
- Wiegertjes GF, see Saeij JPJ et al. (2003) 57:67–75
- Wiklund T, see Madetoja J et al. (2002) 52:109–118
- Wilson KJ, see de la Vega E et al. (2004) 59:195–203
- Wilson S, see Small HJ et al. (2002) 52:175–177
- Wilson T, Carson J (2003) Development of sensitive, high-throughput one-tube RT-PCR-enzyme hybridisation assay to detect selected bacterial fish pathogens. 54:127–134
- Winstead JT, Courtney LA (2003) Ovacyctis-like condition in the eastern oyster *Crassostrea virginica* from the north-eastern Gulf of Mexico. 53:89–90
- Winton JR, see Ahne W et al. (2002) 52:261–272
- Winton JR, see Hedrick RP et al. (2003) 55:211–220
- Wise T, see Soowannayan C et al. (2003) 57:193–200
- Withyachumnarnkul B, Boonsaeng V, Chomsoong R, Flegel TW, Muangsins S, Nash GL (2003) Seasonal variation in white spot syndrome virus-positive samples in broodstock and post-larvae of *Penaeus monodon* in Thailand. 53:167–171
- Withyachumnarnkul B, see Chayaburakul K et al. (2004) 60:89–96
- Withyachumnarnkul B, see Phromjai J et al. (2002) 51:227–232
- Withyachumnarnkul B, see Wongprasert K et al. (2003) 55:3–10
- Withyachumnarnkul B, see Wongteerasupaya C et al. (2003) 54:253–257
- Wolcott M, see Work TM et al. (2003) 53:41–46
- Wolowicz M, see Smolarz K et al. (2003) 56:269–274
- Wong FYK, Carson J, Elliott NG (2004) 18S ribosomal DNA-based PCR identification of *Neoparamoeba pemaquidensis*, the agent of amoebic gill disease in sea-farmed salmonids. 60:65–76
- Wong T, see Lymberry AJ et al. (2002) 51:157–159
- Wongprasert K, Khanobdee K, Glunukarn SS, Meeratana P, Withyachumnarnkul B (2003) Time-course and levels of apoptosis in various tissues of black tiger shrimp *Penaeus monodon* infected with white-spot syndrome virus. 55:3–10
- Wongteerasupaya C, Pungchai P, Withyachumnarnkul B, Boonsaeng V, Panyim S, Flegel TW, Walker PJ (2003) High variation in repetitive DNA fragment length for white spot syndrome virus (WSSV) isolates in Thailand. 54:253–257
- Woo PTK, see Ardelli BF (2003) 56:49–57
- Woo PTK, see Chin A et al. (2004) 58:17–26
- Wood JS, see Cavender WP et al. (2004) 60:205–213
- Woodhams DC, Alford RA, Marantelli G (2003) Emerging disease of amphibians cured by elevated body temperature. 55:65–67

- Wooley RE, Ritchie BW, Burnley VV (2004) *In vitro* effect of a buffered chelating agent and neomycin or oxytetracycline on bacteria associated with diseases of fish. 59:263–267
- Wootten R, see Shinn AP et al. (2003) 55:17–22
- Work TM, Balazs GH, Wolcott M, Morris R (2003) Bacteræmia in free-ranging Hawaiian green turtles *Chelonia mydas* with fibropapillomatosis. 53:41–46
- Work TM, Rameyer RA, Takata G, Kent ML (2003) Protozoal and epitheliocystis-like infections in the introduced bluestripe snapper *Lutjanus kasmira* in Hawaii. 57:59–66
- Wright GM, see Rodriguez-Tovar LE et al. (2003) 57:227–230

X

- Xiang JH, see Wang YT et al. (2002) 52:249–259
- Xu DH, Klesius PH (2004) Two year study on the infectivity of *Ichthyophthirius multifiliis* in channel catfish *Ictalurus punctatus*. 59:131–134
- Xu S, see Harper CG et al. (2003) 57:1–9

Y

- Yamamoto A, see Mahardika K et al. (2004) 59:1–9
- Yambot AV, Song YL, Sung HH (2003) Characterization of *Cryptocaryon irritans*, a parasite isolated from marine fishes in Taiwan. 54:147–156
- Yan DC, Dong SL, Huang J, Yu XM, Feng MY, Liu XY (2004) White spot syndrome virus (WSSV) detected by PCR in rotifers and rotifer resting eggs from shrimp pond sediments. 59:69–73
- Yanagihara R, see Lu Y et al. (2003) 57:183–191
- Yang F, see Li Q et al. (2003) 57:261–264
- Yang J, see You Z et al. (2002) 51:77–80
- Yankelevich I, see Moiseeva E et al. (2004) 60:77–84
- Yasuda H, see Ooyama T et al. (2002) 51:169–177
- Yasutake WT, Elliott DG (2003) Epizootiology and histopathology of *Parvicapsula* sp. in coho salmon *Oncorhynchus kisutch*. 56:215–221
- Yiagnisis M, see Rigos G et al. (2003) 54:35–41
- Yin ZX, He JG, Deng WX, Chan SM (2003) Molecular cloning, expression of orange-spotted grouper goose-type lysozyme cDNA, and lytic activity of its recombinant protein. 55:117–123

- Yoganandhan K, see Hameed ASS et al. (2003) 57:157–161
- Yokoyama H, see Liyanage YS et al. (2003) 55:31–35
- Yokoyama H, see Székely C et al. (2003) 53:127–132
- Yoon WJ, see Moon CH et al. (2003) 53:11–13
- Yoshida T, see Ooyama T et al. (2002) 51:169–177
- Yoshinaga T, see Itoh N et al. (2003) 54:163–169
- Yoshiura Y, see Miwa S et al. (2004) 58:165–170
- You Z, Nadala ECB Jr, Yang J, van Hulten MCW, Loh PC (2002) Production of polyclonal antiserum specific to the 27.5 kDa envelope protein of white spot syndrome virus. 51:77–80
- Young FM, see Barnes AC et al. (2003) 53:241–247
- Yu XM, see Yan DC et al. (2004) 59:69–73
- Yuan XP, see Zhang QJ et al. (2003) 57:27–34
- Yun S, see Gilad O et al. (2004) 60:179–187
- Yun S, see Hedrick RP et al. (2003) 55:211–220

Z

- Zabelinskii SA, see Arakelova KS et al. (2004) 60:223–231
- Zafran, see Mahardika K et al. (2004) 59:1–9
- Zagmutt-Veraga J, see Gilad O et al. (2004) 60:179–187
- Zagmutt-Vergara FJ, see Kelley GO et al. (2004) 59:235–248
- Zale AV, see Ryce EKN et al. (2004) 59:225–233
- Zarain-Herzberg M, see Erickson HS et al. (2002) 52:1–10
- Zeng L, see Lu Y et al. (2003) 57:183–191
- Zeni C, Stagni A (2002) Changes in the olfactory mucosa of the black bullhead *Ictalurus melas* induced by exposure to sublethal concentrations of sodium dodecylbenzene sulphonate. 51:37–47
- Zhan WB, Chen J, Zhang ZD, Zhou L, Fukuda H (2003) Elimination of shrimp endogenous peroxidase background in immunoblot assays to detect white spot syndrome virus (WSSV). 53:263–265
- Zhang QJ, Ruan HM, Li ZQ, Yuan XP, Gui JF (2003) Infection and propagation of lymphocystis virus isolated from the cultured flounder *Paralichthys olivaceus* in grass carp cell lines. 57:27–34
- Zhang YB, Gui JF (2004) Identification of two novel interferon-stimulated genes from cultured CAB cells induced by UV-inactivated grass carp hemorrhage virus. 60:1–9
- Zhang ZD, see Zhan WB et al. (2003) 53:263–265
- Zhou L, see Zhan WB et al. (2003) 53:263–265
- Zwicker BM, see Stewart JE et al. (2004) 60:149–155