

COMBINED AUTHOR AND TITLE INDEX

(Volumes 231 to 240, 2002)

A

- Acevedo-Gutiérrez A (2002) Interactions between marine predators: dolphin food intake is related to number of sharks. 240:267–271
- Achituv Y, see Karako S et al. (2002) 234:139–145
- Adjeroud M, Augustin D, Galzin R, Salvat B (2002) Natural disturbances and interannual variability of coral reef communities on the outer slope of Tiahura (Moorea, French Polynesia): 1991 to 1997. 237:121–131
- Agrenius S, see Rosenberg R et al. (2002) 234:43–53
- Aguilera A, Keafer BA, Rau GH, Anderson DM (2002) Immunomagnetic isolation of live and preserved *Alexandrium fundyense* cells: species-specific physiological, chemical, and isotopic analyses. 237:65–78
- Ahner BA, Wei L, Oleson JR, Ogura N (2002) Glutathione and other low molecular weight thiols in marine phytoplankton under metal stress. 232:93–103
- Ajani P, see Dela-Cruz J et al. (2002) 236:75–88
- Akazawa A, see Okamura A et al. (2002) 234:281–288
- Akimoto F, see Kayanne H et al. (2002) 239:93–103
- Albaiges J, see Porte C et al. (2002) 235:205–216
- Albert P, see Grémare A et al. (2002) 234:85–94
- Alcaraz G, see Robles R et al. (2002) 235:189–194
- Alcaraz M, see Calbet A et al. (2002) 237:173–184
- Alker AP, see Dube D et al. (2002) 231:139–150
- Allredge AL, Cowles TJ, MacIntyre S, Rines JEB, Donaghay PL, Greenlaw CF, Holliday DV, Dekshenieks MM, Sullivan JM, Zaneveld JRV (2002) Occurrence and mechanisms of formation of a dramatic thin layer of marine snow in a shallow Pacific fjord. 233:1–12
- Allen LG, see Findlay AM (2002) 238:237–248
- Allen RL, see Jones RF et al. (2002) 237:271–289
- Al-Moghrabi S, see Al-Rousan S et al. (2002) 239:301–310
- Al-Najjar T, see Sommer U et al. (2002) 239:251–261
- Al-Qutob M, Häse C, Tilzer MM, Lazar B (2002) Phytoplankton drives nitrite dynamics in the Gulf of Aqaba, Red Sea. 239:233–239
- Al-Rousan S, Al-Moghrabi S, Pätzold J, Wefer G (2002) Environmental and biological effects on the stable oxygen isotope records of corals in the northern Gulf of Aqaba, Red Sea. 239:301–310
- Alvarez F, see Robles R et al. (2002) 235:189–194
- Amiard JC, see Geffard A et al. (2002) 233:131–142
- Amouroux JM, see Grémare A et al. (2002) 234:85–94
- An S, Gardner WS (2002) Dissimilatory nitrate reduction to ammonium (DNRA) as a nitrogen link, versus denitrification as a sink in a shallow estuary (Laguna Madre/Baffin Bay, Texas). 237:41–50
- Anadón R, see González N et al. (2002) 233:21–30
- Andersen O, see Christensen M et al. (2002) 237:159–172
- Anderson DJ, see Hyrenbach KD et al. (2002) 233:283–301
- Anderson DM, see Aguilera A et al. (2002) 237:65–78
- Anderson TR, see Jones RH et al. (2002) 235:147–156

- Angel DL, see Katz T et al. (2002) 234:205–214
- Arai N, see Hatase H et al. (2002) 233:273–281
- Arai T, see Ohji M et al. (2002) 235:171–176
- Arashkevich E, see Pakhomov EA et al. (2002) 233:73–88
- Archambault P, see Bishop MJ et al. (2002) 236:121–128
- Arcos JM, Oro D (2002) Significance of fisheries discards for a threatened Mediterranean seabird, the Balearic shearwater *Puffinus mauretanicus*. 239:209–220
- Arcos JM, Ruiz X, Bearhop S, Furness RW (2002) Mercury levels in seabirds and their fish prey at the Ebro Delta (NW Mediterranean): the role of trawler discards as a source of contamination. 232:281–290
- Arndt C, see Sorgo A et al. (2002) 231:115–120
- Arnott SA, Ruxton GD (2002) Sandeel recruitment in the North Sea: demographic, climatic and trophic effects. 238:199–210
- Arnott SA, Ruxton GD, Poloczanska ES (2002) Stochastic dynamic population model of North Sea sandeels, and its application to precautionary management procedures. 235:223–234
- Arntz WE, see Orejas C et al. (2002) 231:101–114
- Aryuthaka C, see Somerfield PJ et al. (2002) 237:97–109
- Ashman CM, see Warwick RM et al. (2002) 234:1–13
- Atkinson RJA, see Bergmann M et al. (2002) 233:185–198
- Aubriot L, see Conde D et al. (2002) 240:57–70
- Augustin D, see Adjeroud M et al. (2002) 237:121–131
- Azouzi L, Bourget E, Borcard D (2002) Spatial variation in the intertidal bivalve *Macoma balthica*: biotic variables in relation to density and abiotic factors. 234:159–170
- Azovsky A, see Mokievsky V (2002) 238:101–108

B

- Badran MI, see Rasheed M et al. (2002) 239:277–285
- Bailey KM, Picquelle SJ (2002) Larval distribution of offshore spawning flatfish in the Gulf of Alaska: potential transport pathways and enhanced onshore transport during ENSO events. 236:205–217
- Baird AH, Marshall PA (2002) Mortality, growth and reproduction in scleractinian corals following bleaching on the Great Barrier Reef. 237:133–141
- Baird RW, Borsani JF, Hanson MB, Tyack PL (2002) Diving and night-time behavior of long-finned pilot whales in the Ligurian Sea. 237:301–305
- Bak RPM, see Vermeij MJA (2002) 233:105–116
- Baltz DM, see Jones RF et al. (2002) 237:271–289
- Banta GT, see Christensen M et al. (2002) 237:159–172
- Barbot C, see Durand JP et al. (2002) 233:199–205
- Bargu S, Powell CL, Coale SL, Busman M, Doucette GJ, Silver MW (2002) Krill: a potential vector for domoic acid in marine food webs. 237:209–216
- Barker MF, see Sköld M et al. (2002) 233:143–155
- Barki Y, Gateño D, Graur D, Rinkevich B (2002) Soft-coral

- natural chimerism: a window in ontogeny allows the creation of entities comprised of incongruous parts. 231:91–99
- Barlow KE, Croxall JP (2002) Seasonal and interannual variation in foraging range and habitat of macaroni penguins *Eudyptes chrysophthalmus* at South Georgia. 232:291–304
- Barnes DKA (2002) Ecology of subtropical hermit crabs in SW Madagascar: refuge-use and dynamic niche overlap. 238: 163–172
- Barreiro A, see Guisande C et al. (2002) 239:147–156
- Bayne BL (2002) A physiological comparison between Pacific oysters *Crassostrea gigas* and Sydney Rock oysters *Saccostrea glomerata*: food, feeding and growth in a shared estuarine habitat. 232:163–178
- Bean K, Jones GP, Caley MJ (2002) Relationships among distribution, abundance and microhabitat specialisation in a guild of coral reef triggerfish (family Balistidae). 233: 263–272
- Bearhop S, see Arcos JM et al. (2002) 232:281–290
- Beaugrand G, Ibañez F (2002) Spatial dependence of calanoid copepod diversity in the North Atlantic Ocean. 232: 197–211
- Beaugrand G, Ibañez F, Lindley JA, Reid PC (2002) Diversity of calanoid copepods in the North Atlantic and adjacent seas: species associations and biogeography. 232:179–195
- Beaugrand G, see Edwards M et al. (2002) 239:1–10
- Begg GA, see Marteinsdottir G (2002) 235:235–256
- Bell SS, see Brooks RA (2002) 231:85–90
- Belliveau SA, Paul VJ (2002) Effects of herbivory and nutrients on the early colonization of crustose coralline and fleshy algae. 232:105–114
- Bellwood DR, see Fulton CJ (2002) 236:255–262
- Bellwood DR, see Marnane MJ (2002) 231:261–268
- Benson J, see Suryan RM et al. (2002) 236:273–287
- Benvenuti S, see Falk K et al. (2002) 231:293–302
- Bergmann M, Wieczorek SK, Moore PG, Atkinson RJA (2002) Utilisation of invertebrates discarded from the *Nephrops* fishery by variously selective benthic scavengers in the west of Scotland. 233:185–198
- Berkelmans R (2002) 'Time-integrated thermal bleaching thresholds of reefs and their variation on the Great Barrier Reef'. 237:309–310
- Berninger UG, see Sommer U et al. (2002) 239:251–261
- Bertellotti M, see Forero MG et al. (2002) 234:289–299
- Biggs J, see Puglisi MP et al. (2002) 239:105–114
- Binzer T, Sand-Jensen K (2002) Importance of structure and density of macroalgae communities (*Fucus serratus*) for photosynthetic production and light utilisation. 235:53–62
- Biosca X, see Porte C et al. (2002) 235:205–216
- Bishop MJ, Underwood AJ, Archambault P (2002) Sewage and environmental impacts on rocky shores: necessity of identifying relevant spatial scales. 236:121–128
- Blanchette CA, Miner BG, Gaines SD (2002) Geographic variability in form, size and survival of *Egregia menziesii* around Point Conception, California. 239:69–82
- Blanco G, see Forero MG et al. (2002) 234:289–299
- Blomqvist P, see Rydin E et al. (2002) 239:31–36
- Bonilla S, see Conde D et al. (2002) 240:57–70
- Borcard D, see Azouzi L et al. (2002) 234:159–170
- Bordalo AA, see Magalhães CM et al. (2002) 233:55–71
- Borgå K, Gabrielsen GW, Skaare JU (2002) Differences in contamination load between pelagic and sympagic invertebrates in the Arctic marginal ice zone: influence of habitat, diet and geography. 235:157–169
- Borsani JF, see Baird RW et al. (2002) 237:301–305
- Bortolotti GR, see Forero MG et al. (2002) 234:289–299
- Boschker HTS, see Moodley L et al. (2002) 236:23–29
- Bosley KL, Witting DA, Chambers RC, Wainright SC (2002) Estimating turnover rates of carbon and nitrogen in recently metamorphosed winter flounder *Pseudopleuronectes americanus* with stable isotopes. 236:233–240
- Bost CA, see Gauthier-Clerc M et al. (2002) 237:291–300
- Böttger-Schnack R, see Sommer U et al. (2002) 239:251–261
- Boudou A, see Laporte JM et al. (2002) 231:215–228
- Bouma TJ, Stapel J, van der Heiden K, Koutstaal B, van Soelen J, van IJzerloo L (2002) Relative importance of macrophyte leaves for nitrogen uptake from flood water in tidal salt marshes. 240:93–104
- Bouquegneau JM, see Lepoint G et al. (2002) 237:87–96
- Bourget E, see Azouzi L et al. (2002) 234:159–170
- Branch GM, see Groeneveld JC (2002) 232:225–238
- Brandl R, see Häneling B et al. (2002) 238:307–310
- Brawley JW, see Brush MJ et al. (2002) 238:31–45
- Bright M, see Sorgo A et al. (2002) 231:115–120
- Brinkman R, see Spagnol S et al. (2002) 235:299–302
- Brodeur RD, Sugisaki H, Hunt GL Jr. (2002) Increases in jellyfish biomass in the Bering Sea: implications for the ecosystem. 233:89–103
- Brooks RA, Bell SS (2002) Mangrove response to attack by a root boring isopod: root repair versus architectural modification. 231:85–90
- Brown AR, see Warwick RM et al. (2002) 234:1–13
- Brown CJ, see Lambshead PJD et al. (2002) 236:129–135
- Brown ED, see Suryan RM et al. (2002) 236:273–287
- Brush MJ, Nixon SW (2002) Direct measurements of light attenuation by epiphytes on eelgrass *Zostera marina*. 238: 73–79
- Brush MJ, Brawley JW, Nixon SW, Kremer JN (2002) Modeling phytoplankton production: problems with the Eppley curve and an empirical alternative. 238:31–45
- Bshary R, Grutter AS (2002) Parasite distribution on client reef fish determines cleaner fish foraging patterns. 235:217–222
- Buckel JA, McKown KA (2002) Competition between juvenile striped bass and bluefish: resource partitioning and growth rate. 234:191–204
- Buckel JA, see Scharf FS et al. (2002) 233:241–252
- Buckley TW, see Grover JJ et al. (2002) 240:235–247
- Burnett WJ (2002) Longitudinal variation in algal symbionts (zooxanthellae) from the Indian Ocean zoanthid *Palythoa caesia*. 234:105–109
- Burrows MT, Moore JJ, James B (2002) Spatial synchrony of population changes in rocky shore communities in Shetland. 240:39–48
- Buskey EJ, Lenz PH, Hartline DK (2002) Escape behavior of planktonic copepods in response to hydrodynamic disturbances: high speed video analysis. 235:135–146
- Busman M, see Bargu S et al. (2002) 237:209–216
- Bustamante P, Teyssié JL, Fowler SW, Cotret O, Danis B, Miramand P, Warnau M (2002) Biokinetics of zinc and cadmium accumulation and depuration at different stages in the life cycle of the cuttlefish *Sepia officinalis*. 231:167–177

C

- Caffrey JM, Harrington N, Ward B (2002) Biogeochemical processes in a small California estuary. 1. Benthic fluxes and pore water constituents reflect high nutrient freshwater inputs. 233:39–53
- Calbet A, Saiz E, Alcaraz M (2002) Copepod egg production in the NW Mediterranean: effects of winter environmental conditions. 237:173–184
- Caley MJ, see Bean K et al. (2002) 233:263–272
- Capone DG, see Mulholland MR et al. (2002) 239:45–55
- Cardinale M, see Jonzén N et al. (2002) 240:225–233

- Cardoso RS, see Defeo O (2002) 239:169–179
 Carlotti F, see Rey-Rassat C et al. (2002) 238:125–138
 Carlotti F, see Rey-Rassat C et al. (2002) 238:139–151
 Carlotti F, see Rey-Rassat C et al. (2002) 238:301–306
 Carman KR, Fry B (2002) Small-sample methods for $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ analysis of the diets of marsh meiofaunal species using natural-abundance and tracer-addition isotope techniques. 240:85–92
 Carotenuto Y, see Guisande C et al. (2002) 240:105–115
 Carpenter EJ, see Mulholland MR et al. (2002) 239:45–55
 Carr MH, see Steele MA et al. (2002) 235:195–203
 Carrassón M, Matallanas J (2002) Diets of deep-sea macro-urid fishes in the western Mediterranean. 234:215–228
 Carson-Ewart BM, see Leis JM et al. (2002) 232:259–268
 Carvalho GR, see Häneling B et al. (2002) 238:307–310
 Cato DH, see Leis JM et al. (2002) 232:259–268
 Chambers RC, see Bosley KL et al. (2002) 236:233–240
 Chambers RM, Osgood DT, Kalapasev N (2002) Hydrologic and chemical control of *Phragmites* growth in tidal marshes of SW Connecticut, USA. 239:83–91
 Chang SI, Reinfelder JR (2002) Relative importance of dissolved versus trophic bioaccumulation of copper in marine copepods. 231:179–186
 Chaparro OR, Thompson RJ, Pereda SV (2002) Feeding mechanisms in the gastropod *Crepidula fecunda*. 234:171–181
 Chiappone M, Swanson DW, Miller SL (2002) Density, spatial distribution and size structure of sea urchins in Florida Keys coral reef and hard-bottom habitats. 235:117–126
 Chiba S, Saino T (2002) Interdecadal change in the upper water column environment and spring diatom community structure in the Japan Sea: an early summer hypothesis. 231:23–35
 Childs CR, Rabalais NN, Eugene Turner R, Proctor LM (2002) Sediment denitrification in the Gulf of Mexico zone of hypoxia. 240:285–290
 Chittaro PM (2002) Species-area relationships for coral reef fish assemblages of St. Croix, US Virgin Islands. 233:253–261
 Christaki U, see Maar M et al. (2002) 239:11–29
 Christensen M, Banta GT, Andersen O (2002) Effects of the polychaetes *Nereis diversicolor* and *Arenicola marina* on the fate and distribution of pyrene in sediments. 237:159–172
 Christou ED, see Maar M et al. (2002) 239:11–29
 Clarke A, see Woodd-Walker RS et al. (2002) 236:189–203
 Clarke KR, see Warwick RM et al. (2002) 234:1–13
 Clerquin Y, see Gauthier-Clerc M et al. (2002) 237:291–300
 Coale SL, see Bargu S et al. (2002) 237:209–216
 Codina M, see Tarjuelo I et al. (2002) 235:103–115
 Conde D, Aubriot L, Bonilla S, Sommaruga R (2002) Marine intrusions in a coastal lagoon enhance the negative effect of solar UV radiation on phytoplankton photosynthetic rates. 240:57–70
 Connell SD, see Fowler-Walker MJ (2002) 240:49–56
 Connell SD, see Goodsell PJ (2002) 239:37–44
 Connell SD, see Holloway MG (2002) 235:43–52
 Cornils A, see Sommer U et al. (2002) 239:251–261
 Cotret O, see Bustamante P et al. (2002) 231:167–177
 Cotret O, see Durand JP et al. (2002) 233:199–205
 Courtenay SC, see St-Jean SD et al. (2002) 236:155–161
 Courtenay SC, see St-Jean SD et al. (2002) 236:163–178
 Courtenay WR Jr, see Whitfield PE et al. (2002) 235:289–297
 Cowles TJ, see Alldredge AL et al. (2002) 233:1–12
 Croxall JP, see Barlow KE (2002) 232:291–304
 Cummings VJ, see Hewitt JE et al. (2002) 239:115–128
 Cummings VJ, see Norkko A et al. (2002) 234:23–41
 Cushman-Roisin B, see Spagnol S et al. (2002) 235:299–302
- D**
- Dale AW, Prego R (2002) Physico-biogeochemical controls on benthic-pelagic coupling of nutrient fluxes and recycling in a coastal upwelling system. 235:15–28
 Dall'Antonia L, see Falk K et al. (2002) 231:293–302
 Danis B, see Bustamante P et al. (2002) 231:167–177
 Danovaro R, Gambi C, Mirto S (2002) Meiofaunal production and energy transfer efficiency in a seagrass *Posidonia oceanica* bed in the western Mediterranean. 234:95–104
 Daoud N, see Rousseau V et al. (2002) 236:61–73
 Dauby P, see Lepoint G et al. (2002) 237:87–96
 Davies IM, see Mortimer RJJ et al. (2002) 236:31–35
 Davies MS, see Edwards M (2002) 239:129–137
 Davis JLD, Levin LA (2002) Importance of pre-recruitment life-history stages to population dynamics of the woolly sculpin *Clinocottus analis*. 234:229–246
 Davison W, see Mortimer RJJ et al. (2002) 236:31–35
 de Bie MJM, Middelburg JJ, Starink M, Laanbroek HJ (2002) Factors controlling nitrous oxide at the microbial community and estuarine scale. 240:1–9
 deBovée F, see Grémare A et al. (2002) 234:85–94
 Dedej Z, see Post AF et al. (2002) 239:241–250
 Defeo O, Cardoso RS (2002) Macroecology of population dynamics and life history traits of the mole crab *Emerita brasiliensis* in Atlantic sandy beaches of South America. 239:169–179
 Defew EC, Paterson DM, Hagerthey SE (2002) The use of natural microphytobenthic assemblages as laboratory model systems. 237:15–25
 Dekshenieks MM, see Alldredge AL et al. (2002) 233:1–12
 Dela-Cruz J, Ajani P, Lee R, Pritchard T, Suthers I (2002) Temporal abundance patterns of the red tide dinoflagellate *Noctiluca scintillans* along the southeast coast of Australia. 236:75–88
 Deleersnijder E, see Spagnol S et al. (2002) 235:299–302
 de Nys R, see Rogers CN et al. (2002) 236:241–254
 Dethier MN, see Haring RN et al. (2002) 232:75–82
 Diaz-Pulido G, McCook LJ (2002) The fate of bleached corals: patterns and dynamics of algal recruitment. 232:115–128
 Dieckmann GS, see Kennedy H et al. (2002) 238:1–13
 Diez CE, van Dam RP (2002) Habitat effect on hawksbill turtle growth rates on feeding grounds at Mona and Monito Islands, Puerto Rico. 234:301–309
 DiTullio GR, see Tortell PD et al. (2002) 236:37–43
 Dobbs FC, see Drake LA et al. (2002) 233:13–20
 Donaghay PL, see Alldredge AL et al. (2002) 233:1–12
 Donázar JA, see Forero MG et al. (2002) 234:289–299
 Doucette GJ, see Bargu S et al. (2002) 237:209–216
 Dowell B, see Warwick RM et al. (2002) 234:1–13
 Drake LA, Ruiz GM, Galil BS, Mullady TL, Friedmann DO, Dobbs FC (2002) Microbial ecology of ballast water during a transoceanic voyage and the effects of open-ocean exchange. 233:13–20
 Dring MJ, see Gordillo FJL et al. (2002) 234:111–118
 Duarte CM, see Olesen B et al. (2002) 236:89–97
 Duarte CM, see Thampanya U et al. (2002) 237:111–120
 Dube D, Kim K, Alker AP, Harvell CD (2002) Size structure and geographic variation in chemical resistance of sea fan corals *Gorgonia ventalina* to a fungal pathogen. 231:139–150
 Duineveld GCA, see Moodley L et al. (2002) 236:23–29
 Duke CS, see Litaker RW et al. (2002) 232:45–62
 Duke CS, see Litaker RW et al. (2002) 232:63–74
 Dunne RP (2002) Comment on Berkelmans (2002) 'Time-integrated thermal bleaching thresholds of reefs and their variation on the Great Barrier Reef'. 237:307–308

- Dunstan WM, see Wong GTF et al. (2002) 237:27–39
 Durand JP, Goudard F, Barbot C, Pieri J, Fowler SW, Cotret O (2002) Ferritin and hemocyanin: ^{210}Po molecular traps in marine fish, oyster and lobster. 233:199–205

E

- Edwards M, Davies MS (2002) Functional and ecological aspects of the mucus trails of the intertidal prosobranch gastropod *Littorina littorea*. 239:129–137
 Edwards M, Beaugrand G, Reid PC, Rowden AA, Jones MB (2002) Ocean climate anomalies and the ecology of the North Sea. 239:1–10
 El-Absawi M, see Post AF et al. (2002) 239:241–250
 El-Gharabawi M, see Post AF et al. (2002) 239:241–250
 Ellingsen KE (2002) Soft-sediment benthic biodiversity on the continental shelf in relation to environmental variability. 232:15–27
 Elliott GP, see Nicholls DG et al. (2002) 231:269–277
 Ellis JI, see Norkko A et al. (2002) 234:23–41
 El-Naggar A, see Post AF et al. (2002) 239:241–250
 Emsley SM, see Tarling GA et al. (2002) 240:183–194
 Engström-Öst J, Koski M, Schmidt K, Viitasalo M, Jónasdóttir SH, Kokkonen M, Repka S, Sivonen K (2002) Effects of toxic cyanobacteria on a plankton assemblage: community development during decay of *Nodularia spumigena*. 232:1–14
 Enríquez S, see Olesen B et al. (2002) 236:89–97
 Erickson WP, see Peterson CH et al. (2002) 231:309–314
 Erikstad KE, see Fauchald P (2002) 231:279–291
 Escartín E, see Porte C et al. (2002) 235:205–216
 Eugene Turner R, see Childs CR et al. (2002) 240:285–290

F

- Fach BA, Hofmann EE, Murphy EJ (2002) Modeling studies of antarctic krill *Euphausia superba* survival during transport across the Scotia Sea. 231:187–203
 Falk K, Benvenuti S, Dall'Antonia L, Gilchrist G, Kampp K (2002) Foraging behaviour of thick-billed murres breeding in different sectors of the North Water polynya: an inter-colony comparison. 231:293–302
 Falk-Petersen S, see Scott CL et al. (2002) 235:127–134
 Fan W, see Wang WX et al. (2002) 240:27–38
 Farstey V, Lazar B, Genin A (2002) Expansion and homogeneity of the vertical distribution of zooplankton in a very deep mixed layer. 238:91–100
 Fauchald P, Erikstad KE (2002) Scale-dependent predator-prey interactions: the aggregative response of seabirds to prey under variable prey abundance and patchiness. 231:279–291
 Fernández M, see Lardies MA (2002) 239:139–146
 Fernández P, see Hyrenbach KD et al. (2002) 233:283–301
 Ferrero TJ, see Lambshead PJD et al. (2002) 236:129–135
 Ferrier-Pagès C, see Reynaud S et al. (2002) 238:81–89
 Findlay AM, Allen LG (2002) Temporal patterns of settlement in the temperate reef fish *Paralabrax clathratus*. 238:237–248
 Findlay AM, see Shima JS (2002) 235:303–309
 Findlay AM, see Steele MA et al. (2002) 235:195–203
 Fine M, Oren U, Loya Y (2002) Bleaching effect on regeneration and resource translocation in the coral *Oculina patagonica*. 234:119–125
 Finn RN, Wamboldt M, Fyhn HJ (2002) Differential processing of yolk proteins during oocyte hydration in marine

- fishes (Labridae) that spawn benthic and pelagic eggs. 237:217–226
 Fisher JAD, Frank KT (2002) Changes in finfish community associated with an offshore fishery on the Scotian Shelf. 240:249–265
 Fisher NS, see Griscom SB et al. (2002) 240:127–141
 Flöge S, see Mulholland MR et al. (2002) 239:45–55
 Flynn KJ, see Jones RH et al. (2002) 235:147–156
 Forero MG, Hobson KA, Bortolotti GR, Donázar JA, Bertellotti M, Blanco G (2002) Food resource utilisation by the Magellanic penguin evaluated through stable-isotope analysis: segregation by sex and age and influence on offspring quality. 234:289–299
 Forrester GE, see Steele MA (2002) 237:233–245
 Forrester GE, see Steele MA et al. (2002) 235:195–203
 Fowler SW, see Bustamante P et al. (2002) 231:167–177
 Fowler SW, see Durand JP et al. (2002) 233:199–205
 Fowler-Walker MJ, Connell SD (2002) Opposing states of subtidal habitat across temperate Australia: consistency and predictability in kelp canopy–benthic associations. 240:49–56
 Frangópolos M, see Guisande C et al. (2002) 240:105–115
 Frank KT, see Fisher JAD (2002) 240:249–265
 Franks PJS, see Lennert-Cody CE (2002) 235:29–42
 Fredrik Arrhenius F, see Jonzén N et al. (2002) 240:225–233
 Friedmann DO, see Drake LA et al. (2002) 233:13–20
 Froneman PW, see Kaehler S (2002) 234:15–22
 Froneman PW, see Pakhomov EA et al. (2002) 233:73–88
 Fry B, see Carman KR (2002) 240:85–92
 Fujiwara T, see Hatase H et al. (2002) 233:273–281
 Fulton CJ, Bellwood DR (2002) Ontogenetic habitat use in labrid fishes: an ecomorphological perspective. 236:255–262
 Funnell GA, see Norkko A et al. (2002) 234:23–41
 Furness RW, see Arcos JM et al. (2002) 232:281–290
 Fusetani N, see Kamio M et al. (2002) 234:183–190
 Fyhn HJ, see Finn RN et al. (2002) 237:217–226

G

- Gabrielsen GW, see Borgå K et al. (2002) 235:157–169
 Gaill F, see Sorgo A et al. (2002) 231:115–120
 Gaill F, see Thiébaut E et al. (2002) 234:147–157
 Gaines SD, see Blanchette CA et al. (2002) 239:69–82
 Galil BS, see Drake LA et al. (2002) 233:13–20
 Galzin R, see Adjeroud M et al. (2002) 237:121–131
 Gambi C, see Danovaro R et al. (2002) 234:95–104
 García de la Parra LM, see Porte C et al. (2002) 235:205–216
 Gardner T, see Whitfield PE et al. (2002) 235:289–297
 Gardner WS, see An S (2002) 237:41–50
 Gartner A, Lavery P, Smit AJ (2002) Use of $\delta^{15}\text{N}$ signatures of different functional forms of macroalgae and filter-feeders to reveal temporal and spatial patterns in sewage dispersal. 235:63–73
 Gateño D, see Barki Y et al. (2002) 231:91–99
 Gattuso JP, see Reynaud S et al. (2002) 238:81–89
 Gauthier-Clerc M, Le Maho Y, Clerquin Y, Bost CA, Handrich Y (2002) Seabird reproduction in an unpredictable environment: how King penguins provide their young chicks with food. 237:291–300
 Gaymer CF, Himmelman JH, Johnson LE (2002) Effect of intra- and interspecific interactions on the feeding behavior of two subtidal sea stars. 232:149–162
 Geffard A, Geffard O, His E, Amiard JC (2002) Relationships between metal bioaccumulation and metallothionein levels in larvae of *Mytilus galloprovincialis* exposed to contaminated estuarine sediment elutriate. 233:131–142

- Geffard O, see Geffard A et al. (2002) 233:131–142
- Gell FR, see Watson M et al. (2002) 237:247–256
- Gende SM, see Marston BH et al. (2002) 231:229–236
- Genin A, see Farstey V et al. (2002) 238:91–100
- Genin A, see Katz T et al. (2002) 234:205–214
- Gentilhomme V, see Seuront L et al. (2002) 232:29–44
- Gilchrist G, see Falk K et al. (2002) 231:293–302
- Gilliland ES, Harner EJ, Page DS (2002) Comment on Peterson et al. (2001) 'Sampling design begets conclusions'. 231: 303–308
- Gili JM, see Orejas C et al. (2002) 231:101–114
- Gillanders M (2002) Connectivity between juvenile and adult fish populations: do adults remain near their recruitment estuaries? 240:215–223
- Gilligan MR, see Whitfield PE et al. (2002) 235:289–297
- Gilmour JP (2002) Substantial asexual recruitment of mushroom corals contributes little to population genetics of adults in conditions of chronic sedimentation. 235:81–91
- Glover A, Smith CR, Paterson GL, Wilson GDF, Hawkins LL, Shearer M (2002) Polychaete species diversity in the central Pacific abyss: local and regional patterns, and relationships with productivity. 240:157–170
- Glud RN, Kühl M, Wenzhöfer F, Rysgaard S (2002) Benthic diatoms of a high Arctic fjord (Young Sound, NE Greenland): importance for ecosystem primary production. 238: 15–29
- Gobert S, see Lepoint G et al. (2002) 237:87–96
- Godhe A, Svensson S, Rehnstam-Holm AS (2002) Oceanographic settings explain fluctuations in *Dinophysis* spp. and concentrations of diarrhetic shellfish toxin in the plankton community within a mussel farm area on the Swedish west coast. 240:71–83
- Goffart A, Hecq JH, Legendre L (2002) Changes in the development of the winter-spring phytoplankton bloom in the Bay of Calvi (NW Mediterranean) over the last two decades: a response to changing climate? 236:45–60
- González N, Anadón R, Marañón E (2002) Large-scale variability of planktonic net community metabolism in the Atlantic Ocean: importance of temporal changes in oligotrophic subtropical waters. 233:21–30
- Goodsell PJ, Connell SD (2002) Can habitat loss be treated independently of habitat configuration? Implications for rare and common taxa in fragmented landscapes. 239: 37–44
- Gordillo FJL, Dring MJ, Savidge G (2002) Nitrate and phosphate uptake characteristics of three species of brown algae cultured at low salinity. 234:111–118
- Goto K, see Hatase H et al. (2002) 233:273–281
- Gottlieb R, see Post AF et al. (2002) 239:241–250
- Goudard F, see Durand JP et al. (2002) 233:199–205
- Graeve M, Kattner G, Wiencke C, Karsten U (2002) Fatty acid composition of Arctic and Antarctic macroalgae: indicator of phylogenetic and trophic relationships. 231:67–74
- Granéli E, Turner JT (2002) Top-down regulation in ctenophore-copepod-ciliate-diatom-phytoplankton communities in coastal waters: a mesocosm study. 239:57–68
- Graur D, see Barki Y et al. (2002) 231:91–99
- Gray JS, Wu RS, Or YY (2002) Effects of hypoxia and organic enrichment on the coastal marine environment. 238:249–279
- Green RH, see Peterson CH et al. (2002) 231:309–314
- Greenlaw CF, see Alldredge AL et al. (2002) 233:1–12
- Grémare A, Medernach L, deBovée F, Amouroux JM, Vétion G, Albert P (2002) Relationships between sedimentary organics and benthic meiofauna on the continental shelf and the upper slope of the Gulf of Lions (NW Mediterranean). 234:85–94
- Greve W, see Winkler G (2002) 235:177–188
- Grice K, see Klein Breteler WCM et al. (2002) 240:195–204
- Griffiths SP (2002) Retention of visible implant tags in small rockpool fishes. 236:307–309
- Griscom SB, Fisher NS, Luoma SN (2002) Kinetic modeling of Ag, Cd and Co bioaccumulation in the clam *Macoma balthica*: quantifying dietary and dissolved sources. 240:127–141
- Groeneveld JC, Branch GM (2002) Long-distance migration of South African deep-water rock lobster *Palinurus gilchristi*. 232:225–238
- Grosholz ED, see Williams SL (2002) 233:307–310
- Grossart HP, Simon M (2002) Bacterioplankton dynamics in the Gulf of Aqaba and the northern Red Sea in early spring. 239:263–276
- Grover JJ, Buckley TW, Woodbury D (2002) Effects of the 1997–1998 El Niño event on early-juvenile Pacific hake *Merluccius productus*: age, growth, abundance, and diet in coastal nursery habitats. 240:235–247
- Grutter AS, Lester RJG (2002) Cleaner fish *Labroides dimidiatus* reduce 'temporary' parasitic corallanid isopods on the coral reef fish *Hemigymnus melapterus*. 234:247–255
- Grutter AS, McCallum H, Lester RJG (2002) Optimising cleaning behaviour: minimising the costs and maximising ectoparasite removal. 234:257–264
- Grutter AS, see Bshary R (2002) 235:217–222
- Guisande C, Frangópolos M, Carotenuto Y, Maneiro I, Riveiro I, Vergara AR (2002) Fate of paralytic shellfish poisoning toxins ingested by the copepod *Acartia clausi*. 240:105–115
- Guisande C, Maneiro I, Riveiro I, Barreiro A, Pazos Y (2002) Estimation of copepod trophic niche in the field using amino acids and marker pigments. 239:147–156
- Gunnerherd M, see Rydin E et al. (2002) 239:31–36
- Gustafson DE, see Stoecker DK (2002) 233:31–38
- Gutt J, see Orejas C et al. (2002) 231:101–114
- Gårdmark A, see Jonzén N et al. (2002) 240:225–233

H

- Haas C, see Kennedy H et al. (2002) 238:1–13
- Hagen W, see Sommer U et al. (2002) 239:251–261
- Hagerthey SE, see Defew EC et al. (2002) 237:15–25
- Hamatsu T, see Yamamura O et al. (2002) 238:187–198
- Handrich Y, see Gauthier-Clerc M et al. (2002) 237:291–300
- Hanert E, see Spagnol S et al. (2002) 235:299–302
- Häneling B, Carvalho GR, Brandl R (2002) mt-DNA sequences and possible invasion pathways of the Chinese mitten crab. 238:307–310
- Hansen OS, see Maar M et al. (2002) 239:11–29
- Hansen T, see Katechakis A et al. (2002) 234:55–69
- Hansen T, see Sommer U et al. (2002) 239:251–261
- Hanson MB, see Baird RW et al. (2002) 237:301–305
- Hare JA, see Whitfield PE et al. (2002) 235:289–297
- Harii S, see Kayanne H et al. (2002) 239:93–103
- Haring RN, Dethier MN, Williams SL (2002) Desiccation facilitates wave-induced mortality of the intertidal alga *Fucus gardneri*. 232:75–82
- Harner EJ, see Gilfillan ES et al. (2002) 231:303–308
- Harrington N, see Caffrey JM et al. (2002) 233:39–53
- Harris R, see Rey-Rassat C et al. (2002) 238:125–138
- Harris R, see Rey-Rassat C et al. (2002) 238:139–151
- Harris R, see Rey-Rassat C et al. (2002) 238:301–306
- Harris SJ, see Mortimer RJG et al. (2002) 236:31–35
- Hart B, see Warwick RM et al. (2002) 234:1–13
- Hartline DK, see Buskey EJ et al. (2002) 235:135–146
- Harvell CD, see Dube D et al. (2002) 231:139–150
- Häse C, see Al-Qutob M et al. (2002) 239:233–239
- Hata H, Kato M (2002) Weeding by the herbivorous dam-

- selfish *Stegastes nigricans* in nearly monocultural algae farms. 237:227–231
- Hata H, Kudo S, Yamano H, Kurano N, Kayanne H (2002) Organic carbon flux in Shiraho coral reef (Ishigaki Island, Japan). 232:129–140
- Hatase H, Takai N, Matsuzawa Y, Sakamoto W, Omura K, Goto K, Arai N, Fujiwara T (2002) Size-related differences in feeding habitat use of adult female loggerhead turtles *Caretta caretta* around Japan determined by stable isotope analyses and satellite telemetry. 233:273–281
- Hawkins LE, see Lambshead PJD et al. (2002) 236:129–135
- Hawkins LL, see Glover A et al. (2002) 240:157–170
- Hay ME, see Levin PS (2002) 232:239–246
- Hayashi A, see Watanabe H et al. (2002) 236:263–272
- Hayes PJ, see Mortimer RJG et al. (2002) 236:31–35
- Head R, see Rey-Rassat C et al. (2002) 238:125–138
- Head R, see Rey-Rassat C et al. (2002) 238:139–151
- Hecq JH, see Goffart A et al. (2002) 236:45–60
- Heip CHR, see Moodley L et al. (2002) 236:23–29
- Hellman B, see Rosenberg R et al. (2002) 234:43–53
- Hemminga MA, see Kamermans P et al. (2002) 231:75–83
- Hempel G, Richter C (2002) The Red Sea Programme: sailing a nutshell of hope in Red Sea waters. 239:231–232
- Henriksen P, see Staehr PA et al. (2002) 238:47–59
- Herman PMJ, see Moens T et al. (2002) 234:127–137
- Herman PMJ, see Moodley L et al. (2002) 236:23–29
- Herut B, see Katz T et al. (2002) 234:205–214
- Hewitt JE, Thrush SF, Legendre P, Cummings VJ, Norkko A (2002) Integrating heterogeneity across spatial scales: interactions between *Atrina zelandica* and benthic macrofauna. 239:115–128
- Hewitt JE, see Norkko A et al. (2002) 234:23–41
- Hiddink JG, Wolff WJ (2002) Changes in distribution and decrease in numbers during migration of the bivalve *Macoma balthica*. 233:117–130
- Hill RT, see Webster NS et al. (2002) 232:305–309
- Hillgruber N, see Kloppmann MHF et al. (2002) 235:263–277
- Himmelman JH, see Gaymer CF et al. (2002) 232:149–162
- Hinga KR (2002) Effects of pH on coastal marine phytoplankton. 238:281–300
- His E, see Geffard A et al. (2002) 233:131–142
- Hobson KA, see Forero MG et al. (2002) 234:289–299
- Hofmann EE, see Fach BA et al. (2002) 231:187–203
- Holliday DV, see Alldredge AL et al. (2002) 233:1–12
- Holloway MG, Connell SD (2002) Why do floating structures create novel habitats for subtidal epibionts? 235:43–52
- Holloway MG, Keough MJ (2002) Effects of an introduced polychaete, *Sabella spallanzanii*, on the development of epifaunal assemblages. 236:137–154
- Honda S, see Yamamura O et al. (2002) 238:187–198
- Hopcroft RR, see Nielsen TG et al. (2002) 236:301–306
- Horie N, see Okamura A et al. (2002) 234:281–288
- Huettel M, see Rasheed M et al. (2002) 239:277–285
- Huisman J, see van Bergeijk SA et al. (2002) 231:37–46
- Hunt GL Jr., see Brodeur RD et al. (2002) 233:89–103
- Huther X, see Thiébaut E et al. (2002) 234:147–157
- Hyenstrand P, see Rydin E et al. (2002) 239:31–36
- Hyrenbach KD, Fernández P, Anderson DJ (2002) Oceanographic habitats of two sympatric North Pacific albatrosses during the breeding season. 233:283–301

I

- Ibañez F, see Beaugrand G (2002) 232:197–211
- Ibañez F, see Beaugrand G et al. (2002) 232:179–195
- Ichii T, Mahapatra K, Watanabe T, Yatsu A, Inagake D,

- Okada Y (2002) Occurrence of jumbo flying squid *Dosidicus gigas* aggregations associated with the countercurrent ridge off the Costa Rica Dome during 1997 El Niño and 1999 La Niña. 231:151–166
- Ide Y, see Kayanne H et al. (2002) 239:93–103
- Iizuka Y, see Jessop BM et al. (2002) 233:217–229
- Inagake D, see Ichii T et al. (2002) 231:151–166
- Inagaki T, see Miller MJ et al. (2002) 235:279–288
- Ingham RJ, see Pütz K et al. (2002) 240:273–284
- Irigoi X, see Rey-Rassat C et al. (2002) 238:125–138
- Irigoi X, see Rey-Rassat C et al. (2002) 238:139–151
- Irigoi X, see Rey-Rassat C et al. (2002) 238:301–306
- Irons DB, see Suryan RM et al. (2002) 236:273–287

J

- James B, see Burrows MT et al. (2002) 240:39–48
- Janowitz GS, see Liu G et al. (2002) 231:47–66
- Jarvis T, see Tarling GA et al. (2002) 240:183–194
- Jaubert J, see Reynaud S et al. (2002) 238:81–89
- Jellyman D, Tsukamoto K (2002) First use of archival transmitters to track migrating freshwater eels *Anguilla dieffenbachii* at sea. 233:207–215
- Jennings S, Warr KJ, Mackinson S (2002) Use of size-based production and stable isotope analyses to predict trophic transfer efficiencies and predator-prey body mass ratios in food webs. 240:11–20
- Jessop BM, Shiao JC, Iizuka Y, Tzeng WN (2002) Migratory behaviour and habitat use by American eels *Anguilla rostrata* as revealed by otolith microchemistry. 233:217–229
- Jodice PGR, see Suryan RM et al. (2002) 236:273–287
- Johnson LE, see Gaymer CF et al. (2002) 232:149–162
- Jollivet D, see Thiébaut E et al. (2002) 234:147–157
- Jónasdóttir SH, see Engström-Öst J et al. (2002) 232:1–14
- Jones GP, see Bean K et al. (2002) 233:263–272
- Jones MB, see Edwards M et al. (2002) 239:1–10
- Jones MB, see Roast SD et al. (2002) 237:185–194
- Jones RF, Baltz DM, Allen RL (2002) Patterns of resource use by fishes and macroinvertebrates in Barataria Bay, Louisiana. 237:271–289
- Jones RH, Flynn KJ, Anderson TR (2002) Effect of food quality on carbon and nitrogen growth efficiency in the copepod *Acartia tonsa*. 235:147–156
- Jonzén N, Cardinale M, Gårdmark A, Fredrik Arrhenius F, Lundberg P (2002) Risk of collapse in the eastern Baltic cod fishery. 240:225–233
- Juanes F, see Scharf FS et al. (2002) 233:241–252
- Juillet-Leclerc A, see Reynaud S et al. (2002) 238:81–89

K

- Kaehler S, Froneman PW (2002) Herbivore-mediated increase in the photosynthetic capacity of marine biofilms: indirect effects of changing microalgal assemblage composition. 234:15–22
- Kalapasev N, see Chambers RM et al. (2002) 239:83–91
- Kamermans P, Hemminga MA, Tack JF, Mateo MA, Marbà N, Mtolera M, Stapel J, Verheyden A, Van Daele T (2002) Groundwater effects on diversity and abundance of lagoonal seagrasses in Kenya and on Zanzibar Island (East Africa). 231:75–83
- Kamio M, Matsunaga S, Fusetani N (2002) Copulation pheromone in the crab *Telmessus cheiragonus* (Brachyura: Decapoda). 234:183–190
- Kampp K, see Falk K et al. (2002) 231:293–302

- Kamykowski D, see Liu G et al. (2002) 231:47–66
- Karako S, Achituv Y, Perl-Treves R, Katcoff D (2002) *Asterina burtoni* (Asteroidea; Echinodermata) in the Mediterranean and the Red Sea: Does asexual reproduction enhance colonization? 234:139–145
- Karsten U, see Graeve M et al. (2002) 231:67–74
- Katcoff D, see Karako S et al. (2002) 234:139–145
- Katechakis A, Stibor H, Sommer U, Hansen T (2002) Changes in the phytoplankton community and microbial food web of Blanes Bay (Catalan Sea, NW Mediterranean) under prolonged grazing pressure by doliolids (Tunicata), cladocerans or copepods (Crustacea). 234:55–69
- Kato M, see Hata H (2002) 237:227–231
- Kattner G, see Graeve M et al. (2002) 231:67–74
- Kattner G, see Kennedy H et al. (2002) 238:1–13
- Katz T, Herut B, Genin A, Angel DL (2002) Gray mullets ameliorate organically enriched sediments below a fish farm in the oligotrophic Gulf of Aqaba (Red Sea). 234:205–214
- Kaufman M, see Suryan RM et al. (2002) 236:273–287
- Kawaguchi K, see Watanabe H et al. (2002) 236:263–272
- Kayanne H, Harii S, Ide Y, Akimoto F (2002) Recovery of coral populations after the 1998 bleaching on Shiraho Reef, in the southern Ryukyus, NW Pacific. 239:93–103
- Kayanne H, see Hata H et al. (2002) 232:129–140
- Keafer BA, see Aguilera A et al. (2002) 237:65–78
- Kelaher BP (2002) Influence of physical characteristics of coralline turf on associated macrofaunal assemblages. 232: 141–148
- Kennedy H, Thomas DN, Kattner G, Haas C, Dieckmann GS (2002) Particulate organic matter in Antarctic summer sea ice: concentration and stable isotopic composition. 238:1–13
- Kenney BE, see Litaker RW et al. (2002) 232:45–62
- Kenney BE, see Litaker RW et al. (2002) 232:63–74
- Keough MJ, see Holloway MG (2002) 236:137–154
- Khalaf MA, Kochzius M (2002) Changes in trophic community structure of shore fishes at an industrial site in the Gulf of Aqaba, Red Sea. 239:287–299
- Kim K, see Dube D et al. (2002) 231:139–150
- Kirchman DL (2002) Calculating microbial growth rates from data on production and standing stocks. 233:303–306
- Klein Breteler WCM, Grice K, Schouten S, Kloosterhuis HT, Sinninghe Damsté JS (2002) Stable carbon isotope fractionation in the marine copepod *Temora longicornis*: unexpectedly low $\delta^{13}\text{C}$ value of faecal pellets. 240:195–204
- Kloosterhuis HT, see Klein Breteler WCM et al. (2002) 240: 195–204
- Kloppmann MHF, Hillgruber N, von Westernhagen H (2002) Wind-mixing effects on feeding success and condition of blue whiting larvae in the Porcupine Bank area. 235: 263–277
- Kneib RT, see Webb SR (2002) 232:213–223
- Kochzius M, see Khalaf MA (2002) 239:287–299
- Kocum E, Nedwell DB, Underwood GJC (2002) Regulation of phytoplankton primary production along a hypernutritified estuary. 231:13–22
- Kocum E, Underwood GJC, Nedwell DB (2002) Simultaneous measurement of phytoplanktonic primary production, nutrient and light availability along a turbid, eutrophic UK east coast estuary (the Colne Estuary). 231:1–12
- Köhler A, see Lüdeking A (2002) 238:115–124
- Kokkonen M, see Engström-Öst J et al. (2002) 232:1–14
- Koski M, see Engström-Öst J et al. (2002) 232:1–14
- Koutstaal B, see Bouma TJ et al. (2002) 240:93–104
- Kremer JN, see Brush MJ et al. (2002) 238:31–45
- Krom MD, see Mortimer RJG et al. (2002) 236:31–35
- Kudo S, see Hata H et al. (2002) 232:129–140
- Kühl M, see Glud RN et al. (2002) 238:15–29
- Kurano N, see Hata H et al. (2002) 232:129–140
- Kurle CM, Worthy GAJ (2002) Stable nitrogen and carbon isotope ratios in multiple tissues of the northern fur seal *Callorhinus ursinus*: implications for dietary and migratory reconstructions. 236:289–300
- Kwasniewski S, see Scott CL et al. (2002) 235:127–134
- L**
- Laanbroek HJ, see de Bie MJM et al. (2002) 240:1–9
- Lacap CDA, Vermaat JE, Rollon RN, Nacorda HM (2002) Propagule dispersal of the SE Asian seagrasses *Enhalus acoroides* and *Thalassia hemprichii*. 235:75–80
- Lagadeuc Y, see Seuront L et al. (2002) 232:29–44
- Lambshead PJD, Brown CJ, Ferrero TJ, Mitchell NJ, Smith CR, Hawkins LE, Tietjen J (2002) Latitudinal diversity patterns of deep-sea marine nematodes and organic fluxes: a test from the central equatorial Pacific. 236:129–135
- Lancelot C, see Rousseau V et al. (2002) 236:61–73
- Landrum PF, see Mulsow S et al. (2002) 239:181–191
- Laporte JM, Truchot JP, Mesmer-Dudons N, Boudou A (2002) Bioaccumulation of inorganic and methylated mercury by the gills of the shore crab *Carcinus maenas*: transepithelial fluxes and histochemical localization. 231:215–228
- Lardies MA, Fernández M (2002) Effect of oxygen availability in determining clutch size in *Acanthia monodon*. 239: 139–146
- Lavery P, see Gartner A et al. (2002) 235:63–73
- Lavery PS, Vanderklift MA (2002) A comparison of spatial and temporal patterns in epiphytic macroalgal assemblages of the seagrasses *Amphibolis griffithii* and *Posidonia coriacea*. 236:99–112
- Lazar B, see Al-Qutob M et al. (2002) 239:233–239
- Lazar B, see Farstey V et al. (2002) 238:91–100
- Lechaire JP, see Sorgo A et al. (2002) 231:115–120
- Lee BG, see Schlekat CE et al. (2002) 237:79–85
- Lee R, see Dela-Cruz J et al. (2002) 236:75–88
- Lee RW, see Sahling H et al. (2002) 231:121–138
- Legendre L, see Goffart A et al. (2002) 236:45–60
- Legendre P, see Hewitt JE et al. (2002) 239:115–128
- Leis JM, Carson-Ewart BM, Cato DH (2002) Sound detection *in situ* by the larvae of a coral-reef damselfish (Pomacentridae). 232:259–268
- Le Maho Y, see Gauthier-Clerc M et al. (2002) 237:291–300
- Lennert-Cody CE, Franks PJS (2002) Fluorescence patches in high-frequency internal waves. 235:29–42
- Lenz PH, see Buskey EJ et al. (2002) 235:135–146
- Le point G, Millet S, Dauby P, Gobert S, Bouquegneau JM (2002) Annual nitrogen budget of the seagrass *Posidonia oceanica* as determined by *in situ* uptake experiments. 237: 87–96
- Lester RJG, see Grutter AS (2002) 234:247–255
- Lester RJG, see Grutter AS et al. (2002) 234:257–264
- Levin LA, see Davis JLD (2002) 234:229–246
- Levin PS, Hay ME (2002) Fish-seaweed association on temperate reefs: do small-scale experiments predict large-scale patterns? 232:239–246
- Levin PS, see Stunz GW et al. (2002) 238:227–236
- Lewis RE, see Warwick RM et al. (2002) 234:1–13
- Leynaert A, see Rousseau V et al. (2002) 236:61–73
- Li H, see Post AF et al. (2002) 239:241–250
- Lindley JA, see Beaugrand G et al. (2002) 232:179–195
- Linke P, see Sahling H et al. (2002) 231:121–138
- Litaker RW, Tester PA, Duke CS, Kenney BE, Pinckney JL, Ramus J (2002) Seasonal niche strategy of the bloom-forming dinoflagellate *Heterocapsa triquetra*. 232:45–62

- Litaker RW, Warner VE, Rhyne C, Duke CS, Kenney BE, Ramus J, Tester PA (2002) Effect of diel and interday variations in light on the cell division pattern and *in situ* growth rates of the bloom-forming dinoflagellate *Heterocapsa triquetra*. 232:63–74
- Liu G, Janowitz GS, Kamykowski D (2002) Influence of current shear on *Gymnodinium breve* (Dinophyceae) population dynamics: a numerical study. 231:47–66
- Liu H, Suzuki K, Minami C, Saino T, Watanabe M (2002) Picoplankton community structure in the subarctic Pacific Ocean and the Bering Sea during summer 1999. 237:1–14
- López-González PJ, see Orejas C et al. (2002) 231:101–114
- López-Legentil S, see Tarjuelo I et al. (2002) 235:103–115
- Lovell CR, see Marinelli RL et al. (2002) 235:1–13
- Loya Y, see Fine M et al. (2002) 234:119–125
- Lüdeking A, Köhler A (2002) Identification of six mRNA sequences of genes related to multixenobiotic resistance (MXR) and biotransformation in *Mytilus edulis*. 238:115–124
- Lundberg P, see Jonzén N et al. (2002) 240:225–233
- Luoma SN, see Griscom SB et al. (2002) 240:127–141
- Luoma SN, see Schlekat CE et al. (2002) 237:79–85
- Lüthi BH, see Pütz K et al. (2002) 240:273–284
- Lütkebohle T, see Mendes S et al. (2002) 239:221–229
- Luyten C, see Moens T et al. (2002) 234:127–137

M

- Maar M, Nielsen TG, Richardson K, Christaki U, Hansen OS, Zervoudaki S, Christou ED (2002) Spatial and temporal variability of food web structure during the spring bloom in the Skagerrak. 239:11–29
- MacDonald I, see Norkko A et al. (2002) 234:23–41
- MacIntyre S, see Alldredge AL et al. (2002) 233:1–12
- Mackinson S, see Jennings S et al. (2002) 240:11–20
- Magalhães CA, see Tanaka MO (2002) 237:151–158
- Magalhães CM, Bordalo AA, Wiebe WJ (2002) Temporal and spatial patterns of intertidal sediment-water nutrient and oxygen fluxes in the Douro River estuary, Portugal. 233:55–71
- Magnussen E (2002) Demersal fish assemblages of Faroe Bank: species composition, distribution, biomass spectrum and diversity. 238:211–225
- Mahapatra K, see Ichii T et al. (2002) 231:151–166
- Malone JC, see Steele MA et al. (2002) 235:195–203
- Maltagliati F (2002) Genetic monitoring of brackish-water populations: the Mediterranean toothcarp *Aphanius fasciatus* (Cyprinodontidae) as a model. 235:257–262
- Maneiro I, see Guisande C et al. (2002) 239:147–156
- Maneiro I, see Guisande C et al. (2002) 240:105–115
- Mapstone BD, see Thompson AA (2002) 232:247–257
- Marañón E, see González N et al. (2002) 233:21–30
- Marbà N, see Kamermans P et al. (2002) 231:75–83
- Marinelli RL, Lovell CR, Wakeham SG, Ringelberg DB, White DC (2002) Experimental investigation of the control of bacterial community composition in macrofaunal burrows. 235:1–13
- Markager S, see Staehr PA et al. (2002) 238:47–59
- Marnane MJ, Bellwood DR (2002) Diet and nocturnal foraging in cardinalfishes (Apogonidae) at One Tree Reef, Great Barrier Reef, Australia. 231:261–268
- Marshall DJ (2002) *In situ* measures of spawning synchrony and fertilization success in an intertidal, free-spawning invertebrate. 236:113–119
- Marshall PA, see Baird AH (2002) 237:133–141
- Marston BH, Willson MF, Gende SM (2002) Predator aggregations during eulachon *Thaleichthys pacificus* spawning runs. 231:229–236

- Marteinsdottir G, Begg GA (2002) Essential relationships incorporating the influence of age, size and condition on variables required for estimation of reproductive potential in Atlantic cod *Gadus morhua*. 235:235–256
- Matallanas J, see Carrassón M (2002) 234:215–228
- Mateo MA, see Kamermans P et al. (2002) 231:75–83
- Matsunaga S, see Kamio M et al. (2002) 234:183–190
- Matsuzawa Y, see Hatase H et al. (2002) 233:273–281
- Matthews JBL, see Tarling GA et al. (2002) 240:183–194
- Mazzoldi C, Poltronieri C, Rasotto MB (2002) Egg size variability and mating system in the marbled goby *Pomatoschistus marmoratus* (Pisces: Gobiidae). 233:231–239
- McAllister F, see Spagnol S et al. (2002) 235:299–302
- McCallum H, see Grutter AS et al. (2002) 234:257–264
- McCarthy DA, Young CM (2002) Gametogenesis and reproductive behavior in the echinoid *Lytechinus variegatus*. 233:157–168
- McCook LJ, see Diaz-Pulido G et al. (2002) 232:115–128
- McDonald LL, see Peterson CH et al. (2002) 231:309–314
- McIlwain JL (2002) Link between reproductive output and larval supply of a common damselfish species, with evidence of replenishment from outside the local population. 236:219–232
- McKown KA, see Buckel JA (2002) 234:191–204
- Medernach L, see Grémare A et al. (2002) 234:85–94
- Meekan MG, see Wilson DT (2002) 231:247–260
- Meireles S, see Queiroga H et al. (2002) 237:195–207
- Mendes JM, Woodley JD (2002) Effect of the 1995–1996 bleaching event on polyp tissue depth, growth, reproduction and skeletal band formation in *Montastraea annularis*. 235:93–102
- Mendes S, Turrell W, Lütkebohle T, Thompson P (2002) Influence of the tidal cycle and a tidal intrusion front on the spatio-temporal distribution of coastal bottlenose dolphins. 239:221–229
- Mesmer-Dudons N, see Laporte JM et al. (2002) 231:215–228
- Middelburg JJ, see de Bie MJM et al. (2002) 240:1–9
- Middelburg JJ, see Moens T et al. (2002) 234:127–137
- Middelburg JJ, see Moodley L et al. (2002) 236:23–29
- Mikawa N, see Okamura A et al. (2002) 234:281–288
- Miller MJ, Otake T, Minagawa G, Inagaki T, Tsukamoto K (2002) Distribution of leptocephali in the Kuroshio Current and East China Sea. 235:279–288
- Miller SL, see Chiappone M et al. (2002) 235:117–126
- Millet S, see Lepoint G et al. (2002) 237:87–96
- Minagawa G, see Miller MJ et al. (2002) 235:279–288
- Minami C, see Liu H et al. (2002) 237:1–14
- Minello TJ, see Stunz GW et al. (2002) 238:227–236
- Miner BG, see Blanchette CA et al. (2002) 239:69–82
- Miramand P, see Bustamante P et al. (2002) 231:167–177
- Mirto S, see Danovaro R et al. (2002) 234:95–104
- Mitchell JG, see Waters RL (2002) 237:51–63
- Mitchell NJ, see Lambsead PJD et al. (2002) 236:129–135
- Miyazaki N, see Ohji M et al. (2002) 235:171–176
- Mladenov PV, see Sköld M et al. (2002) 233:143–155
- Moens T, Luyten C, Middelburg JJ, Herman PMJ, Vincx M (2002) Tracing organic matter sources of estuarine tidal flat nematodes with stable carbon isotopes. 234:127–137
- Mokrevsky V, Azovsky A (2002) Re-evaluation of species diversity patterns of free-living marine nematodes. 238: 101–108
- Moksnes PO, see Queiroga H et al. (2002) 237:195–207
- Møller EF, see Nielsen TG et al. (2002) 236:301–306
- Moodley L, Middelburg JJ, Boschker HTS, Duineveld GCA, Pel R, Herman PMJ, Heip CHR (2002) Bacteria and Foraminifera: key players in a short-term deep-sea benthic response to phytodetritus. 236:23–29

- Moore JJ, see Burrows MT et al. (2002) 240:39–48
 Moore PG, see Bergmann M et al. (2002) 233:185–198
 Morel FMM, see Tortell PD et al. (2002) 236:37–43
 Mortimer RJG, Krom MD, Harris SJ, Hayes PJ, Davies IM, Davison W, Zhang H (2002) Evidence for suboxic nitrification in recent marine sediments. 236:31–35
 Mtolera M, see Kamermans P et al. (2002) 231:75–83
 Mulholland MR, Floge S, Carpenter EJ, Capone DG (2002) Phosphorus dynamics in cultures and natural populations of *Trichodesmium* spp. 239:45–55
 Mullady TL, see Drake LA et al. (2002) 233:13–20
 Mulsow S, Landrum PF, Robbins JA (2002) Biological mixing responses to sublethal concentrations of DDT in sediments by *Heteromastus filiformis* using a ¹³⁷Cs marker layer technique. 239:181–191
 Munro JL, see Watson M et al. (2002) 237:247–256
 Murphy EJ, see Fach BA et al. (2002) 231:187–203
 Murray MD, see Nicholls DG et al. (2002) 231:269–277

N

- Nacorda HM, see Lacap CDA et al. (2002) 235:75–80
 Navarro JM, see Velasco LA (2002) 240:143–155
 Nedwell DB, see Kocum E et al. (2002) 231:1–12
 Nedwell DB, see Kocum E et al. (2002) 231:13–22
 Negri AP, see Webster NS et al. (2002) 232:305–309
 Nichol DG, Somerton DA (2002) Diurnal vertical migration of the Atka mackerel *Pleurogrammus monopterygius* as shown by archival tags. 239:193–207
 Nicholls DG, Robertson CJR, Prince PA, Murray MD, Walker KJ, Elliott GP (2002) Foraging niches of three *Diomedea* albatrosses. 231:269–277
 Nicol S, see Shin HC (2002) 239:157–167
 Nielsen TG, Møller EF, Satapoomin S, Ringuette M, Hopcroft RR (2002) Egg hatching rate of the cyclopoid copepod *Oithona similis* in arctic and temperate waters. 236:301–306
 Nielsen TG, see Maar M et al. (2002) 239:11–29
 Nieuwennhuize J, see Riera L et al. (2002) 240:291–296
 Nilsson HC, see Rosenberg R et al. (2002) 234:43–53
 Nixon SW, see Brush MJ (2002) 238:73–79
 Nixon SW, see Brush MJ et al. (2002) 238:31–45
 Norkko A, Thrush SF, Hewitt JE, Cummings VJ, Norkko J, Ellis JI, Funnell GA, Schultz D, MacDonald I (2002) Smothering of estuarine sandflats by terrigenous clay: the role of wind-wave disturbance and bioturbation in site-dependent macrofaunal recovery. 234:23–41
 Norkko A, see Hewitt JE et al. (2002) 239:115–128
 Norkko J, see Norkko A et al. (2002) 234:23–41
 Norling K, see Rosenberg R et al. (2002) 234:43–53

O

- Ogura N, see Ahner BA et al. (2002) 232:93–103
 Ohji M, Arai T, Miyazaki N (2002) Effects of tributyltin exposure in the embryonic stage on sex ratio and survival rate in the caprellid amphipod *Caprella danilevskii*. 235:171–176
 Oka HP, see Okamura A et al. (2002) 234:281–288
 Okada Y, see Ichii T et al. (2002) 231:151–166
 Okamura A, Yamada A, Tanaka S, Horie N, Utoh T, Mikawa N, Akazawa A, Oka HP (2002) Atmospheric depression as the final trigger for the seaward migration of the Japanese eel *Anguilla japonica*. 234:281–288
 Ólafsson E, see Wenngren J (2002) 240:205–213
 Olesen B, Enríquez S, Duarte CM, Sand-Jensen K (2002)

- Depth-acclimation of photosynthesis, morphology and demography of *Posidonia oceanica* and *Cymodocea nodosa* in the Spanish Mediterranean Sea. 236:89–97
 Oleson JR, see Ahner BA et al. (2002) 232:93–103
 Omata K, see Hatase H et al. (2002) 233:273–281
 O'Neal W, Pawlik JR (2002) A reappraisal of the chemical and physical defenses of Caribbean gorgonian corals against predatory fishes. 240:117–126
 Or YY, see Gray JS et al. (2002) 238:249–279
 Orejas C, López-González PJ, Gili JM, Teixidó N, Gutt J, Arntz WE (2002) Distribution and reproductive ecology of the Antarctic octocoral *Ainigmapiilon antarcticum* in the Weddell Sea. 231:101–114
 Oren U, see Fine M et al. (2002) 234:119–125
 Oro D, see Arcos JM (2002) 239:209–220
 Orth RJ, van Montfrans J (2002) Habitat quality and prey size as determinants of survival in post-larval and early juvenile instars of the blue crab *Callinectes sapidus*. 231:205–213
 Osgood DT, see Chambers RM et al. (2002) 239:83–91
 Otake T, see Miller MJ et al. (2002) 235:279–288

P

- Page DS, see Gilfillan ES et al. (2002) 231:303–308
 Pakhomov EA, Froneman PW, Wassmann P, Ratkova T, Arashkevich E (2002) Contribution of algal sinking and zooplankton grazing to downward flux in the Lazarev Sea (Southern Ocean) during the onset of phytoplankton bloom: a lagrangian study. 233:73–88
 Passow U (2002) Production of transparent exopolymer particles (TEP) by phyto- and bacterioplankton. 236:1–12
 Paterson DM, see Defew EC et al. (2002) 237:15–25
 Paterson GL, see Glover A et al. (2002) 240:157–170
 Pätzold J, see Al-Rousan S et al. (2002) 239:301–310
 Paul VJ, see Belliveau SA (2002) 232:105–114
 Paul VJ, see Puglisi MP et al. (2002) 239:105–114
 Pawlik JR, see O'Neal W (2002) 240:117–126
 Pazos Y, see Guisande C et al. (2002) 239:147–156
 Peebles EB (2002) Temporal resolution of biological and physical influences on bay anchovy *Anchoa mitchilli* egg abundance near a river-plume frontal zone. 237:257–269
 Pel R, see Moodley L et al. (2002) 236:23–29
 Pelletier É, see St-Jean SD et al. (2002) 236:155–161
 Pelletier É, see St-Jean SD et al. (2002) 236:163–178
 Pereda SV, see Chaparro OR et al. (2002) 234:171–181
 Perl-Treves R, see Karako S et al. (2002) 234:139–145
 Peterson CH, McDonald LL, Green RH, Erickson WP (2002) The joint consequences of multiple components of statistical sampling designs. 231:309–314
 Petraitis PS (2002) Effects of intraspecific competition and scavenging on growth of the periwinkle *Littorina littorea*. 236:179–187
 Phillips JA, Price IR (2002) How different is Mediterranean *Caulerpa taxifolia* (Caulerpales: Chlorophyta) to other populations of the species? 238:61–71
 Picquelle SJ, see Bailey KM (2002) 236:205–217
 Pieri J, see Durand JP et al. (2002) 233:199–205
 Pinckney JL, see Litaker RW et al. (2002) 232:45–62
 Piumsomboon AU, see Wong GTF et al. (2002) 237:27–39
 Poloczanska ES, see Arnott SA et al. (2002) 235:223–234
 Poltronieri C, see Mazzoldi C et al. (2002) 233:231–239
 Porte C, Escartín E, García de la Parra LM, Biosca X, Albaiges J (2002) Assessment of coastal pollution by combined determination of chemical and biochemical markers in *Mullus barbatus*. 235:205–216
 Pörtner HO, see Sommer AM (2002) 240:171–182

- Post AF, Dedej Z, Gottlieb R, Li H, Thomas DN, El-Absawi M, El-Naggar A, El-Gharabawi M, Sommer U (2002) Spatial and temporal distribution of *Trichodesmium* spp. in the stratified Gulf of Aqaba, Red Sea. 239:241–250
- Post AF, see Sommer U et al. (2002) 239:251–261
- Powell CL, see Bargu S et al. (2002) 237:209–216
- Prego R, see Dale AW (2002) 235:15–28
- Price IR, see Phillips JA (2002) 238:61–71
- Prince PA, see Nicholls DG et al. (2002) 231:269–277
- Pritchard T, see Dela-Cruz J et al. (2002) 236:75–88
- Proctor LM, see Childs CR et al. (2002) 240:285–290
- Puglisi MP, Paul VJ, Biggs J, Slattery M (2002) Co-occurrence of chemical and structural defenses in the gorgonian corals of Guam. 239:105–114
- Pütz K, Ingham RJ, Smith JG, Lüthi BH (2002) Winter dispersal of rockhopper penguins *Eudyptes chrysocome* from the Falkland Islands and its implications for conservation. 240: 273–284

Q

- Queiroga H, Moksnes PO, Meireles S (2002) Vertical migration behaviour in the larvae of the shore crab *Carcinus maenas* from a microtidal system (Gullmarsfjord, Sweden). 237:195–207

R

- Rabalais NN, see Childs CR et al. (2002) 240:285–290
- Ramus J, see Litaker RW et al. (2002) 232:45–62
- Ramus J, see Litaker RW et al. (2002) 232:63–74
- Rand PS (2002) Modeling feeding and growth in Gulf of Alaska sockeye salmon: implications for high-seas distribution and migration. 234:265–280
- Rasheed M, Badran MI, Richter C, Huettel M (2002) Effect of reef framework and bottom sediment on nutrient enrichment in a coral reef of the Gulf of Aqaba, Red Sea. 239: 277–285
- Rasotto MB, see Mazzoldi C et al. (2002) 233:231–239
- Ratkova T, see Pakhomov EA et al. (2002) 233:73–88
- Rau GH, see Aguilera A et al. (2002) 237:65–78
- Ray GC, see Whittfield PE et al. (2002) 235:289–297
- Rehnstam-Holm AS, see Godhe A et al. (2002) 240:71–83
- Reid PC, see Beaugrand G et al. (2002) 232:179–195
- Reid PC, see Edwards M et al. (2002) 239:1–10
- Reinfelder JR, see Chang SI (2002) 231:179–186
- Repka S, see Engström-Öst J et al. (2002) 232:1–14
- Reynaud S, Ferrier-Pagès C, Sambrotto R, Juillet-Leclerc A, Jaubert J, Gattuso JP (2002) Effect of feeding on the carbon and oxygen isotopic composition in the tissues and skeleton of the zooxanthellate coral *Stylophora pistillata*. 238:81–89
- Rey-Rassat C, Irigoien X, Harris R, Carlotti F (2002) Energetic cost of gonad development in *Calanus finmarchicus* and *C. helgolandicus*. 238:301–306
- Rey-Rassat C, Irigoien X, Harris R, Head R, Carlotti F (2002) Growth and development of *Calanus helgolandicus* reared in the laboratory. 238:125–138
- Rey-Rassat C, Irigoien X, Harris R, Head R, Carlotti F (2002) Egg production rates of *Calanus helgolandicus* females reared in the laboratory: variability due to present and past feeding conditions. 238:139–151
- Rhyne C, see Litaker RW et al. (2002) 232:63–74
- Richardson K, see Maar M et al. (2002) 239:11–29
- Richter C, see Hempel G (2002) 239:231–232
- Richter C, see Rasheed M et al. (2002) 239:277–285

- Rickert D, see Sahling H et al. (2002) 231:121–138
- Riera L, Stal LJ, Nieuwenhuize J (2002) $\delta^{13}\text{C}$ versus $\delta^{15}\text{N}$ of co-occurring molluscs within a community dominated by *Crasostrea gigas* and *Crepidula fornicata* (Oosterschelde, The Netherlands). 240:291–296

- Rines JEB, see Alldredge AL et al. (2002) 233:1–12
- Ringelberg DB, see Marinelli RL et al. (2002) 235:1–13
- Ringuette M, see Nielsen TG et al. (2002) 236:301–306
- Rinkevich B, see Barki Y et al. (2002) 231:91–99
- Riveiro I, see Guisande C et al. (2002) 239:147–156
- Riveiro I, see Guisande C et al. (2002) 240:105–115
- Roast SD, Widdows J, Jones MB (2002) Distribution and swimming behaviour of *Neomysis integer* (Peracarida: Mysidae) in response to gradients of dissolved oxygen following exposure to cadmium at environmental concentrations. 237:185–194

- Robbins JA, see Mulsow S et al. (2002) 239:181–191
- Robertson CJR, see Nicholls DG et al. (2002) 231:269–277
- Robles R, Alvarez F, Alcaraz G (2002) Oxygen consumption of the crab *Callinectes rathbunae* parasitized by the rhizocephalan barnacle *Loxothylacus texanus* as a function of salinity. 235:189–194

- Roby DD, see Suryan RM et al. (2002) 236:273–287
- Rogers CN, de Nys R, Steinberg PD (2002) Effects of algal diet on the performance and susceptibility to predation of the sea hare *Aplysia parvula*. 236:241–254

- Rollon RN, see Lacap CDA et al. (2002) 235:75–80
- Rosenberg R, Agrenius S, Hellman B, Nilsson HC, Norling K (2002) Recovery of marine benthic habitats and fauna in a Swedish fjord following improved oxygen conditions. 234: 43–53

- Rousseau V, Leynaert A, Daoud N, Lancelot C (2002) Diatom succession, silicification and silicic acid availability in Belgian coastal waters (Southern North Sea). 236:61–73

- Rowden AA, see Edwards M et al. (2002) 239:1–10
- Roy K (2002) Bathymetry and body size in marine gastropods: a shallow water perspective. 237:143–149

- Ruiz GM, see Drake LA et al. (2002) 233:13–20
- Ruiz X, see Arcos JM et al. (2002) 232:281–290
- Ruxton GD, see Arnott SA (2002) 238:199–210
- Ruxton GD, see Arnott SA et al. (2002) 235:223–234
- Rydin E, Hyenstrand P, Gunnerhed M, Blomqvist P (2002) Nutrient limitation of cyanobacterial blooms: an enclosure experiment from the coastal zone of the NW Baltic proper. 239:31–36

- Ryer CH (2002) Trawl stress and escapee vulnerability to predation in juvenile walleye pollock: Is there an unobserved bycatch of behaviorally impaired escapees? 232:269–279

- Rysgaard S, see Glud RN et al. (2002) 238:15–29

S

- Sahling H, Rickert D, Lee RW, Linke P, Suess E (2002) Macrofaunal community structure and sulfide flux at gas hydrate deposits from the Cascadia convergent margin, NE Pacific. 231:121–138
- Saino T, see Chiba S (2002) 231:23–35
- Saino T, see Liu H et al. (2002) 237:1–14
- Saiz E, see Calbet A et al. (2002) 237:173–184
- Sakamoto W, see Hatase H et al. (2002) 233:273–281
- Salvat B, see Adjeroud M et al. (2002) 237:121–131
- Sambrotto R, see Reynaud S et al. (2002) 238:81–89
- Sand-Jensen K, see Binzer T (2002) 235:53–62
- Sand-Jensen K, see Olesen B et al. (2002) 236:89–97
- Sargent JR, see Scott CL et al. (2002) 235:127–134
- Satapoomin S, see Nielsen TG et al. (2002) 236:301–306

- Savidge G, see Gordillo FJL et al. (2002) 234:111–118
- Scharf FS, Buckel JA, Juanes F (2002) Size-dependent vulnerability of juvenile bay anchovy *Anchoa mitchilli* to bluefish predation: Does large body size always provide a refuge? 233:241–252
- Schlekat CE, Lee BG, Luoma SN (2002) Assimilation of selenium from phytoplankton by three benthic invertebrates: effect of phytoplankton species. 237:79–85
- Schmidt K, see Engström-Öst J et al. (2002) 232:1–14
- Schnack-Schiel SB, see Sommer U et al. (2002) 239:251–261
- Schnetzer A, Steinberg DK (2002) Active transport of particulate organic carbon and nitrogen by vertically migrating zooplankton in the Sargasso Sea. 234:71–84
- Schönenfeldt K, see van Bergeijk SA et al. (2002) 231:37–46
- Schouten S, see Klein Breteler WCM et al. (2002) 240:195–204
- Schouten S, see van Dongen BE et al. (2002) 232:83–92
- Schultz D, see Norkko A et al. (2002) 234:23–41
- Scott CL, Kwasniewski S, Falk-Petersen S, Sargent JR (2002) Species differences, origins and functions of fatty alcohols and fatty acids in the wax esters and phospholipids of *Calanus hyperboreus*, *C. glacialis* and *C. finmarchicus* from Arctic waters. 235:127–134
- Seuront L, Gentilhomme V, Lagadeuc Y (2002) Small-scale nutrient patches in tidally mixed coastal waters. 232:29–44
- Shearer M, see Glover A et al. (2002) 240:157–170
- Shiao JC, see Jessop BM et al. (2002) 233:217–229
- Shida O, see Yamamura O et al. (2002) 238:187–198
- Shillabeer N, see Warwick RM et al. (2002) 234:1–13
- Shillito B, see Thiébaut E et al. (2002) 234:147–157
- Shima JS, Findlay AM (2002) Pelagic larval growth rate impacts benthic settlement and survival of a temperate reef fish. 235:303–309
- Shin HC, Nicol S (2002) Using the relationship between eye diameter and body length to detect the effects of long-term starvation on Antarctic krill *Euphausia superba*. 239: 157–167
- Shreeve RS, Ward P, Whitehouse MJ (2002) Copepod growth and development around South Georgia: relationships with temperature, food and krill. 233:169–183
- Sigman DM, see Tortell PD et al. (2002) 236:37–43
- Silver MW, see Bargu S et al. (2002) 237:209–216
- Simon M, see Grossart HP (2002) 239:263–276
- Sinninghe Damsté JS, see Klein Breteler WCM et al. (2002) 240:195–204
- Sinninghe Damsté JS, see van Dongen BE et al. (2002) 232: 83–92
- Sivonen K, see Engström-Öst J et al. (2002) 232:1–14
- Skaare JU, see Borgå K et al. (2002) 235:157–169
- Sköld M, Barker MF, Mladenov PV (2002) Spatial variability in sexual and asexual reproduction of the fissiparous sea-star *Coscinasterias muricata*: the role of food and fluctuating temperature. 233:143–155
- Slattery M, see Puglisi MP et al. (2002) 239:105–114
- Smit AJ, see Gartner A et al. (2002) 235:63–73
- Smith CR, see Glover A et al. (2002) 240:157–170
- Smith CR, see Lambshead PJD et al. (2002) 236:129–135
- Smith JG, see Pütz K et al. (2002) 240:273–284
- Somerfield PJ, Yodnarasri S, Aryuthaka C (2002) Relationships between seagrass biodiversity and infaunal communities: implications for studies of biodiversity effects. 237: 97–109
- Somerfield PJ, see Warwick RM et al. (2002) 234:1–13
- Somerton DA, see Nichol DG et al. (2002) 239:193–207
- Sommaruga R, see Conde D et al. (2002) 240:57–70
- Sommer AM, Pörtner HO (2002) Metabolic cold adaptation in the lugworm *Arenicola marina*: comparison of a White Sea and a North Sea population. 240:171–182
- Sommer U, Berninger UG, Böttger-Schnack R, Cornils A, Hagen W, Hansen T, Al-Najjar T, Post AF, Schnack-Schiel SB, Stibor H, Stübing D, Wickham S (2002) Grazing during early spring in the Gulf of Aqaba and the northern Red Sea. 239:251–261
- Sommer U, see Katechakis A et al. (2002) 234:55–69
- Sommer U, see Post AF et al. (2002) 239:241–250
- Sorgo A, Gaill F, Lechaire JP, Arndt C, Bright M (2002) Glycogen storage in the *Riftia pachyptila* trophosome: contribution of host and symbionts. 231:115–120
- Spagnol S, Wolanski E, Deleersnijder E, Brinkman R, McAlister F, Cushman-Roisin B, Hanert E (2002) An error frequently made in the evaluation of advective transport in two-dimensional Lagrangian models of advection-diffusion in coral reef waters. 235:299–302
- Spicer JI, Strömberg JO (2002) Diel vertical migration and the haemocyanin of krill *Meganyctiphanes norvegica*. 238: 153–162
- Staehr PA, Henriksen P, Markager S (2002) Photoacclimation of four marine phytoplankton species to irradiance and nutrient availability. 238:47–59
- Stal LJ, see Riera L et al. (2002) 240:291–296
- Stal LJ, see Wolfstein K (2002) 236:13–22
- Stal LJ, see van Bergeijk SA et al. (2002) 231:37–46
- Stapelf J, see Bouma TJ et al. (2002) 240:93–104
- Stapelf J, see Kamermans P et al. (2002) 231:75–83
- Starink M, see de Bie MJM et al. (2002) 240:1–9
- Steele MA, Forrester GE (2002) Variation in the relative importance of sublethal effects of predators and competitors on growth of a temperate reef fish. 237:233–245
- Steele MA, Malone JC, Findlay AM, Carr MH, Forrester GE (2002) A simple method for estimating larval supply in reef fishes and a preliminary test of population limitation by larval delivery in the kelp bass *Paralabrax clathratus*. 235: 195–203
- Steinberg DK, see Schnetzer A (2002) 234:71–84
- Steinberg PD, see Rogers CN et al. (2002) 236:241–254
- Stibor H, see Katechakis A et al. (2002) 234:55–69
- Stibor H, see Sommer U et al. (2002) 239:251–261
- St-Jean SD, Pelletier É, Courtenay SC (2002) Very low levels of waterborne butyltins modulate hemocyte function in the blue mussel *Mytilus edulis*. 236:155–161
- St-Jean SD, Pelletier É, Courtenay SC (2002) Hemocyte functions and bacterial clearance affected *in vivo* by TBT and DBT in the blue mussel *Mytilus edulis*. 236:163–178
- Stoecker DK, Gustafson DE (2002) Predicting grazing mortality of an estuarine dinoflagellate, *Pfiesteria piscicida*. 233: 31–38
- Strömberg JO, see Spicer JI (2002) 238:153–162
- Stübing D, see Sommer U et al. (2002) 239:251–261
- Stunz GW, Minello TJ, Levin PS (2002) Growth of newly settled red drum *Sciaenops ocellatus* in different estuarine habitat types. 238:227–236
- Suess E, see Sahling H et al. (2002) 231:121–138
- Sugisaki H, see Brodeur RD et al. (2002) 233:89–103
- Sullivan JM, see Alldredge AL et al. (2002) 233:1–12
- Suryan RM, Irons DB, Kaufman M, Benson J, Jodice PGR, Roby DD, Brown ED (2002) Short-term fluctuations in forage fish availability and the effect on prey selection and brood-rearing in the black-legged kittiwake *Rissa tridactyla*. 236:273–287
- Suthers I, see Dela-Cruz J et al. (2002) 236:75–88
- Suzuki K, see Liu H et al. (2002) 237:1–14
- Svensen C (2002) Eutrophication and vertical flux: a critical evaluation of silicate addition. 240:21–26
- Svensson S, see Godhe A et al. (2002) 240:71–83
- Swanson DW, see Chiappone M et al. (2002) 235:117–126

T

- Tack JF, see Kamermans P et al. (2002) 231:75–83
- Takagi Y (2002) Otolith formation and endolymph chemistry: a strong correlation between the aragonite saturation state and pH in the endolymph of the trout otolith organ. 231:237–245
- Takai N, see Hatase H et al. (2002) 233:273–281
- Tanaka MO, Magalhães CA (2002) Edge effects and succession dynamics in *Brachidontes* mussel beds. 237:151–158
- Tanaka S, see Okamura A et al. (2002) 234:281–288
- Tapp JF, see Warwick RM et al. (2002) 234:1–13
- Tarjuelo I, López-Legentil S, Codina M, Turon X (2002) Defence mechanisms of adults and larvae of colonial ascidians: patterns of palatability and toxicity. 235:103–115
- Tarling GA, Jarvis T, Emsley SM, Matthews JBL (2002) Midnight sinking behaviour in *Calanus finmarchicus*: a response to satiation or krill predation? 240:183–194
- Teixidó N, see Orejas C et al. (2002) 231:101–114
- Tester PA, see Litaker RW et al. (2002) 232:45–62
- Tester PA, see Litaker RW et al. (2002) 232:63–74
- Teyssié JL, see Bustamante P et al. (2002) 231:167–177
- Thampanya U, Vermaat JE, Duarte CM (2002) Colonization success of common Thai mangrove species as a function of shelter from water movement. 237:111–120
- Thiébaut E, Huther X, Shillito B, Jollivet D, Gaill F (2002) Spatial and temporal variations of recruitment in the tube worm *Riftia pachyptila* on the East Pacific Rise (9° 50' N and 13° N). 234:147–157
- Thomas DN, see Kennedy H et al. (2002) 238:1–13
- Thomas DN, see Post AF et al. (2002) 239:241–250
- Thompson AA, Mapstone BD (2002) Intra- versus interannual variation in counts of reef fishes and interpretations of long-term monitoring studies. 232:247–257
- Thompson P, see Mendes S et al. (2002) 239:221–229
- Thompson RJ, see Chaparro OR et al. (2002) 234:171–181
- Thrush SF, see Hewitt JE et al. (2002) 239:115–128
- Thrush SF, see Norkko A et al. (2002) 234:23–41
- Tietjen J, see Lambshead PJD et al. (2002) 236:129–135
- Tilzer MM, see Al-Qutob M et al. (2002) 239:233–239
- Tortell PD, DiTullio GR, Sigman DM, Morel FMM (2002) CO₂ effects on taxonomic composition and nutrient utilization in an Equatorial Pacific phytoplankton assemblage. 236:37–43
- Truchot JP, see Laporte JM et al. (2002) 231:215–228
- Tsukamoto K, see Jellyman D (2002) 233:207–215
- Tsukamoto K, see Miller MJ et al. (2002) 235:279–288
- Turner JT, see Granéli E (2002) 239:57–68
- Turon X, see Tarjuelo I et al. (2002) 235:103–115
- Turrell W, see Mendes S et al. (2002) 239:221–229
- Tyack PL, see Baird RW et al. (2002) 237:301–305
- Tzeng WN, see Jessop BM et al. (2002) 233:217–229

U

- Underwood AJ, see Bishop MJ et al. (2002) 236:121–128
- Underwood GJC, see Kocum E et al. (2002) 231:1–12
- Underwood GJC, see Kocum E et al. (2002) 231:13–22
- Urban HJ (2002) Modeling growth of different developmental stages in bivalves. 238:109–114
- Utoh T, see Okamura A et al. (2002) 234:281–288

V

- van Bergeijk SA, Schönenfeldt K, Stal LJ, Huisman J (2002) Production and consumption of dimethylsulfide (DMS) and dimethylsulfoniopropionate (DMSP) in a diatom-dominated

intertidal sediment. 231:37–46

- Van Daele T, see Kamermans P et al. (2002) 231:75–83
- van Dam RP, see Diez CE (2002) 234:301–309
- Vanderklift MA, see Lavery PS (2002) 236:99–112
- van der Heiden K, see Bouma TJ et al. (2002) 240:93–104
- van Dongen BE, Schouten S, Sinninghe Damsté JS (2002) Carbon isotope variability in monosaccharides and lipids of aquatic algae and terrestrial plants. 232:83–92
- van IJzerloo L, see Bouma TJ et al. (2002) 240:93–104
- van Montfrans J, see Orth RJ (2002) 231:205–213
- van Soelen J, see Bouma TJ et al. (2002) 240:93–104
- Velasco LA, Navarro JM (2002) Feeding physiology of infaunal (*Mulinia edulis*) and epifaunal (*Mytilus chilensis*) bivalves under a wide range of concentrations and quality of seston. 240:143–155
- Vergara AR, see Guisande C et al. (2002) 240:105–115
- Verheyden A, see Kamermans P et al. (2002) 231:75–83
- Vermaat JE, see Lacap CDA et al. (2002) 235:75–80
- Vermaat JE, see Thampanya U et al. (2002) 237:111–120
- Vermeij MJA, Bak RPM (2002) How are coral populations structured by light? Marine light regimes and the distribution of *Madracis*. 233:105–116
- Vétion G, see Grémare A et al. (2002) 234:85–94
- Viitasalo M, see Engström-Öst J et al. (2002) 232:1–14
- Vincx M, see Moens T et al. (2002) 234:127–137
- Vives SP, see Whittlefield PE et al. (2002) 235:289–297
- von Westernhagen H, see Kloppmann MHF et al. (2002) 235: 263–277

W

- Wainright SC, see Bosley KL et al. (2002) 236:233–240
- Wakeham SG, see Marinelli RL et al. (2002) 235:1–13
- Walker KJ, see Nicholls DG et al. (2002) 231:269–277
- Wamboldt M, see Finn RN et al. (2002) 237:217–226
- Wang WX, Yan QL, Fan W, Xu Y (2002) Bioavailability of sedimentary metals from a contaminated bay. 240:27–38
- Wang WX, see Xu Y (2002) 238:173–186
- Ward B, see Caffrey JM et al. (2002) 233:39–53
- Ward P, see Shreeve RS et al. (2002) 233:169–183
- Ward P, see Woodd-Walker RS et al. (2002) 236:189–203
- Warnau M, see Bustamante P et al. (2002) 231:167–177
- Warner VE, see Litaker RW et al. (2002) 232:63–74
- Warr KJ, see Jennings S et al. (2002) 240:11–20
- Warwick RM, Ashman CM, Brown AR, Clarke KR, Dowell B, Hart B, Lewis RE, Shillabeer N, Somerfield PJ, Tapp JF (2002) Inter-annual changes in the biodiversity and community structure of the macrobenthos in Tees Bay and the Tees estuary, UK, associated with local and regional environmental events. 234:1–13
- Wassmann P, see Pakhomov EA et al. (2002) 233:73–88
- Watanabe H, Kawaguchi K, Hayashi A (2002) Feeding habits of juvenile surface-migratory myctophid fishes (family Myctophidae) in the Kuroshio region of the western North Pacific. 236:263–272
- Watanabe M, see Liu H et al. (2002) 237:1–14
- Watanabe T, see Ichii T et al. (2002) 231:151–166
- Waters RL, Mitchell JG (2002) Centimetre-scale spatial structure of estuarine *in vivo* fluorescence profiles. 237:51–63
- Watson M, Munro JL, Gell FR (2002) Settlement, movement and early juvenile mortality of the yellowtail snapper *Ocyurus chrysurus*. 237:247–256
- Webb RI, see Webster NS et al. (2002) 232:305–309
- Webb SR, Kneib RT (2002) Abundance and distribution of juvenile white shrimp *Litopenaeus setiferus* within a tidal marsh landscape. 232:213–223

- Webster NS, Negri AP, Webb RI, Hill RT (2002) A spongivorous α -proteobacterium is the etiological agent of disease in the Great Barrier Reef sponge *Rhopaloeides odorabile*. 232:305–309
- Wefer G, see Al-Rousan S et al. (2002) 239:301–310
- Wei L, see Ahner BA et al. (2002) 232:93–103
- Wenngren J, Ólafsson E (2002) Intraspecific competition for food within and between year classes in the deposit-feeding amphipod *Monoporeia affinis*—the cause of population fluctuations? 240:205–213
- Wenzhöfer F, see Glud RN et al. (2002) 238:15–29
- White DC, see Marinelli RL et al. (2002) 235:1–13
- Whitehouse MJ, see Shreeve RS et al. (2002) 233:169–183
- Whitfield PE, Gardner T, Vives SP, Gilligan MR, Courtenay WR Jr, Ray GC, Hare JA (2002) Biological invasion of the Indo-Pacific lionfish *Pterois volitans* along the Atlantic coast of North America. 235:289–297
- Wickham S, see Sommer U et al. (2002) 239:251–261
- Widdows J, see Roast SD et al. (2002) 237:185–194
- Wiebe WJ, see Magalhães CM et al. (2002) 233:55–71
- Wieczorek SK, see Bergmann M et al. (2002) 233:185–198
- Wiencke C, see Graeve M et al. (2002) 231:67–74
- Williams SL, Grosholz ED (2002) Preliminary reports from the *Caulerpa taxifolia* invasion in southern California. 233: 307–310
- Williams SL, see Haring RN et al. (2002) 232:75–82
- Willson MF, see Marston BH et al. (2002) 231:229–236
- Wilson DT, Meekan MG (2002) Growth-related advantages for survival to the point of replenishment in the coral reef fish *Stegastes partitus* (Pomacentridae). 231:247–260
- Wilson GDF, see Glover A et al. (2002) 240:157–170
- Winkler G, Greve W (2002) Laboratory studies of the effect of temperature on growth, moulting and reproduction in the co-occurring mysids *Neomysis integer* and *Praunus flexuosus*. 235:177–188
- Witting DA, see Bosley KL et al. (2002) 236:233–240
- Wolanski E, see Spagnol S et al. (2002) 235:299–302
- Wolff WJ, see Hiddink JG (2002) 233:117–130
- Wolfstein K, Stal LJ (2002) Production of extracellular polymeric substances (EPS) by benthic diatoms: effect of irradiance and temperature. 236:13–22
- Wong GTF, Piumsomboon AU, Dunstan WM (2002) The transformation of iodate to iodide in marine phytoplankton cultures. 237:27–39
- Woodbury D, see Grover JJ et al. (2002) 240:235–247
- Woodd-Walker RS, Ward P, Clarke A (2002) Large-scale patterns in diversity and community structure of surface water copepods from the Atlantic Ocean. 236:189–203
- Woodley JD, see Mendes JM (2002) 235:93–102
- Worthy GAJ, see Kurle CM (2002) 236:289–300
- Wu RS, see Gray JS et al. (2002) 238:249–279

X

- Xu Y, Wang WX (2002) Exposure and potential food chain transfer factor of Cd, Se and Zn in marine fish *Lutjanus argentimaculatus*. 238:173–186
- Xu Y, see Wang WX et al. (2002) 240:27–38

Y

- Yamada A, see Okamura A et al. (2002) 234:281–288
- Yamamura O, Honda S, Shida O, Hamatsu T (2002) Diets of walleye pollock *Theragra chalcogramma* in the Doto area, northern Japan: ontogenetic and seasonal variations. 238: 187–198
- Yamano H, see Hata H et al. (2002) 232:129–140
- Yan QL, see Wang WX et al. (2002) 240:27–38
- Yatsu A, see Ichii T et al. (2002) 231:151–166
- Yodnarasri S, see Somerfield PJ et al. (2002) 237:97–109
- Young CM, see McCarthy DA (2002) 233:157–168

Z

- Zaneveld JRV, see Alldredge AL et al. (2002) 233:1–12
- Zervoudaki S, see Maar M et al. (2002) 239:11–29
- Zhang H, see Mortimer RJG et al. (2002) 236:31–35